Table of Items

	Items Lookup Hyperlinks:	
1.	(000) Introduction	
2.	(001) Vintage Silicon Wafers, Punched Cards, and Apple Computers History	1990
3.	(002) Vintage Apple I (Briefcase Assembly)	1967
4.	(003) Vintage Apple II Plus Computer	1979
5.	(004) Vintage Apple IIe Platinum Edition Computer	1987
6.	(005) Vintage Apple IIc with AppleColor monitor	1984
7.	(006) Vintage Apple IIGS Computer A2S6000	1986
8.	(007) Vintage Apple III Computer	1980
9.	(008) Vintage Apple LISA 2 Computers (Models 2/5 & 2/10)	1983
10.	(009) Vintage Apple Macintosh Classic Model M0420	1991
11.	(010) Vintage Apple Macintosh Classic Color	1993
12.	(011) Vintage Apple Macintosh Performa 630CD	1994
13.	(012) Vintage Apple Macintosh PERFORMA 5200CD	1995
14.	(013) Vintage Apple Macintosh Centris 610 M1444	1993
15.	(014) Vintage Apple Power Macintosh G3 Tower	1994
16.	(015) Vintage Apple Power Macintosh G4 Tower M5183	2001
17.	(016) Vintage Apple eMAC PowerPC G4	2003
18.	(017) Vintage Apple iMac M5521 G3 Computer Indigo Blue	2000
19.	(018) Vintage Apple iMac Power PC G4 M6498 (The Dome)	2002
20.	(019) Vintage Apple 20th Anniversary Macintosh (TAM)	1997
21.	(020) Apple iMac Pro Cylinder Desktop	2018
22.	(021) Apple iMac AIO A1418	2012
23.	(022) HP AIO Touch (22-df0023w)	2020
24.	(022A) HP Pavilion Desktop Model 6540C	1995
25.	(023) Vintage IBM XT 5160 Computer	1983
26.	(024) Vintage IBM PCjr Computer model 4860-067	1984

27.	(025) Vintage IBM 8535 386SX PS2 Computer Color	1984
28.	(026) Vintage Acorn Risc PC 600 with Strongarm CPU	1994
29.	(027) Vintage SUN Microsystems Blade 150 UltraSPARC-IIe	2000
30.	(028) Vintage NextStation Turbo Computer (N1100)	1990
31.	(029) Vintage Sanyo MBC-2000 Z-80 Business Computer	1982
32.	(030) Vintage Commodore PET CBM 8096	1980
33.	(031) Vintage Sharp MZ-80K Computer	1979
34.	(032) Vintage Tandy TRS-80 Model III Microcomputer	1981
35.	(033) Vintage Tandy Radio Shack 1000 TX Personal Computer	1986
36.	(034) Vintage Merlin Tonto MI800 One Per Desk OPD	1984
37.	(035) Vintage Cardinal Technologies CP600 Messaging System	1988
38.	(036) Vintage Compaq Portable II Luggable PC	1986
39.	(037) Vintage IBM 5140 Convertible PC	1986
40.	(038) Vintage IBM P70-386 PS2 8573-031 Portable	1989
41.	(039) Vintage IBM System 360-370 Field Engineer Tool Kit Briefcase	1968
42.	(040) Vintage Dolch FlexPAC Luggable PC	1989
43.	(041) Vintage Corona PPC-XT Luggable Computer	1984
44.	(042) Vintage KAYPRO II CPM Luggable Computer	1982
45.	(043) Vintage Osborne 1 OCC1 Luggable Computer	1981
46.	(044) Vintage Panasonic Personal Word Processor KX-W1500	1988
47.	(045) Vintage Smith Corona PWP 3 Word Processor	1987
48.	(046) Vintage Sharp PC-7000a Luggable	1985
49.	(047) Vintage Amstrad PPC640 Portable PC	1988
50.	(048) Vintage Amstrad PC 1512	1986
51.	(049) Vintage GATEWAY Astro All In One PC	1999
52.	(050) Vintage GATEWAY GIA 1.1 Connected PC	2000
53.	(051) Vintage Netpliance i-Opener Computer NP1000	1999
54.	(052) Vintage Commodore SX-64 Computer	1983
55.	(053) Vintage Colby Portable Briefcase Computer	1994
56.	(054) Vintage V-Marc 88a Computer	1985
57.	(055) Vintage Integrated Computer 8080 Microprocessor Trainer	1980
58.	(056) Vintage Ferret-C Computer Testing System & EPROM Programmer	1983
59.	(057) Vintage Sharp PC-1246 Pocket Computer	1983
60.	(058) Vintage Panasonic HHC RL-H1400 Briefcase Computer	1981
61.	(059) Vintage Tandy TRS-80 Radio Shack Model 100	1983
62.	(060) Vintage Tandy TRS-80 Prototype Briefcase Computer	1981
63.	(061) Vintage Apple Macintosh 1st Portable M5120	1989
64.	(062) Vintage Apple iBook G3 Clamshell Indigo	1999

65.	(063) Vintage Apple Macintosh PowerBook 180 Laptop	1992
66.	(064) Vintage Apple Macintosh PowerBook 520c Laptop	1994
67.	(065) Vintage Apple Macintosh PowerBook 190cs Color Laptop	1995
68.	(066) Vintage Apple Newton Emate 300 WorkPad	1997
69.	(067) Vintage Apple Newton MessagePad 110	1994
70.	(068) Vintage Apple iPhone 1st Gen A1203 iOS 1.0	2007
71.	(069) Vintage Apple iPhone 3GS A1303	2009
72.	(070) Vintage Apple iPOD 1st Gen Scroll Wheel M8541	2001
73.	(071) Vintage Apple iPad 1st Gen A1219	2010
74.	(072) Vintage Apple iPod Touch 4th Gen A1367	2010
75.	(073) Vintage Apple iPod Video 5th Gen A1136	2005
76.	(074) Vintage IBM PALM TOP SubNoteBook PC110	1995
77.	(075) Vintage IBM ThinkPad 365ED Type 2625 Laptop	1995
78.	(076) Vintage IBM WorkPad 8602-10U	1997
79.	(077) Vintage Sony Anycast Station AWS-G500	2003
80.	(078) Vintage Sony VAIO All-in-One PCV-W10	2002
81.	(079) Vintage Sony VAIO PCG-R505EL Laptop	2003
82.	(080) Vintage EPSON Equity LT-386SX Laptop	1992
83.	(081) Vintage Compaq Contura Aero Laptop	1994
84.	(082) Vintage Compaq LTE Elite 4-75CX Laptop	1993
85.	(083) Vintage HP Compaq Tablet PC TC1100 Laptop	2004
86.	(084) Vintage HP iPAQ Pocket PC H5450 PDA	2002
87.	(085) Vintage Toshiba LIBRETTO 50CT Laptop	1996
88.	(086) Vintage Toshiba Satellite 205CDS Laptop	1996
89.	(087) Vintage Toshiba Qosmio G25-AV-513 Laptop	2004
90.	(088) Vintage Fujitsu Lifebook P1630 UMPC Laptop	2008
91.	(089) Vintage Fujitsu Lifebook 555Tx Laptop	1998
92.	(090) Vintage Gateway 2000 ColorBook Laptop	1993
93.	(091) Vintage PackardBell Easynote MV35-V-007 Laptop	2005
94.	(092) Vintage Panasonic Toughbook CF-U1 MK2	1996
95.	(092A) Vintage Samsung Q1 Ultra Handheld Computer A110	2007
96.	(093) Vintage Brother Super PowerNote PN-8500MDS	1996
97.	(094) Vintage Cidco Mail-Station Mivo 100 Det 101	1999
98.	(095) Vintage Palm Tungsten E2	2005
99.	(096) Vintage Franklin PC Companion Rolodex REX-3-DS PDA	1997
100.	(097) Vintage Vectrex Arcade Game Console	1982
101.	(098) Vintage Arcade Cabinet Multi-Systems Games Console	2016
102.	(099) Vintage Commodore Plus 4 Computer & Monitor	1984

103.	(100) Vintage AMSTRAD CPC 464 PC & Monitor	1984
104.	(101) Vintage SINCLAIR 128K ZX SPECTRUM +2	1985
105.	(102) Vintage Acorn BBC Model B Micro Computer	1981
106.	(103) Vintage XaviXPORT PT1-1002 Game Console	2004
107.	(104) Vintage Atari 2600 Video Game Console	1980
108.	(105) Vintage Atari 520 ST Computer	1985
109.	(106) Vintage Atari Lynx Model 2 Console	1991
110.	(107) Vintage Mattel Intellivision Game Console	1979
111.	(108) Vintage Magnavox Odyssey 2 Game Console	1978
112.	(109) Vintage Coleco Telstar Arcade Game Console	1977
113.	(110) Vintage ColecoVision CBS Game Console	1982
114.	(111) Vintage ColecoVision Adam Family Computer	1983
115.	(112) Vintage Sega Genesis Model 2 Game Console	1994
116.	(113) Vintage Nintendo NES Game Console	1985
117.	(114) Vintage Nintendo 64 N64 Charcoal Black Console	1996
118.	(115) Vintage Nintendo GameCube Black Game Console	2001
119.	(116) Vintage Nintendo Wii U Game Console Mario Kart 8	2012
120.	(117) Vintage Nintendo Game And Watch Super Mario Bros 35th Anniversary	1983
121.	(118) Vintage Nintendo DSI pink Portable	2004
122.	(119) Vintage Texas Instruments Ti-99-4A Computer	1981
123.	(120) Vintage Hanimex 888G TV Scoreboard Game Console	1977
124.	(121) Vintage Hanimex TVG 500 Video Game Console	1976
125.	(122) Vintage ADMAN Grandstand Game 3600 MKII Color Game Console	1977
126.	(123) Vintage Coleco Head To Head Video Game System	1979
127.	(124) Vintage IDEAL Computer Tele-Match Cassette 1 Game Console	1977
128.	(125) Vintage Realistic Clarinette 117 Music System	1986
129.	(126) Vintage General Sound GS-102S Portable Boombox TV	1986
130.	(127) Vintage Tandberg 6000X Reel-to-Reel Player + Panasonic Stereo	1970
131.	(128) Vintage Mayfair FT-111 Super Deluxe Mini Reel Player Recorder	1968
132.	(129) Vintage Sears 250.21300200 8-Track Tape Player	1972
133.	(130) Vintage GE Clock Radio Cassette Player	1984
134.	(131) Vintage Electro Brand Radio EB-2100	1970
135.	(132) Vintage Philips Radios-Merkur 493 B4D93A Tube Radio	1959
136.	(133) Vintage Country Belle Tube Radio	1956
137.	(134) Vintage THOMAS Radio Model 318	1932
138.	(134A) Vintage Zenith Solid State Alarm Clock Radio T2551p	1950
139.	(135) Vintage Four Star FS-585 Solid State Wooden Mini Piano Radio	1960
140.	(136) Vintage Kodak Kodascope 16mm Cine Film Projector	1937

141.	(137) Vintage Duo 8 IMAC 300 8mm Movie Projector	1975
142.	(138) Vintage Kodak EKTAGraphic III AMT Slide Projector	1998
143.	(139) Vintage Apple QuickTake 200 DS-7 M5709 Digital Camera	1997
144.	(140) Vintage Argus Argoflex EF Camera	1949
145.	(141) Vintage IBSOR DRP Jos. Schneider & Kreuznach Plate Camera	1928
146.	(142) Vintage Polaroid Model 210 Land Camera	1967
147.	(143) Vintage Polaroid Spectra System SE Instant Film Camera	1986
148.	(144) Vintage Keystone Turret Model K48 Bel Air 8mm	1960
149.	(145) Vintage Kodak Instamatic 304 Camera	1965
150.	(146) Vintage AudioVox VBP1000 Portable VHS Player with LCD	2000
151.	(147) Vintage Sanyo VTC-5000 Betamax Betacord Video Recorder	1982
152.	(147A) Vintage Portable Audio Cassette Players Set	1974
153.	(148) Vintage Panasonic TR-5050P Portable Popup TV Radio	1980
154.	(149) Vintage BT Clipper TSR8026A Rotary Dial Telephone	1980
155.	(150) Vintage KCL Technology Telemania Orange Cat Telephone	1980
156.	(151) Vintage Radio Shack 1st Cellular Phone CT-301	1987
157.	(152) Vintage PANASONIC EB-2502 Mobile Car Cell Phone	1989
158.	(153) Vintage Motorola Pagenet Pager	1986
159.	(154) Vintage Motorola MicroTAC CellularOne Mobile	1989
160.	(155) Vintage Sumit Manual Wheeled Calculator Adding Machine	1950
161.	(156) Vintage Underwood Champion Model G Typewriter	1941
162.	(157) Vintage Early Pocket Calculators Set	1973
163.	(158) Vintage Singer 128K Hand Crank Sewing Machine	1897
164.	(159) Vintage Tempus Fugit 31 Day Pendulum Wall Clock	1975
165.	(SS01) Support Items	
166.	STATISTICS	

(000) INTRODUCTION

I am a 55 years Information Technology Director, mid-80's computer science graduated student, living the era of technology from punch cards storage and silicon wafers to current high-speed InfiniBand network channels.

Today I am offering my lifetime ultimate collection of vintage historical personal computer systems, electronics, gaming consoles and antiques, all in working condition and fully maintained by professional hands.

Hopefully to find the right buyer who can appreciate this huge collection and can keep them for the next 30 years.

For interested computing history museums, also offering my expertise to setup and supervise the computing section as a full-time job or train a trainer for systems operations and maintenance.

Good Luck

Riyad Abdelhadi
Information Technology Director

(001) Vintage Silicon Wafers, Punched Cards and Apple Computers History [1990]
(003) Vintage Apple II Plus Computer [1979]
(002) Vintage Apple I (Suitcase Assembly) [1976]
(004) Vintage Apple IIe Platinum Edition Computer [1987]
KoalaPad
19
MMRS
16
MMRS
11
MMRS

(005) Vintage Apple IIc with AppleColor monitor
[1984]

(007) Vintage Apple III Computer
[1980]

(006) Vintage Apple IIGS Computer A2S6000
[1986]

(008) Vintage Apple LISA 2 Computers (Models 2/5 & 2/10)
[1983]

(009) Vintage Apple Macintosh Classic Model M0420
[1991]

(012) Vintage Apple Macintosh PERFORMA 5200CD
[1995]

(011) Vintage Apple Macintosh Performa 630CD
[1994]

(013) Vintage Apple Macintosh Centris 610 M1444
[1993]



19 MMRS 16 MMRS 11 MMRS





19 MMRS 16 MMRS 11 MMRS

(022) HP AIO Touch (22-df0023w)
[2020]

(023) Vintage IBM XT 5160 Computer & IBM Color Monitor 5153
[1983]

(022A) HP Pavilion Desktop Model 6540C
[1995]

(024) IBM PCjr Computer model 4860-067
[1984]

(025) IBM 8535 386SX PS2 Computer Color
[1984]

(027) Vintage SUN Microsystems Blade 150 UltraSPARC-IIe
[2000]

(026) Vintage Acorn Risc PC 600 with Strongarm CPU
[1994]


(028) Vintage NextStation Turbo Computer (N1100)
[1990]

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS

(037) Vintage IBM 5140 Convertible PC
[1986]

(039) Vintage IBM system 360-370 Field Engineer Tool Kit Briefcase
[1968]


(038) Vintage IBM P70-386 PS2 8573-031 Portable
[1989]

(040) Vintage Dolch FlexPAC Luggable PC
[1989]

(041) Vintage Corona PPC-XT Luggable Computer
[1984]

(043) Vintage Osborne 1 OCC1 Luggable Computer
[1981]

(042) Vintage KAYPRO II CPM Luggable Computer
[1982]

(044) Vintage Panasonic Personal Word Processor KX-W1500
[1988]


(045) Vintage Smith Corona PWP 3 Word Processor
[1987]

(047) Vintage Amstrad PPC640 Portable PC
[1988]

(046) Vintage Sharp PC-7000a Luggable
[1985]

(048) Vintage Amstrad PC 1512
[1986]

(049) Vintage GATEWAY Astro All In One PC
[1999]
MR. MATT

(052) Vintage Commodore SX-64 Computer
[1983]
ALPHABET ZOO

(050) Vintage GATEWAY GIA 1.1 Connected PC [2000]
VS
(051) Vintage Netpliance i-Opener Computer NP1000 [1999]
Gateway

(053) Vintage Colby Portable Suitcase Computer
[1994]
COLBY

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS


(074) Vintage IBM PALM TOP SubNoteBook PC110
[1995]

(076) Vintage IBM WorkPad 8602-10U
[1997]
WorkPad


(075) Vintage IBM ThinkPad 365ED Type 2625 Laptop
[1995]
SKYMASTER

(077) Vintage Sony Anycast Station AWS-G500
[2003]

(078) Vintage Sony VAIO All-in-One PCV-W10
[2002]
VAIO

(080) Vintage EPSON Equity LT-386SX Laptop
[1992]

(079) Vintage Sony VAIO PCG-R505EL Laptop
[2003]

(081) Vintage Compaq Contura Aero Laptop
[1994]

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS 7

(090) Vintage Gateway 2000 ColorBook Laptop
[1993]

(092) Vintage Panasonic Toughbook CF-U1 MK2
[1996

(091) Vintage PackardBell Easynote MV35-V-007 Laptop
[2005]

(092A) Vintage Samsung Q1 Ultra Handheld Computer A110
[2007]

19 MMRS 16 MMRS 11 MMRS

(093) Vintage Brother Super PowerNote PN-8500MDS
[1996]

(095) Vintage Palm Tungsten E2
[2005]

(094) Vintage Cidco Mail-Station Mivo 100 Det 101
[1999]

(096) Vintage Franklin PC Companion Rolodex REX-3-DS PDA
[1997]

19 MMRS 16 MMRS 11 MMRS

(097) Vintage Vectrex Arcade Game Console
[1982]

(099) Vintage Commodore Plus 4 Computer & Monitor
[1984]

(098) Vintage Arcade Cabinet Multi-Systems Games Console
[2016]
MARIO IS MISSING!

(100) Vintage AMSTRAD CPC 464 PC & Monitor
[1984]

(101) Vintage SINCLAIR 128K ZX SPECTRUM +2
[1985]

(103) Vintage XaviXPORT PT1-1002 Game Console
[2004]
XaviX TENNIS
XaviX BOWLING

(102) Vintage Acorn BBC Model B Micro Computer
[1981]
BASIC
BBC MICRO GRAPHICS AND SOUND

(104) Vintage Atari 2600 Video Game Console
[1980]
1983 Atari

(105) Vintage Atari 520 ST Computer
[1985]

(107) Vintage Mattel Intellivision Game Console
[1979]

(106) Vintage Atari Lynx Model 2 Console
[1991]

(108) Vintage Magnavox Odyssey 2 Game Console
[1978]

19 MMRS 16 MMRS 11 MMRS

(113) Vintage Nintendo NES Game Console
[1985]

(115) Vintage Nintendo GameCube Black Game Console
[2001]

(114) Vintage Nintendo 64 N64 Charcoal Black Console
[1996

(116) Vintage Nintendo Wii U Game Console Mario Kart 8
[2012]

19 MMRS 16 MMRS 11 MMRS

(117) Vintage Nintendo Game And Watch Super Mario Bros
35th Anniversary
[1983 / re-production 2020]

(119) Vintage Texas Instruments Ti-99-4A Computer
[1981]

(118) Vintage Nintendo DSI pink Portable
[2004]

(120) Vintage Hanimex 888G TV Scoreboard Game Console
[1977]

19 MMRS 16 MMRS 11 MMRS

(121) Vintage Hanimex TVG 500 Video Game Console
[1976]

(123) Vintage Coleco Head To Head Video Game System
[1979 / Re-production 2005]

(122) Vintage ADMAN Grandstand Game 3600 MKII Color Game Console
[1977]

(124) Vintage IDEAL Computer Tele-Match Cassette 1 Game Console
[1977]

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS

19 MMRS 16 MMRS 11 MMRS

(133) Vintage Country Belle Tube Radio
[1956]

(134A) Vintage Zenith Solid State Alarm Clock Radio T2551p
[1950]
ZENITH

(134) Vintage THOMAS Radio Model 318
[1932 Reproduction 1988]

(135) Vintage Four Star FS-585 Solid State Wooden Mini Piano Radio
[1960]
$ 34.95
Warranty
RADIO
FOUR STAR

(136) Vintage Kodak Kodascope 16mm Cine Film Projector
[1937]

(138) Vintage Kodak EKTAGraphic III AMT Slide Projector
[1998]

(137) Vintage Duo 8 IMAC 300 8mm Movie Projector
[1975]
IMAC

(139) Vintage Apple QuickTake 200 DS-7 M5709 Digital Camera
[1997]
QuickTake 200

19 MMRS 16 MMRS 11 MMRS



19 MMRS 16 MMRS 11 MMRS

(147A) Vintage Portable Audio Cassette Players Set
[1974-1980]

(149) Vintage BT Clipper TSR8026A Rotary Dial Telephone
[1980]

(148) Vintage Panasonic TR-5050P Portable Popup TV Radio
[1980]
Panasonic

(150) Vintage KCL Technology Telemania Orange Cat Telephone
[1980]

(151) Vintage Radio Shack 1st Cellular Phone CT-301
[1987]

(153) Vintage Motorola Pagenet Pager
[1986]

(152) Vintage PANASONIC EB-2502 Mobile Car Cell Phone
[1989]


(154) Vintage Motorola MicroTAC CellularOne Mobile
[1989]
MOTOROLA
Digital Personal Communicator™ Telephone

(155) Vintage Sumit Manual Wheeled Calculator Adding Machine
[1950]
(157) Vintage Early Pocket Calculators Rare Set
[1973-2008]
(156) Vintage Underwood Champion Model G Typewriter
[1941]
(158) Vintage Singer 128K Hand Crank Sewing Machine
[1897]

(159) Vintage Tempus Fugit 31 Day Pendulum Wall Clock
[1975]

VIDEO

(GOTO ^^TOP)

(001) Vintage Silicon Wafers, Punched Cards, and Apple Computers History [1990]




(001) Vintage Silicon Wafers, Punched Cards
and Apple Computers History
[1990]
College wooden frame
of full range of Apple badges
A thin slice of semiconductor
Punched Card Holds digital data
in predefined positions (Colorful)
SEARS, ROEBUCK AND CO.

Apple II
1977
$1,298
Apple III
1980
$4,340
Apple Lisa
1983
$9,995
Macintosh II
1987
$5,498
Macintosh Portable
1989
$7,300
Macintosh Quadra 700
1991
$5,700

Apple II
1977
$1,298
Apple III
1980
$4,340
Apple Lisa
1983
$9,995
Macintosh
1984
$2,495
Macintosh II
1987
$5,498
Macintosh Portable
1989
$7,300
Macintosh Quadra 700
1991
$5,700
PowerBook
1991
$2,500


Size: 400 MB (419,777,501 bytes)
Resolution: 1920x1080
Duration: 00:02:30
MPC-HC
(001) Vintage Silicon Wafers, Punched Cards and Apple Computers History [1990]

VIDEO

Specification (Silicon Wafer):	
Description	A thin slice of semiconductor, highly pure single crystalline material, with a purity of 99.9999999%, used for the fabrication of integrated circuits
Size	5.9 inch/150 mm
Thickness	675 µm

Specification (Storage Punched Cards):	
Description	Holds digital data represented by the presence or absence of holes in predefined positions, used punched cards for data input, output, and storage.
Size	12-row/80-column
Thickness	675 µm

Apple Computers History Metal Badge Collection Frame	
Description	College wooden frame of full range of Apple badges with a selection of disruptive, important, and unique looking designs sorted as per product release date.
Size	32.7*24.8*1.85 in (83*63*4.7 cm)

(GOTO ^^TOP)

(002) Vintage Apple I (Briefcase Assembly)
[1976]



Steve Wozniak. Apple I. Original Assembly Metal Tin Sign (same Inspiration for this Assembly
Original Apple I Operations Manual with Schematic Diagram
PRELIMINARY
APPLE BASIC USERS MANUAL
OCTOBER 1976
Apple Computer Company • 770 Welch Rd., Palo Alto, CA 94304 • (415) 326-4248
Original Apple I Programmer's Aid Manual
PROGRAMMER'S AID #1
INSTALLATION AND OPERATING MANUAL
Apple Utility Programs
This fine quality case contains the latest development in combination locks.
TOP CHANGE
PRESTOLOCK
Wooden Suitcase Passcode Change Instruction Card
Apple Logo "Pierre Cardin" Pen Souvenir

External Heat Fan for System Heavy Use
Automatic Voltage Transformer
Apple Logo Sticker
4-Ways Power Extension Cord
Universal Power Adapter
NEWSTAR
Simply the best
UNIVERSAL
TRAVEL ADAPTOR
elexon
SVC-500B
SONY


Sony TV-110U CRT BW TV (11") 1969
Original Apple "Phone List"
Software Tape
Original Apple "Graphics Demo"
Software Tape
SONY
apple computer inc.


BHVNA LCD AV Monitor (14")
with Remote Control
Sony TV-110U CRT BW TV (11") 1969
Heavy Duty Wooden Suitcase
with Passcode Locker


Motherboard Video Out Connector
Original Apple I Chipset
Apple I 1976 Metal Logo
Cassette Tape Expansion Card


Motherboard Keyboard Connector
Motherboard Power Connector
(+12V, +5V)
Panasonic Slim-Line Cassette Tape
Recorder Player RQ-2739
120V IN, +5V & +12V OUT
Power Supplies
UHF Channel Selectable RF Modulator
(for CRT TV)
5V Power Source Hub
for Internal Devices
Fully working Original Apple Keyboard

Original Apple Keyboard with Encoder
and 16 PIN Colored Cable
RESET
ESC
REPT
RETURN
CTRL
BELL
SHIFT
SHIFT


Clean System Cabling through
10 ports Lever Cable Connector
120V to 5V Power Adapter
Panasonic
AC/BATTERY


Attached 2-Way Power Extension
Universal Socket for Connecting Monitors
120V AC Power Socket
with ON/OFF Lighted Switch

Easy Connect Standard RCA Video Sockets
for AV (Left) and UHF (Right) Monitors/TVs
Apple I Keyboard “Clear Screen”
Button to Start Command Interpreter

OPERATION MANUAL
PROGRAMMER'S AID #1
INSTALLATION AND OPERATING MANUAL
Suitcase Back Attached Leather Pocket
(for Manuals, Papers and Apple Pen)


Press “Clear Screen” Button
to Start Internal Command Interpreter
apple I
SONY


Press Keyboard “RESET” Button to Start
Command Prompt
“\”


\
C100R
To Enter Cassette Tape Mode

\ 280.FFFR
Then Start Tape Play Button
To Load Graphics Demo Software
into addresses 280 to FFF Hexadecimal


After App Loading Completed
\ 280R
To Execute the App Already Loaded
at Address 280 Hexadecimal
(If No Run then Adjust Tape Volume
and Try Loading Again)
280R
apple I
SONY

apple I
SONY



Specification:	
CPU	MOS Technology 6502 @ 1 MHz
RAM	4 KB, 256 Bytes (ROM)
STORAGE	
DRIVES	456 KB (cassette tape) WAV format
DISPLAY	• Sony TV-110U Solid State Transistor CRT BW TV (11” 1969) • BHVNA LCD AV Color Monitor (14”) • Text: 40×24 characters
OS	Apple 1 Basic interpreter (No floating point)
KEYBOARD	Original Apple II+ keyboard (52 keys)
I/O PORTS	Cassette Interface Card (input/output)
EXPANSION PERIPHERALS	• Panasonic Cassette Tape Recorder Player RQ-2739 • AV to UHF Modulator TM70 • 2 display ports support (AV, RF Antenna TV) • 2 Sockets power strip • Integrated 4 ports 5V USB power source • External detachable motherboard fan

	• 8 GB touch media player (load Apple 1 software)
ACCESSORIES & DOCUMENTS	• Apple I Operations manual with schematic diagram • Original Apple I Programmer's Aid manual • Apple Pierre Cardin Pen souvenir
POWER SUPPLY	• **Computer**: 1 detachable power cable 120V only, integrated 2 power sockets 120V, Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Sony TV-110U Monitor 1**: 120V only, Plug Type: TYPE A, USA, 2 Thin Flat Pins • **BHVNA LCD Monitor 2**: 100-240V auto-switch, Plug Type: TYPE F, UK, 2 Thick Round Pins • **Power Transformer**: 500VA Power Transformer included (120V-240V Manual Switch), Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• On Startup: blinking @ signs filling screen • Press ClearScreen black button integrated left of the case • Press RESET key to start commands • C100R : to enter cassette load/save mode • 280.FFFR : then press cassette tape to load demo text photos program • RESET : any time to break run • Load software from default cassette tape player or switch cassette IN cable to integrated media player with 100s of Apple 1 applications and games • Keep cassette player volume level low (3-4) and Tone (7-8) for better program loading and recognition (analog to digital conversion)

(GOTO ^^TOP)

(003) Vintage Apple II Plus Computer
[1979]

EPSON MX-80 dot matrix printer & Banner Fold Sealed Paper Pack (Parallel Port Connected)
CERTIFICATE
BANNER FOLD
EPSON
Apple II
ProDOS User's Manual
APPLE II
REFERENCE MANUAL
THE APPLESOFT TUTORIAL


SCORE: 170 HIGH SCORE: 170
PRESS ANY KEY TO START
ROUND 1
External MIC (Connected to Cassette IN Port)
Original Apple II Green Mono CRT Monitor (12")

Original Built-in
Apple II+ keyboard (52 keys)


Apple II Compatible TG Joystick
Apple II Compatible
Dual Dial Pads
apple computer
Apple Computer Metal Banner

Apple II
Disk II
Installation Manual
The Crimson Crown A (side 1)
The Crimson Crown B (side 2)
apple][version
diskware™
Tass Times in Tonetown A (side 1)
Tass Times in Tonetown B (side 2)
apple][version
diskware™
DOS 3.3
SYSTEM MASTER
© APPLE 1980
disk II™
Original Apple II
Bootable Disks and Games

Parallel Printer External Cable
Cassette Tape IN/OUT Interface
Composite Display Monitor Port


System Save External
Cooling Fan With Power cable
& 2 Power Sockets


Unique Dual Joystick
Interface Card (Manual Switch)
apple computer inc.


Original Apple II
Keyboard and Encoder
48 KB System RAM Memory
Joystick Onboard Socket
EPSON Parallel Interface Card
Floppy Drives Interface Card
apple computer inc.

SCORE: 100 HIGH SCORE: 170
ROUND 1
THE APPLESOFT TUTORIAL
disk II 1
disk II 2
applesoft

DOS VERSION 3.3 08/25/80
APPLE II PLUS OR ROMCARD SYSTEM MASTER
]LIST
10 REM -- DOS 3.3 HELLO
20 REM
30 TEXT : PRINT
40 HOME
50 PRINT "DOS VERSION 3.3
08/25/80"
60 PRINT : PRINT "APPLE II PLUS
OR ROMCARD SYSTEM MASTER"
70 REM
80 REM -
THE APPLESOFT TUTORIAL
disk II 1
disk II 2
applesoft

]* UNTIL THE SYSTEM IS REBO
]TED
]300 END
]10 FOR I=1 TO 100
]20 PRINT I
]30 NEXT I
]40 END
]RUN
]
10
THE APPLESOFT TUTORIAL
disk II 1
disk II 2
apple II


Size: 426 MB (446,695,907 bytes)
esolution: 1920x1080
uration: 00:06:24
(003) Vintage Apple II Plus Computer
[1979]
BANNER FOLD
appla computar
System Save External
Cooling Fan With Power cable
& 2 Power Sockets

VIDEO

Specification:	
CPU	MOS Technology 6502 @ 1 MHz
RAM	48 KB , 12 KB (ROM)
STORAGE	
DRIVES	Original Apple II Disks A&B 5.25” (140 KB with ProDOS (256B/sector X 16sectors/track X 35tracks/side)
DISPLAY	• Original Apple II Green Mono CRT Monitor (12” 1983) • Graphics: 280 x 192 pixels mono color • Text: 40-80 x 24 characters
OS	• Built-in: Apple Integer BASIC • Floppy Boot: Apple ProDOS
KEYBOARD	Original Built-in Apple II+ keyboard (52 keys)
SOUND	Built-in Tone Generator Speaker
Network	
I/O PORTS	• 7 50-pin expansion slots • 16-pin DIP socket on the mainboard (Joystick/Pedals)
EXPANSION PERIPHERALS	• Floppy disk controller card (A+B) • EPSON parallel I/O printer card • Dual joystick support adapter (manual switch) • System Save External Cooling Fan: With Power cable extension for computer, 2 extra power sockets for monitor and others printer

ACCESSORIES & DOCUMENTS	• 2 buttons Joystick + 2 Pedals
	• EPSON MX-80 dot matrix printer & Banner Fold Sealed Paper Pack
	• Apple Computer Metal Banner
	• Original Apple II Manuals:
	  • Apple II Reference Manual with Foldout Schematic
	  • The Applesoft Tutorial Manual & Errata
	  • ProDos User’s Manual
	  • Disk II Reference Manual
	• Apple II Bootable Disks Bundle (Diskware DOS 3.3, Tass Times in Tonetown Game, The Crimson Crown Game, DigDog Game)

POWER SUPPLY	• **Computer + Monitor**: 120V Only (Internal PSU same cable) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **External Cooling Fan**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Printer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• CTRL+RESET keys: to run built-in integer BASIC LIST command: list current loaded BASIC program code • CATALOG command: list content of disk1 (add , D2 for disk 2) • RUN filename command: execute filename from disk 1

(GOTO ^^TOP)

(004) Vintage Apple IIe Platinum Edition Computer
[1987]

APPLE ORCHARD:
Volume One/Number One
Volume 2 Number 1
Volume 2 Number 2
Call A.P.P.L.E: 3 Issues 1983, 1984, 1985

SCORE 000000 MEN 003 LEVEL 001


Koala Plus Graphics Pad with Drawing Pen (New Package with Manuals and Disks)
Connected to Mouse/Joystick Port
KoalaPad+
Now, the Most Complete Computer Graphics System!
For Your Apple IIe, IIc
KoalaWare
KOALAPAD+
DRAWING TABLET
FOR APPLE II SERIES COMPUTERS
KOALAPAINTER
GRAPHICS EXHIBITOR
Apple Logo Mouse Pad

Apple IIc


Composite Video Monitor Port
Mouse/Joystick/Pad Connector
Cassette Tape Audio IN/OUT Sockets

CAUTION
Reset
Esc
Tab
Control
Shift
Caps Lock
Option
Delete
Return
Shift
Esc
Enter


Apple IIe
Unique Internal
Colling Fan Expansion Card
Apple II ProDOS Rom Drive
1M v4 (bootable)
(ProDOS v4.0 + 26 GAMES/UTILS)
Original Apple 64K Memory
Expansion Board
External Disk Drive Controller

1UP-000270 HI-000270
APPLE
ORCHARD
Introducing
Apple II Apple IIe Owner's Guide
KoalaPad+
Now, the Most Complete Computer Graphics System!
For Your Apple IIe, IIc
Apple IIe

]LIST
10 HOME
20 PRINT "PRODOS ROM-DRIVE V4.0
30 PRINT "(C)1998-2022 TERENCE
J. BOLDT"
40 PRINT
100 PRINT "E..
APPLE
ORCHARD
Introducing
In this issue:
Apple II Apple IIe Owner's Guide
KoalaPad+
Now, the Most Complete Computer Graphics System!
For Your Apple IIe, IIc

PRODOS ROM-DRIVE V4.0
(C)1998-2022 TERENCE J. BOLDT
[A] BC'S QUEST
[B] BOLO
[C] BRUCE LEE
[D] CANNONBALL BLITZ
[E] WOLFENSTEIN
[F] CEILING ZERO
[G] CHOPLIFTER
[H] CONAN
[I] CRISIS MOUNTAIN
[J] DINO EGGS
[K] DROL
[L] GALAXIAN
[M] HARD HAT MACK
[N] H.E.R.O
[O] JUNGLE HUNT
[P] KARATEKA
[Q] LODE RUNNER
[R] MINIT MAN
[S] MS.PAC-MAN
[T] NIGHTMARE GALLERY
[U] RASTER BLASTER
[V] SABOTAGE
[W] SAMMY LIGHTFOOT
[X] STAR BLAZER
[Y] TETRIS
[Z] BASIC
PRESS A LETTER TO SHOOSE A GAME TO PLAY
APPLE
ORCHARD
Introducing
In this issue:
Apple II Apple IIe Owner's Guide
KoalaPad+
Now, the Most Complete Computer Graphics System!
For Your Apple IIe, IIc

Brøderbund Software
APPLE
GALAXIAN
BY TONY SUZUKI
COPYRIGHT DEC-1-1980 STARCRAFT
DISTRIBUTED BY BRODERBUND SOFTWARE
BOX 3266, EUGENE, OREGON 97403
APPLE
ORCHARD
Introducing
In this issue:
Apple II Apple IIe Owner's Guide
KoalaPad+
Now, the Most Complete Computer Graphics System!
For Your Apple IIe, IIc

SCORE00000
HISCORE03000
SHIPS
WINS
APPLE
ORCHARD
Introducing
In this issue:
Apple II Apple IIe Owner's Guide
KoalaPad+
Now, the Most Complete Computer Graphics System!
For Your Apple IIe, IIc



Specification:	
CPU	• MOS Technology 65C02 @ 1 MHz • MMU and IOU co-processor
RAM	128 KB , 32 KB (ROM)
STORAGE	Apple II ProDOS Rom Drive 1M v4 (bootable) (ProDOS v4.0 + 26 GAMES/UTILS)
DRIVES	Original Apple DuoDisk 5.25" External Drive A&B (A9M0108)
DISPLAY	• Original AppleColor CRT Composite A2M6021 (13” 1988) • Graphics: 280 x 192 pixels x 16 color • Text: 40-80 x 24 characters
OS	• Built-in: Apple Integer BASIC • Apple II ROM card boot: ProDOS v4.0 • Floppy Boot: Apple ProDOS
KEYBOARD	Original Built-in Apple IIe keyboard (81 keys with extended numeric keypad and arrow keys)
SOUND	• Built-in Tone Generator Speaker 1 channel
Network	

I/O PORTS	• 6 50-pin expansion slots • Composite video, Tape in/out, Joystick/Pedals port • Apple II external floppy disk connecter
EXPANSION PERIPHERALS	• Apple II Fan card (ON/OFF switch) • Original Apple RAM Upgrade and 80 column expansion card

ACCESSORIES & DOCUMENTS	• Koala Plus Graphics Pad with Drawing Pen (New)
	• Original Apple II – Apple IIe Owner's Guide
	• Original Apple II – Apple IIe DOS User's Manual
	• Large Set of Original Apple II Bootable Disk and Games
	• Unique Vintage Apple Magazines:
	  • APPLE ORCHARD: Volume One/Number One, Volume 2 Number 1, Volume 2 Number 2
	  • Call A.P.P.L.E: 3 Issues 1983, 1984, 1985

POWER SUPPLY	• **Computer**: 120V Only (Internal PSU same cable) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (Internal PSU same cable) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Power Transformer**: 500VA Power Transformer included (120V <---> 240V)
SPECIAL INSTRUCTIONS	• CTRL+RESET keys: after ROM boot to floppy boot • CATALOG command: list content of disk1 (add , D2 for disk 2) • RUN filename command: execute filename from disk 1

(GOTO ^^TOP)

(005) Vintage Apple IIc with AppleColor monitor
[1984]




KRAFT Apple IIc Serial Joystick
Original Apple
External Power Adapter
Original Apple Serial Mouse
KRAFT


Setting Up Your Apple IIc
Apple IIc Owner's Manual
Original Apple Manuals
(Owner's and Setup Guides)
maxell

Original Apple IIc
New Metal Monitor Stand with Box
Built-in 5.25'' FDD floppy disk drive

IIc
reset
80/40
keyboard
disk use
power

Mouse/Joystick Port
Modem Port
Composite and RGB 15-pin Monitor Ports
External Floppy Driver Port
Printer Port

maxell
MINI FLOPPY DISK
Reliable & Durable
maxell
MINI FLOPPY DISK
Reliable & Durable

Built-in BASIC Language Interprete
]list
10 FOR I = 1 TO 500
20 PRINT I;
30 NEXT I
]run
maxell
MINIFLOPPY DISK
Reliable & Durable
maxell
MINIFLOPPY DISK
Reliable & Durable

Size: 527 MB (553,121,318 bytes)
Resolution: 1920x1080
Duration: 00:05:27
(005) Vintage Apple IIc with AppleColor monitor
[1984]
(005) Vintage Apple IIc with AppleColor monitor
[1984]
Original Apple Manuals
(Mouse, ColorMonitor)
Flight Simulator Game
with original box and 5.25 disks
Apple Games, Utilities
and Software 5.25 disks
00:00:19
00:00:38
00:00:58
00:01:36
00:01:55
00:02:14
00:02:53
00:03:12
00:03:31

VIDEO

Specification:	
CPU	• MOS Technology 65C02 @ 1 MHz • MMU and IOU co-processor
RAM	128 KB , 16 KB (ROM)
STORAGE	
DRIVES	Built-in 5.25'' FDD floppy disk drive
DISPLAY	• Original AppleColor Composite Monitor A2M6020 (13” 1989) with original apple IIc metal monitor stand A2M4021 • Graphics: 280 x 192 pixels x 16 color • Text: 40-80 x 24 characters
OS	• Built-in: AppleSoft BASIC
KEYBOARD	Original Built-in Apple IIc full-stroke keyboard (62 keys with arrow keys)
SOUND	AppleTalk Serial Modem Port
Network	
I/O PORTS	• Composite Monitor, RGB video port • Joystick/Mouse port • Apple II external floppy disk connecter • Serial RS232c port, Printer port
EXPANSION PERIPHERALS	• Apple IIc enhanced ROM v4.x

ACCESSORIES & DOCUMENTS	• Apple IIc Compatible Joystick (KRAFT Systems)
	• Apple Original Mouse
	• 5.25” bootable games floppy disks (10 disks)
	• Original Manuals Bundle:
	  • Apple IIc Owner’s Manual
	  • Setting Up Your Apple IIc
	  • Apple Mouse IIc User’s Manual
	  • Apple ColorMonitor Installation Manual

POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (stand-alone cable) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Power Transformer**: 500VA Power Transformer included (120V <---> 240V)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(006) Vintage Apple IIGS Computer A2S6000
[1986]



Original Apple Desktop Bus ADB
4-pin mini-DIN Mouse
KRAFT Serial Joystick
Microphone
KRAFT
Apple® and IBM® Compatible
StyleWriter II
StyleWriter Black Ink Cartridge


Original AppleWorks Office Software
with unique Packaging Box,
System Setup/Operation Manuals
and Disks in 3.5” and 5.25” formats
Apple II AppleWorks
Apple II Setting Up Your Apple IIGS™
File Edit View Special Color
SYSTEM DISK
9 items
671K used
129K available


Original Apple Design External
Stereo Powered Speakers
Original Apple External
3.5” Disk Drive
Apple IIGS


Original Apple StyleWriter Printer
with extra new original black cartridge
StyleWriter II
M8041G/C
StyleWriter Black Ink Cartridge


Printer Port
Joystick Port
Modem Port
External Disk Port
Audio OUT Jack
Composite and RGB
15-pin Monitor Ports
Keyboard/Mouse ADB port


Unique Apple IIGS BOOTI USB Hard Drive
Emulator Card with 2GB Accessible
Flash drive preloaded
with 366 bootable games
CAUTION - WARNING

PAC
MAN
[Pacman]
to play
Microphone

SCORE: 0
HIGH SCORE: 0
READY
ROUND
Microphone

Specification:	
CPU	Western Design Center 65C816 (16 bit) @ 2.8 MHz (switchable to 1 MHz)
RAM	128 KB (upgraded to 1 MB) , 128 KB (ROM)
STORAGE	2 GB USB Flash Hard Drive Emulator
DRIVES	External Apple A9M0106 3.5'' Floppy Disk Drive (800 KB)
DISPLAY	• Apple IIGS Color RGB CRT Monitor A2M6014 (12") • Video Graphics Chip (VGC): 640 x 200 pixels x 256 colors Text: 40-80 x 24 characters
OS	• Floppy Boot: Apple ProDOS
KEYBOARD	Detachable Original Apple Desktop Bus ADB Keyboard and Mouse (81 keys with numeric keypad and arrow keys)
SOUND	Built-in Ensoniq 32 chip with 16 stereo voices
Network	AppleTalk Serial Modem Port
I/O PORTS	• 7 Slots • Composite video, RGB video ports • ADB Keyboard, ADB Mouse, Joystick ports

	• Apple II external floppy disk connecter • Serial RS232c port, Printer port
EXPANSION PERIPHERALS	• Apple II BOOTI USB Hard Drive Emulator Card for Apple IIGS with access to flash drive from outside slot (preloaded with 366 games and utilities)
ACCESSORIES & DOCUMENTS	• Original Apple IIGS System Disk User Guide • Original Apple IIGS Setup Guide • 3.5'' bootable games floppy disks • Original Apple II Apple Works Bundle (Packaging Box, Manuals, 3.5 + 5.25 system disks) • KRAFT Joystick • Original Apple Desktop Bus ADB 4-pin mini-DIN Mouse • Original Apple StyleWriter II Printer with Original Apple M8041G/C StyleWriter Black Ink Cartridge Genuine Sealed
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (stand-alone cable) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Printer**: 120V Only (stand-alone cable) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Speakers**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(007) Vintage Apple III Computer
[1980]

Original Apple III Business BASIC, Diskware manuals (Volume 1 & 2)
EASY Accounting Software Package for Apple III with Floppies and Manuals
Monitor IIc Stand
EASY
Apple Business BASIC
Reference Manual - Volume 2
Apple III
Apple Business BASIC
Reference Manual - Volume 1


Apple III external floppy disk connecter (DB-25)
2 DB-9 ports (Mouse, Joystick)
Composite video, Color video ports
Parallel port (Printer, Apple Profile HDD)

Original Apple III Mouse
Apple III Games Joystick
monitor ///
profile
apple ///
Apple Business BASIC
apple
10

APPLE ///
SOS 1.3 01-NOV-82
SUPPORT THE WAP /// SIG AND /// VENDORS
monitor ///
profile
apple ///
Apple Business BASIC
apple
10

monitor ///
profile
Apple Business BASIC
Apple Business BASIC
apple ///
apple
10

monitor ///
profile
Apple Business BASIC
Apple Business BASIC
apple ///
apple
10

RINT#2:NEXT x
500 RETURN
510 PRINT#2:"Word List":PRINT#2:FOR z7=1 TO z-2:ptr=z7:FOR z8=z7+1 TO z-1:I
F u$(z8)<u$(ptr) THEN ptr=z8
520 NEXT z8:SWAP u$(z7),u$(ptr):NEXT z7
530 FOR i=1 TO z-1:PRINT#2;u$(i):NEXT i
540 PRINT:INPUT"Would you like another copy?";a$
545 IF LEFT$(a$,1)<>"Y" AND LEFT$(a$,1)<>"y" THEN 550
546 INPUT"To what device (.PRINTER for example)?";out$:OPEN#2,out$:GOSUB 560
:GOTO 470
550 CLOSE:END
560 HOME:INVERSE:PRINT"Press <ESC> to move printer up a line -or-"
570 PRINT"Press <RETURN> to continue printing ":NORMAL
580 PRINT CHR$(7):GET zzz$
585 OFF KBD:ON KBD GOSUB 700
590 IF ASC(zzz$)=27 THEN PRINT#2;:ELSE IF ASC(zzz$)=13 THEN RETURN::ELSE GOT
O 580
600 GOTO 580
700 OFF KBD
710 IF KBD=27 THEN END:ELSE PRINT"Press <RETURN> to continue . . .":GET zzz2
$:ON KBD GOTO 700
720 RETURN
730 RUN .dl/menu.maker
monitor ///
CONTRAST
ON
OFF


(007) Vintage Apple III Computer
[1980]
Original Apple III
Diskware Booting Floppies

VIDEO

Specification:	
CPU	MOS Technology 6502A @ 2 MHz
RAM	128 KB, 16 KB (ROM)
STORAGE	
DRIVES	• Built-in 5.25'' Floppy Disk Drive (140 KB) • External Apple Disk III 5.25” floppy
DISPLAY	• Original Apple III green phosphor CRT Monitor A3M0039 (12") • Graphics 280 x 192 pixels • Text: 40-80 x 24 characters
OS	• Floppy Boot: Apple SOS (Sophisticated Operating System)
KEYBOARD	Built-in full stroke 74-key with numeric keypad
SOUND	Built-in 1 channel 7 octaves
Network	
I/O PORTS	• 4 expansion Slots • Composite video, Color video ports • 2 DB-9 ports (Mouse, Joystick) • Apple III external floppy disk connecter (DB-25) • Parallel port (Printer, Apple Profile HDD)
EXPANSION PERIPHERALS	• Original Apple Mouse • Joystick
ACCESSORIES & DOCUMENTS	• Original Apple III Diskware software • Original Apple III Business BASIC, Diskware manuals • Apple III EASY Executive Accounting System (Software+Manuals)
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (stand-alone cable) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(008) Vintage Apple LISA 2 Computers (Models 2/5 & 2/10)
[1983]



Apple Lisa Computer (1)
with Apple Profile
External HDD, Model 2/5

Apple Lisa Computer (2)
with Internal CF Based
10MB HDD, Model 2/10

Original Apple Lisa Folder
with Lisa Office
3.5” Setup Disks

Original Apple Lisa
Model 2/5 Thin Mouse
Original Apple Lisa
Model 2/5 Keyboard

Original Apple Lisa
Model 2/10 Mouse
Original Apple Lisa
Model 2/10 Keyboard
Return
Shift
Enter
Option
Clear
Enter

Apple Lisa Logo Mouse Pad
Enter
Lisa


Parallel P
Mouse Po
2 X Serial P


Full Modular Design
with Detachable Main Board
Power Supply and Others


Original Apple
Components and PCBs

NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
ON

Sales Region
Seller
Eastern
Western
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
ON

profile
READY
LisaGraph
LisaCalc
LisaWrite
LisaDraw
Calculator
Clock
Empty Folders

profile
READY
LisaGraph
LisaCalc
LisaWrite
LisaDraw
Calculator
Clock
Empty Folders

Specification:	
CPU	Motorola MC 68000 @ 5 MHz
RAM	1 MB, 16 KB (ROM)
STORAGE	• UNIT (1) Model 2/5: External Apple ProFile 10MB HDD A9M0005 (Seagate ST-506, 3600-rpm, 62 KB/S DTR) • UNIT (2) Model 2/10: Internal 10 MB CF-based widget drive
DRIVES	Built-in 3.5'' Floppy Disk Drive SONY (400 KB)
DISPLAY	• Built-in white phosphor CRT Monitor CLINTON ELCTRONICS CEULC99FAITE (12") • GUI 720 x 364 pixels
OS	• UNIT (1): Floppy Boot: LISA OS (LOS) MAC Works XL • UNIT (2): Full LISA Office System (LOS 3.0)
KEYBOARD	Built-in full stroke 77-key with numeric keypad
SOUND	Built-in Continuously Variable Slope Demodulator (CVSD)
Network	
I/O PORTS	• 3 Proprietary Expansion Slots • Composite video

	• 1 DB-9 mouse port • 2 RS232 Serial Ports • DB-25 Parallel port (Printer, Apple Profile HDD)
EXPANSION PERIPHERALS	• Original Apple LISA Mouse
ACCESSORIES & DOCUMENTS	• Apple LOS Mac Works XL boot disks (2 disks) • Original Apple LISA software 3.5''disks • Full Set of Apple LISA Office Manual Folders: (LisaGraph, LisaCalc, LisaWrite, LisaDraw)
POWER SUPPLY	• **Computer (1) Model 2/5 with Profile**: 240V Only (Internal PSU) Plug Type: Type F, EUR, 2 Thick Round Pins **Computer Profile:** 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Computer (2) Model 2/10 with Internal HDD:** 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• MacWorks XL: Boot from system disk 1 then insert disk 2 once 1st ejected • LISA Office System (LOS 3.1) boot: Power on external Profile, wait for disk checkup and readiness (steady full red light) then power on computer

(GOTO ^^TOP)

(009) Vintage Apple Macintosh Classic Model M0420
[1991]


DB-25 SCSI
External Floppy Drive Port
Printer Ports
Mouse/Joystick Port
Modem Port


Size: 579 MB (607,697,785 bytes)
Resolution: 1920x1080
Duration: 00:06:21
(009) Vintage Apple Macintosh Classic Model M0420
[1991]
00:00:22
(010) Vintage Apple Macintosh Classic Color
[1993]
00:00:45
00:01:07
Original Apple Extended Keyboard (M0115)
Mostly ADB Compatible Mouse
00:01:30
00:01:52
00:02:14
Internal 8GB SD based HDD with Hundreds of Business Applications, Office, Games and Utilities.
00:02:37
Motorized Auto-loading 3.5" Floppy Drive
00:02:59
00:03:22
DB-25 SCSI
External Floppy Drive Port
Printer Ports
Mouse/Joystick Port
Modem Port
00:03:44
Modem Port
External Floppy Drive Port
Printer Ports
Microphone and Speaker ports
2 Mouse/Joystick Ports
00:04:06
00:04:29
00:04:51
00:05:13
00:05:36
00:05:58

VIDEO

Specification:	
CPU	• Motorola MC 68030 @ 15.77 MHz • Motorola FPU 68882 @ 16 MHz
RAM	1 MB + 256 B PRAM + 64 KB VRAM, 256 KB (ROM)
STORAGE	
DRIVES	Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB)
DISPLAY	• Built-in monochrome BW CRT Monitor (9") • GUI 512 x 342 pixels
OS	• Floppy Boot: macOS 6
KEYBOARD	Detachable Original Apple Desktop Bus ADB Keyboard and Mouse (81 keys with numeric keypad and arrow keys)
SOUND	Built-in 4 Stereo Channels
Network	AppleTalk Serial Modem Port
I/O PORTS	• 1 ADB mouse/keyboard port • mini-DIN-8 RS-422 serial port • Stereo 3.5 mm minijack audio sockets • DB-25 SCSI • DB-19 External floppy drive
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Apple ADB Mouse • Apple macOS 7 bootable disks • Apple Macintosh Owner's Guide 030-1337-A
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• Boot from system disk 1

(GOTO ^^TOP)

(010) Vintage Apple Macintosh Classic Color
[1993]




Internal 8GB SD based HDD
with Hundreds of Business Applications
Office, Games and Utilities.


Modem
Port
External Floppy Drive Port
Printer
Ports
Microphone and Speaker ports
2 Mouse/Joystick
Ports

Macintosh
Macintosh SE
QuickCam
Macintosh
Color Classic

Macintosh
Macintosh SE
QuickCam
SCORE
0
READY!
Macintosh
Color Classic



Specification:	
CPU	• Motorola MC 68030 @ 16 MHz • Motorola FPU 68882 @ 16 MHz
RAM	10 MB + 512 KB VRAM, 1 MB (ROM)
STORAGE	8 GB SD HDD
DRIVES	Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB)
DISPLAY	• 10" Sony Trinitron RGB Display • GUI 512 x 342 pixels
OS	• Partition (1): macOS 7.1 • Partition (2): macOS 7.5.3
KEYBOARD	Detachable Original Apple Desktop Bus ADB Keyboard and Mouse (81 keys with numeric keypad and arrow keys)
SOUND	Built-in 4 Stereo Channels
Network	AppleTalk Serial Modem Port
I/O PORTS	• 2 ADB mouse/keyboard port • mini-DIN-8 RS-422 serial port • Stereo 3.5 mm minijack audio sockets

	• DB-25 SCSI • DB-19 External floppy drive
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Macally ADB Compatible Mouse
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• **Power ON**: After turning ON the power button you need to press the keyboard play button (triangle) to start the system

(GOTO ^^TOP)

(011) Vintage Apple Macintosh Performa 630CD
[1994]


File Edit View Label Special
Mon 20:58
Launcher
Applications
Demos
Learning
Service/Support
Hard Disk alias
Hard Disk
StyleWriter 1200
Documents
Trash
About This Computer
System Software 7.6.1
Largest Unused Block
Apple Performa Plus Color
CRT Monitor M9102LL/D (14”)


AppleTalk Serial Modem Port
mini-DIN-8 Printer port
ADB mouse/keyboard port
DB-15 Video
Display Monitor Port
DB-25 SCSI Port

The Learning Company
The Writing Center

SPIN
DOCTOR
Challenger
Doctors of Spinology
Quit
Help
About
Play
Open

Specification:	
CPU	Motorola LC 68040 @ 33 MHz
RAM	4 MB 72-pin SIMM + 1 MB VRAM, 1 MB (ROM)
STORAGE	250 MB IDE HDD
DRIVES	• Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB) • Built-in 2X CD-ROM
DISPLAY	• Apple Performa Plus Color CRT Monitor M9102LL/D (14") • GUI 640x480 pixel x 16-bit color , 800x600 pixel x 8-bit color
OS	macOS 7
KEYBOARD	Detachable Original Apple Extended Keyboard II M3501 and Mouse (108 keys with numeric keypad and arrow keys)
SOUND	Built-in 4 Stereo Channels
Network	AppleTalk Serial Modem Port
I/O PORTS	• 1 ADB mouse/keyboard port • mini-DIN-8 Printer port • Stereo 3.5 mm minijack audio IN+OUT sockets • DB-25 SCSI

	• DB-15 Video port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(012) Vintage Apple Macintosh PERFORMA 5200CD
[1995]

Connected and Ready to Print
ImageWriter II Printer
ImageWriter II
ImageWriter II

BYTE
the small systems journal
A McGRAW-HILL PUBLICATION
HOMEBREWING
BYTE
OCTOBER 1975
$1.50
the small systems journal
* Build a GRAPHICS DISPLAY
* TELEVISION INTERFACE
* NOVAL ASSEMBLER
* KLUGE HARP: Music?
* LIFE Line: Game
Computers-
The World's Greatest
Toy!


Built-in 4X CD-ROM
Built-in 3.5” Floppy Disk Drive DS/DD (1.44 MB)

Apple Shadow Mask RGB Color CRT Monitor (15”)
Monitor Attached 2 X Polk Audio Speakers


System Power Switch
Audio IN/OUT ports
AppleTalk Serial Modem Port
ADB mouse/keyboard port
mini-DIN-8 Printer port
DB-25 SCSI Port

Mac OS 9

Specification:	
CPU	PowerPC 603 processor @ 75 MHz
RAM	8 MB 72-pin SIMM + 1 MB VRAM, 4 MB (ROM)
STORAGE	790 MB IDE HDD
DRIVES	• Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB) • Built-in 4X CD-ROM
DISPLAY	• Apple Shadow Mask RGB Color CRT Monitor (15") • GUI 640x480 pixel x 16-bit color , 832x624 pixel x 8-bit color
OS	macOS 7.5.1
KEYBOARD	Detachable Original Apple Extended Keyboard II M3501 and Mouse (108 keys with numeric keypad and arrow keys)
SOUND	Built-in 4 Stereo Channels
Network	AppleTalk Serial Modem Port
I/O PORTS	• 1 ADB mouse/keyboard port • mini-DIN-8 Printer port • Stereo 3.5 mm minijack audio IN+OUT sockets • DB-25 SCSI

EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original ImageWriter II Printer A9M0320 with Box
	• Vintage 2 Issues of BYTE Computer Magazine:
	  • Volume 1 Issue # 2 October 1975
	  • Volume 4 Issue # 9 September 1979

POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Printer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(013) Vintage Apple Macintosh Centris 610 M1444
[1993]

Original Apple Macintosh
Centris 610 Getting Started Guide
Read This First
Getting Started
With Your Macintosh Centris 610
Includes setup instructions and important health-related information


mini-DIN-8 Printer port
AppleTalk Serial Modem Port
DB-25 SCSI Port
2 X ADB mouse/keyboard ports
DB-15 Video Display Monitor Port


80 MB SCSI HDD

ТЕТРИС
TETRIS
Macintosh
Centris 610

Macintosh
Centris 610

Macintosh
Centris 610

Macintosh
Centris 610

Size: 495 MB (519,477,201 bytes)
Resolution: 1920x1080
Duration: 00:05:15
MPC-HC
(013) Vintage Apple Macintosh Centris 610 M1444
[1993]
3.5" Floppy Disk Drive
DS/DD (1.44 MB)
Original Apple ADB Mouse
Detachable Original Apple
Extended Keyboard II M3501
Original Apple Macintosh
Centris 610 Getting Started Guide
Getting Started

VIDEO

Specification:	
CPU	PowerPC 68LC040 processor @ 20 MHz full 32-bit
RAM	8 MB 72-pin SIMM + 512 KB VRAM, 1 MB (ROM)
STORAGE	80 MB SCSI HDD
DRIVES	• Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB)
DISPLAY	• Apple RGB Color CRT Monitor (14") • GUI 640x480 pixel x 16-bit color , 800x600 pixel x 8-bit color
OS	macOS 7.1
KEYBOARD	Detachable Original Apple Extended Keyboard II M3501 and Mouse (108 keys with numeric keypad and arrow keys)
SOUND	Built-in speaker
Network	AppleTalk Serial Modem Port
I/O PORTS	• 2 ADB mouse/keyboard port2 • 2 Serial ports • DB-25 SCSI
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Getting Started Guide
POWER SUPPLY	• **Computer + Monitor**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(014) Vintage Apple Power Macintosh G3 Tower
[1994]


10/100Base-T Ethernet
Apple Macintosh RGB Color CRT Display (14”)
Modem & Printer Ports
ADB mouse/keyboard port
RGB Display Connector
DB-25 SCSI


3.5” Auto-load Floppy Disk Drive DS/DD (1.44 MB)
24X CD-ROM
4 GB IDE/ATA-2 HDD

PowerPC
File Edit View Special Help
8:51 PM Finder
HDD
10 items, 74.12 GB available
Apple Extras
Applications
Assistants
Documents
Installer Logs
Internet
System Folder
Utilities
Web Pages
Trash

PowerPC
File Edit Equation Graph Demo Help
8:52 PM Graphing Calculator
Applications
Graphing Calculator 1.1
X = Y =
Graph
Utilities
Web Pages
Trash

PowerPC
File Edit View Special Help
Applications
8:57 PM
Finder
7 items, 74.12 GB available
AppleCD Audio Player
Graphing Calculator
Network Browser
QuickTime
Security
SimpleSound
Utilities
Web Pages
HDD
Trash

PowerPC
File Edit View Special Help
About This Computer
Apple System Profiler
Calculator
Chooser
Control Panels
Favorites
Key Caps
Network Browser
Recent Applications
Remote Access Status
Sherlock 2
Stickies
8:57 PM
Finder
Assistants
Internet
System Folder
Utilities
Web Pages
HDD
Trash



Specification:	
CPU	PowerPC 750 (G3)processor @ 266 MHz full 32-bit
RAM	32 MB PC66 SDRAM+ 8 MB VRAM ATI 3D Rage II+, 4 MB (ROM)
STORAGE	4 GB IDE/ATA-2 HDD
DRIVES	• Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB) 24X CD-ROM
DISPLAY	• Apple RGB Color CRT Monitor (14") • GUI up to 1024 x 768-pixel resolution (24-bit)
OS	macOS 8
KEYBOARD	Detachable Original Apple Extended Keyboard II and Mouse (108 keys with numeric keypad and arrow keys)
SOUND	Built-in speaker
Network	10/100Base-T Ethernet
I/O PORTS	• 3 PCI (1 3.5", 3 5.25" bays) • 1 ADB mouse/keyboard port • mini-DIN-8 RS-422 serial port • Stereo 3.5 mm minijack audio sockets

	• DB-25 SCSI
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer** : 100-240V Manual-Switch, Current Selection 240V, (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor** : 100-240V Auto-Switch, (Internal PSU) Plug Type: Same cable with Computer
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(015) Vintage Apple Power Macintosh G4 Tower M5183
[2001]

Original Apple Studio
Translucent Display M2454


56 V9.0 Modem
Port
Audio IN/OUT
Ports
Manual Power Voltage
Selection Switch
10/100/1000 Base-T Ethernet LAN
Port
2 X Firewire
Ports
2 X USB
Ports

PLAY MOVIE
AUDIO
SUBTITLES
SCENE SELECTIONS
SPECIAL FEATURES
<THE_SMURFS>


Size: 350 MB (367,196,512 bytes)
Resolution: 1920x1080
Duration: 00:04:52
MPC-HC
(015) Vintage Apple Power Macintosh G4 Tower M5183
[2001]
00:00:17
00:00:34
00:00:52
00:01:26
00:01:43
00:02:00
00:02:35
00:02:52
00:03:09

VIDEO

Specification:	
CPU	PowerPC 7450 (G4) @ 733 MHz
RAM	256 MB PC133 SDRAM+ 32 MB VRAM GeForce2 MX, 1 MB (ROM)
STORAGE	60 GB 7200 RPM Ultra160 SCSI HDD
DRIVES	• 2X DVD-R/CD-RW SuperDrive
DISPLAY	• Apple Studio Display M2454 (15") • GUI up to 1920 x 1200-pixel resolution (32-bit color)
OS	macOS 9.2
KEYBOARD	• Apple Pro USB Keyboard with 2 USB ports • Apple Pro USB Mouse
SOUND	Built-in speakers
Network	10/100/1000 Base-T Ethernet
I/O PORTS	• 4 x 33 MHz 64-bit PCI slots (5 x 3.5" bays) • 56 V9.0 modem port • 2 USB Ports • 2 Firewire ports • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer**: 100-240V Manual-Switch, (Internal PSU) Current Selected Voltage: (**240V**) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Monitor**: Power from computer (no power cable)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(016) Vintage Apple eMAC PowerPC G4
[2003]


56 V9.0 modem port
2 X Firewire ports 400
3 X USB V1.1 Ports
10/100 Base-T Ethernet
miniDisplay Port
Power Button
Microphone
and Headphone Jacks

eMac
NEWSTAR

eMac
NEWSTAR
217

eMac
NEWSTAR
216

Specification:	
CPU	PowerPC 7450 (G4) @ 733 MHz
RAM	256 MB PC133 SDRAM+ 32 MB VRAM GeForce2 MX, 1 MB (ROM)
STORAGE	60 GB 7200 RPM Ultra160 SCSI HDD
DRIVES	• 2X DVD-R/CD-RW SuperDrive
DISPLAY	• Apple Studio Display M2454 (15") • GUI up to 1920 x 1200-pixel resolution (32-bit color)
OS	macOS 9.2
KEYBOARD	• Apple Pro USB Keyboard with 2 USB ports • Apple Pro USB Mouse
SOUND	Built-in speakers
Network	10/100/1000 Base-T Ethernet
I/O PORTS	• 4 x 33 MHz 64-bit PCI slots (5 x 3.5" bays) • 56 V9.0 modem port • 3 USB Ports • 2 Firewire ports • Stereo 3.5 mm minijack audio sockets

EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts
POWER SUPPLY	• **Computer + Monitor**: 120V ONLY (built-in PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(017) Vintage Apple iMac M5521 G3 Computer Indigo Blue
[2000]




2 Firewire ports
56 V9.0 modem port
Stereo 3.5 mm minijack audio sockets
10/100 Base-T Ethernet


macOS X Version 10.1.2
CPU: PowerPC G3 @ 350 MHz
RAM: 128 MB PC100 SDRAM
Storage: 7 GB Ultra ATA HDD
iMac

iMac


Size: 577 MB (605,684,890 bytes)
Resolution: 1920x1080
Duration: 00:04:02
MPC-HC
(017) Vintage Apple iMac M5521 G3 Computer Indigo Blue [2000]
00:00:14
00:00:28
Original Apple Pro USB Keyboard with 2 USB ports
Original Apple Pro USB Mouse (The Pack)
00:00:43
Monitor Built-In Stereo Dual Speakers
Integrated 24X slot loading CD-ROM drive
iMac
00:01:11
00:01:25
00:01:40
00:02:08
00:02:22
00:02:36

VIDEO

Specification:	
CPU	PowerPC 750 (G3) @ 350 MHz
RAM	128 MB PC100 SDRAM+ 8 MB VRAM Rage 128 Pro, 1 MB (ROM)
STORAGE	7 GB Ultra ATA HDD
DRIVES	• 24X slot loading CD-ROM drive
DISPLAY	• Apple Built-in Display (15") • GUI up to 1024 x 768 at 75 Hz (32-bit color)
OS	macOS X Version 10.1.2
KEYBOARD	• Apple Pro USB Keyboard with 2 USB ports Apple Pro USB Mouse (The Puck)
SOUND	Built-in monitor speakers
Network	10/100 Base-T Ethernet
I/O PORTS	• 56 V9.0 modem port • 2 USB Ports • 2 Firewire ports • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (built-in PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: Built-in (no power cable needed)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(018) Vintage Apple iMac Power PC G4 M6498 (The Dome)
[2002]

2 X External Apple Pro
Transparent Speakers
10X CD-RW/"Combo" drive

Apple TFT Display (15")
1024 x 768 at 75 Hz (32-bit color)
Mac OS X
iMac

Original Apple Pro USB Mouse
Original Apple Pro USB
Keyboard with 2 USB ports
F14
F15
F16
home
page up
clear
=
/
*
end
page down
7
8
9
-
4
5
6
+
1
2
3


10/100 Base-T Ethernet
2 X Firewire ports 400
56 V9.0 modem port
Speakers and Headphone Jacks
3 X USB V1.1 Ports
miniDisplay Port
Power Button

iMac

AppleWorks File Edit Window Help
Wed 06:24 PM
HDD1
Word Processing
Spreadsheet
Database
Drawing
Painting
Presentation
iMac

Finder File Edit View Go Window Help
Wed 06:25 PM
iMac



Specification:	
CPU	PowerPC 7441 (G4) @ 800 MHz
RAM	512 MB RAM + 32 MB VRAM GeForce2 MX, 1 MB (ROM)
STORAGE	60 GB Ultra ATA/66 HDD
DRIVES	• 10X CD-RW/"Combo" drive
DISPLAY	• Apple Built-in TFT Display (15") • GUI up to 1024 x 768 at 75 Hz (32-bit color)
OS	macOS X Version 10.4
KEYBOARD	• Apple Pro USB Keyboard with 2 USB ports • Apple Pro USB Mouse
SOUND	External Apple Pro Speakers.
Network	10/100 Base-T Ethernet
I/O PORTS	• 56 V9.0 modem port • 3 USB Ports v1.1 • 2 Firewire ports 400 • Stereo 3.5 mm minijack audio sockets

EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Apply Mac OS X Panther v10.3 Installation Guide • Original Apply Mac OS X Panther CDS (Installation, Restoration 4 CDs, Hardware Test, Tools)
POWER SUPPLY	• **Computer + Monitor:** 100-240V Auto-Switch, (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(019) Vintage Apple 20th Anniversary Macintosh (TAM)
[1997]



Apple Active-Matrix TFT LCD (12.1”)
Stereo Speakers and TV Tuner
File Edit Setup Windows Help
11:46
Apple Video Player
About This Computer
Mac OS computer
Mac OS 8.5
TV: C21
Channel
01
C21
Trash

Integration with Great External
Sound BOSE Subwoofer
and Power Supply
BOSE

Apple Keyboard with
an integrated Detachable
Trackpad and Leather Palm Rest
Original Working Apple TAM TV
and Music Infrared
Remote Control


Audio IN/OUT Jacks
Power ON Button
DB-25 SCSI Connector
TV Antenna Tuner (VHF/UHF)
www.vintage-mac.com
Asset ID 4013
DO NOT REMOVE


PCI ethernet expansion card
Printer Connector
33.6k modem Port
S-Video In Port
Keyboard/Mouse ADB Connector

Mac OS computer

Mac OS

Apple TAM BOSE Speakers
and Subwoofer Capabilities Demo

BOSE


BOSE

Size: 570 MB (598,571,952 bytes)
Resolution: 1920x1080
Duration: 00:07:23
MPC-HC
(019) Vintage Apple 20th Anniversary Macintosh (TAM)
1997
Apple Keyboard with an integrated Detachable Trackpad and Leather Palm Rest
Original Working Apple TAM TV and Music Infrared Remote Control
00:00:26
00:00:52
00:01:18
00:02:10
00:02:36
00:03:02
00:03:54
00:04:21
00:04:47

VIDEO

Specification:	
CPU	PowerPC 603e @ 250 MHz
RAM	32 MB RAM 168-pin DIMM + 2 MB VRAM ATI 3D Rage II, 4 MB (ROM)
STORAGE	2 GB IDE HDD
DRIVES	• 3.5'' Floppy Disk Drive (1.44 MB) • 4X CD-ROM
DISPLAY	• Apple Built-in active-matrix TFT LCD Display (12.1") • GUI up to 800 x 600 (16-bit color)
OS	macOS X Version 9
KEYBOARD	Apple keyboard with an integrated trackpad and leather palm rest
SOUND	External Bose subwoofer.
Network	PCI ethernet expansion card
I/O PORTS	• 33.6k modem port • DB-25 SCSI • TV/FM Tuner • S-Video In • 1 ADB • 2 DIN-8 GeoPorts • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• TV remote control
POWER SUPPLY	• **Computer:** 100-240V Auto-Switch, (Powered from BOSS External Speaker) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(020) Apple iMac Pro Cylinder Desktop
[2018]






Apple Cinema
LCD Display A1081 (20”)
macOS Monterey
Version 12.2.1
Mac Pro (Late 2013)
Processor 3.5 GHz 6-Core Intel Xeon E5
Memory 8 GB 1866 MHz DDR3
Graphics AMD FirePro D300 2 GB
Serial Number F6CP4007G1LM
System Report...
Software Update...
Mac Pro
Hardware Overview:
Model Name: Mac Pro
Model Identifier: MacPro6,1
Processor Name: 6-Core Intel Xeon E5
Processor Speed: 3.5 GHz
Number of Processors: 1
Total Number of Cores: 6
L2 Cache (per Core): 256 KB
L3 Cache: 12 MB
Hyper-Threading Technology: Enabled
Memory: 8 GB
System Firmware Version: 429.60.3.0.0
OS Loader Version: 540.80.2~11
SMC Version (system): 2.20f18
Panel Illumination Version: 1.4a6
Serial Number (system): F6CP4007G1LM
Hardware UUID: C44D2CA2-7B95-5514-B99A-5E00D185B4FB
Provisioning UDID: C44D2CA2-7B95-5514-B99A-5E00D185B4FB
Master's Mac Pro › Hardware


Apple slim USB Wired Keyboard
A1243 Aluminum
(with Original Box)
Apple Mighty Mouse A1152


2 X Firewire Thunderbolt II Ports
Monitor Power
and Brightness Control Buttons
2 X USB V3.0 Ports


6 X USB V3.0 Ports
6 X Firewire Thunderbolt II Ports
Dual Gigabit Ethernet
Network Port
HDMI Port
HDMI
Computer Power ON Button

256 GB SSD HDD

macOS Monterey

Other


Size: 559 MB (586,746,420 bytes)
Resolution: 1920x1080
Duration: 00:05:48
MPC-HC
(020) Apple iMac Pro Cylinder Desktop
[2018]
Apple iMac P
Mini
Apple slim USB Wired Keyboard
A1243 Aluminum
(with Original Box)
Apple Mighty Mouse A1152
Monitor Power
and Brightness Control Buttons
2 X Firewire Thunderbolt II Ports
2 X USB V3.0 Ports
Socket (2): 4-GB
Dual-Channel RAM

VIDEO

Specification:	
CPU	8-Core Xeon Processor@ 3.5GHz Turbo Boost
RAM	8 GB RAM (Dual Channel)
STORAGE	256 GBSSD HDD
DRIVES	
DISPLAY	• External Apple Cinema LCD Display A1081 (20") • AMD Radeon FirePro D300 Dedicated Graphics • GUI up to 1680 x 1050
OS	macOS 11.0 (Big Sur)
KEYBOARD	• Apple slim USB Wired Keyboard A1243 Aluminum • Apple Mighty Mouse A1152
SOUND	Internal Speakers.
Network	Dual Gigabit Ethernet Port, Bluetooth 4.0, WiFi
I/O PORTS	• 4 USB Ports v3 • 6 Firewire Thunderbolt 2 Ports • 1 HDMI port • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer:** 100-240V Auto-Switch, (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor:** 100-240V Auto-Switch, (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(021) Apple iMac AIO A1418
[2012]


- LED-backlit 16:9 widescreen IPS “Retina” display (21.5”), 1920 x 1080 Resolution
- NVIDIA GeForce GT 640 Graphics 512 MB


Gigabit Ethernet Port
4 X USB Ports
System Power ON Button
2 X Firewire Thunderbolt II Ports

macOS Catalina


Size: 484 MB (507,565,879 bytes)
Resolution: 1920x1080
Duration: 00:03:15
MPC-HC
(021) Apple iMac AIO A1418
[2012]
00:00:11
(021) Apple iMac AIO A1418
[2012]
00:00:23
00:00:57
00:01:09
00:01:20
00:01:43
00:01:55
00:02:06

VIDEO

Specification:	
CPU	Intel Core i5 quad-core processor @ 2.7 GHz
RAM	8 GB RAM 1600Mhz DDR3
STORAGE	1000 GB (1 TB) HDD
DRIVES	
DISPLAY	• LED-backlit 16:9 widescreen IPS "Retina" display (21.5") • NVIDIA GeForce GT 640 Graphics 512 MB • GUI up to 1920 x 1080
OS	macOS 10.15.7 (Catalina)
KEYBOARD	• Apple slim USB Wired Keyboard A1243 Aluminum • Apple Mighty Mouse A1152
SOUND	Internal Speakers.
Network	Gigabit Ethernet, 802.11ac Wi-Fi, and Bluetooth 4.2
I/O PORTS	• 4 USB Ports v3 • 3 Firewire Thunderbolt 2 Ports • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer:** 100-240V Auto-Switch, (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(022) HP AIO Touch (22-df0023w)
[2020]

Trust Predator GM-2550 USB Joystick
12 Fire Buttons, 5-Axis, Slider, 8-directions
POV hat switch, throttle and rudder control
(flight simulators and aerial combats)
Trust
Joystick
GM-2550
Predator
12 fire buttons
Rudder control
Authentic design


Integrated HP TrueVision HD
Popup Camera
LED IPS Touch display (21.5”)
1920 x 1080
AMD Radeon Graphics Card
KBH Games
SCORE 7200
SCORE 2300
BOMB
SUPER SHOT
INSERT COINS!
CREDIT 00

Original HP Wired USB
Keyboard and Mouse

Integrated DVD±RW Drive


Gigabit Ethernet (RJ-45) Network
Audio Out Jack
Power Adapter IN Socket
4 X USB Ports (2 v2.0 , 2 v3.1)
Full Size HDMI Video Port

START
Lightning
1P
TIME: 8
CREDIT 01

SCORE
25800
BOMB
SUPER SHOT
STRIKERS
CREDIT
01



Specification:	
CPU	AMD Ryzen 3 3250U 2 cores 4 threads @ 2.6/3.5 GHz Turbo Boost
RAM	8 GB RAM 2400Mhz DDR4-SDRAM
STORAGE	1000 GB (1 TB) 7200rpm HDD
DRIVES	DVD±RW
DISPLAY	• LED IPS Touch display (21.5") • AMD Radeon Graphics Card • GUI up to 1920 x 1080
OS	MS Windows 10 Home 64-bit
KEYBOARD	• HP wired keyboard and mouse
SOUND	Built-in Stereo speakers (4 Watt).
Network	• Gigabit Ethernet (RJ-45) • 802.11ac Realtek RTL8821CE Wi-Fi 5 Bluetooth 4.2
I/O PORTS	• 4 USB Ports (2 v2.0 , 2 v3.1) • 1 HDMI v1.4 Port • Stereo 3.5 mm minijack combo headphone/mic port

EXPANSION PERIPHERALS	• HP TrueVision HD Camera (built-in)
ACCESSORIES & DOCUMENTS	• Original packaging and documents • Trust Gaming Joystick GM-2550 Predator (with Box)
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(022A) HP Pavilion Desktop Model 6540C
[1995]



HP Pavilion M70 CRT VGA Monitor (17”) with Built-in Polk Audio Stereo Speakers and Microphone

HP CD-Writer Plus
(Recordable, Rewritable)
3.5” Floppy Disk Drive
DS/DD (1.44 MB)


Original HP PS2
wired multimedia keyboard
Original HP PS2/USB
wired mouse (New)


PS2 Keyboard & Mouse Ports
2 X USB Ports
Serial Port
VGA Display Port
Modem & Joystick Ports
Voltage Selector
Manual Switch
Parallel/Printer Port

SKYMASTER
JUNGLE WINDO
MIDI PLAYER

SKYMASTER
Win 95
Windows 98
A New Look From HP
HP CD-Writer Plus!
The Power of Affordable Computing
6540C

SKYMASTER
Win 95
Money 99
ARLAS and BETTY FAWVER's Financial Home Page
advisorfyi
Tuesday, December 19, 2023
Announcements
Tip of the Day
A New Look From HP
HP CD-Writer Plus!
The Power of Affordable Computing
6540C

SKYMASTER
HEWLETT PACKARD
Pavilion
A New Look From HP
The Power of Affordable Computing
6540C


Size: 506 MB (531,611,133 bytes)
Resolution: 1920x1080
Duration: 00:05:52
MPC-HC
(022A) HP Pavilion Desktop Model 6540C
[1995]
SKYMASTER
Digital Full Control for Monitor Parameters
Built-in Microphone Cable
Built-in Speakers Cable
220-240V Auto-Switch Voltage

VIDEO

Specification:	
CPU	Intel Celeron Processor @ 466MHz
RAM	96 MB – SDRAM
STORAGE	10.2 GB HDD
DRIVES	• HP CD-Writer Plus (Recordable, Rewritable) • Built-in 3.5'' Floppy Disk Drive DS/DD (1.44 MB)
DISPLAY	• HP Pavilion M70 CRT VGA Monitor (17") • Integrated Intel AGP 3d Graphics (11MB sharable VRAM) • Built-in Polk Audio Stereo Speakers • VGA 1280 x 1024
OS	MS Windows 98
KEYBOARD	• HP PS2 wired keyboard and mouse
SOUND	Built-in Monitor Stereo speakers (4 Watt).
Network	• High Velocity V.90 K56flex Data/Fax Modem
I/O PORTS	• 2 USB Ports • Serial Port • Parallel/Printer Port • Joystick Port (Integrated with Modem Card) • Stereo 3.5 mm minijack combo headphone/mic port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• SkyMaster Joystick (New Sealed)
POWER SUPPLY	• **Computer**: 100-240V Manual-Switch, Current Default Switch 240V, (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(023) Vintage IBM XT 5160 Computer & IBM Color Monitor 5153
[1983]


© 1983 ATARI
ALL RIGHTS RESERVED
F1 KEY STARTS GAME
F2 KEY FOR OPTIONS
5.25" Full Height Floppy Drive
(360k DS/SD)
(A:>)
Internal 10 Megabytes Seagate
ST225 Disk Drive (Drive D:>)
IBM

HI 1360
F1 STARTS GAME F2 FOR OPTIONS
IBM

Original IBM Model F XT
Buckling Spring Clicky Keyboard

SunCom Analog Plus
IBM XT Joystick
Analøg PLUS


Parallel Printer Card
IBM Joystick Card
CGA Color Video Card
Floppy Drive Controller
Network Card
Unique External Accessible
CF Based 32 Megabytes
HDD Controller card
(Drive C:>)
Memory Expansion Card


Full Size 5.25” Floppy Drive
Internal HDD (10 MB)

IBM
Guide to Operations
6025000
IBM
Time Manager
6024019
IBM
VERSION 2.00
DOS
6024061
IBM
3.0
BASIC
6361132
IBM
Macro Assembler
6024007
Full Set of Original
IBM Folder Manuals

IBM
3.0
BASIC
IBM
Macro Assembler
1UP 550
HI 1360

Accessible C:> Drive (CF Based)
and D:> Drive (Seagate)

IBM
3.0
BASIC
C:\GAMES>dir
Volume in drive C is MS-DOS_5
Volume Serial Number is 0BEF-0B09
Directory of C:\GAMES
14 file(s) 0 bytes
124704640 bytes free
C:\GAMES>cd allegca

IBM
PRESENTS
Alley Cat™
By
Bill Williams
© Copyright IBM Corp. 1984

Specification:	
CPU	• Intel 8088 4.77 MH • Intel C8087-3 math co-processor
RAM	256 KB , 64 KB (ROM)
STORAGE	• 10 Megabytes Seagate ST225 + Controller • 32 Megabytes XTIDE XT-CF-Lite V4
DRIVES	5.25" full height floppy drive (360k DS/SD)
DISPLAY	• IBM Color CRT Monitor 5153 (12” 1983) • CGA 640 x 200 pixels x 16 colors (80 x 24 Text)
OS	• HDD Boot: MS DOS 3.3 • Compact Flash Boot: MS DOS 5.0
KEYBOARD	Original IBM Model F XT Buckling Spring Clicky Keyboard (101 keys)
SOUND	Built-in Tone Generator
Network	ISA BNC Network card (RJ45+BNC+twisted pair)
I/O PORTS	• 7 8bit Standard ISA slots • 1 Special IBM Expansion card (8th slot)
EXPANSION PERIPHERALS	• CGA Color Video card • Network card

	• Serial I/O card • Parallel I/O card (printer) • CF based HDD drive controller • Original IBM Game Control Adapter 1501300 + PC Joystick

ACCESSORIES & DOCUMENTS	• Original IBM Packaged Manuals Bundle:
	  • BASIC v3.0 software and Manuals
	  • DOS v2.0 software and Manuals
	  • Micro Assembler software and Manuals
	  • Guide to Operations Manuals
	  • Time Management Software
	• SunCom Analog Plus IBM XT Joystick
	• 5.25” Floppy Disk Bundle:
	  • Original dBase III Plus System (8 Disks)
	  • Original Nantucket Clipper dBase III Compiler – Summer 1985 (6 Disks)

POWER SUPPLY	• **Computer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Monitor**: 100-240V Auto-Switch (Internal PSU) Plug Type: Same Cable from Computer
SPECIAL INSTRUCTIONS	• On Startup: Select boot drive (XT-CF default, HDD, FDD) • Both HDD and XT-CF drives are accessible (C: , D:) • <DIR> : MS-DOS command to list current drive/directories files

(GOTO ^^TOP)

(024) Vintage IBM PCjr Computer model 4860-067
[1984]


Original IBM PCjr Joystick
Original IBM PCjr Power Adpater
IBM
Joystick


Press <keys> or buttons to play game
or <Esc> to other options
Unique IBM PCjr Cartridge
with SD based HDD
Bootable IBM DOS 3.3
and Lot of Games and Software
IBM
PCjr
Color Display


SCORE 00001550
MEN 005
LEVEL 001


Original IBM PCjr Keyboard with 4X Size AA Battery Operated Infrared Interface or Include Direct Cable
Backspace
Fn
Enter
Home
Shift
PgUp
PgDn
Caps Lock
Ins
Del
End
Alt

Backspace
Fn
Enter
Home
Shift
PgUp
PgDn
Caps Lock
Ins
Del
End
IBM
Joystick


Composite NTSC video “V”
External RF modulator “T”
Optional Modem card “M”
Light Pen Connector “LP”
CGA Color Monitor Connector “D”
External Keyboard Connector “K”
Serial Device Connector “S”
Spare Connector “L”
Cassette Interface Connector “C”
2 Joystick Ports “J”

Audio Chip output "A"
Power Connector "P"

ScubaVenture
IBM
3
IBM

Scuba Venture
IBM
3
BASIC
Personal Computer -- PC

Scuba Venture
IBM
3
BASIC
Personal Computer -- PC

IBM
PRESENTS
By
Bill Williams
Pirated BY Software
Scuba Venture
IBM
3
BASIC
Personal Computer - PCjr

Scuba Venture
IBM
3
BASIC
Personal Computer - PCjr



Specification:	
CPU	Intel 8088 @ 4.77 MHz
RAM	128 KB
STORAGE	
DRIVES	• 5.25" half-height Qume floppy drive (360KB) • PCjr Cartridges
DISPLAY	• IBM TTL RGBI monitor (12”) • Motorola 6845 CRTC • 320 × 200 at 16 colors
OS	• Floppy Boot: IBM PC DOS 2.10
KEYBOARD	• Original IBM PCjr wireless infrared keyboard • IBM PCjr original keyboard wired cable included
SOUND	Built-in Texas Instruments SN76489, PC speaker
Network	
I/O PORTS	• ROM cartridge slot • built-in joystick port • "sidecar" expansion modules slot

EXPANSION PERIPHERALS	• Original IBM PCjr Joystick
ACCESSORIES & DOCUMENTS	• Original IBM BASIC v3.0 cartridge and manual • Original IBM SCUBA VENTURE cartridge and manual • Unique customized SD card reader cartridge with bootable DOS and games (can be used to move files with modern computers) • IBM PCjr 5.25” Floppy Disks Bundle
POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• If cartridge is installed then booting priority will be for it.

(GOTO ^^TOP)

(025) Vintage IBM 8535 386SX PS2 Computer Color
[1984]

A whole new world of power and performance
IBM
OS/2
Early Spanish for Sound Brains
Typing World
Write-On
FIND & CIRCLE PLUS
Computer Basics
New Sealed Learning Software Packages Bundle
Original IBM OS/2 2.1 Package (Manuals & 3.5" Installation Disks)

Program Manager
File Options Window Help
Main
Applications
Accessories
Games
Mastering the SAT
VERBAL · MATH · STANDARD WRITTEN ENGLISH
Original IBM PS2 8513 Color Monitor (12")


3.5" Floppy Disk
Drive (1.44 MB)
Original IBM PS2
wired keyboard


Original IBM PS2 Wired Mouse
Intel Logo MousePad

SKYMASTER
Thrustmaster Compatible
Works with Win 95
QuickShot
QS-206
223
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
OFF
ON
OUTPUT 110V
OUTPUT 220V
EUROPEAN TECHNOLOGY


Parallel Printer Interface
Network and Joystick Expansion Card
Serial Device Interface
PS2 Keyboard & Mouse Connectors

IBM
A whole new world of power and performance
OS/2
Version 2.1
Mastering the SAT


IBM
A whole new world of power and performance
OS/2
Version 2.1
40 MB HDD with DOS 5.5,
Windows 3.1 and 10s of DOS
Software and G

A whole new world of power and performance
IBM
OS/2
Version 2.1
Mastering the SAT

A whole new world of power and performance
IBM
OS/2
Version 2.1
Mastering the SAT
SCORE 448
TODAY'S HIGH SCORE 448

Specification:	
CPU	Intel 80386SX @ 16 MHz
RAM	2 MB
STORAGE	40 MB HDD
DRIVES	• 3.5'' Floppy Disk Drive (1.44 MB)
DISPLAY	• IBM PS2 8513 Color Monitor (12”) 1987 • VGA 640 × 480, 60 Hz non-interlaced
OS	• MS DOS 5 • MS Windows 3.1
KEYBOARD	• Original IBM PS2 wired keyboard • Original IBM PS2 wired mouse
SOUND	Built-in PC speaker
Network	16-bit ISA 10 Base-T Ethernet expansion card
I/O PORTS	• Parallel port • Serial Port • VGA port • PS2 Keyboard and Mouse ports

EXPANSION PERIPHERALS	• SkyMaster XT Joystick

ACCESSORIES & DOCUMENTS	• Original IBM PS/2 Library: Model 70-386 Reference Kit
	• Original IBM OS/2 2.1 Package (Manuals & 3.5” Installation Disks)
	• Mastering the SAT Software Package
	• Speed Reader Software Package
	• New Sealed Learning Software Packages Bundle:
	  • Early Spanish
	  • Typing World
	  • Write On
	  • Find & Circle Plus
	  • Computer Basics

POWER SUPPLY	• **Computer + Monitor**: 120V Only Same Cable (Internal PSU) Computer Only can run on 100-240V Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(026) Vintage Acorn Risc PC 600 with Strongarm CPU
[1994]

32 MB CF based Boot
HDD Drive
CUMANA
Acorn
CUMANA CD ROM Drive
3.5” Floppy Disk Drive
(1.44 MB)
polk audio
polk audio
RiscPC600
Acorn

HP Pavilion M50 D5258A
CRT VGA Monitor (15”)
Attached Dual Polk
Audio Speakers


Original Acorn PS2
wired keyboard
Original Acorn PS2 3 buttons
wired mouse (New)
Original Acorn Sealed RISC
OS 3.0 Setup Disks


PS2 Keyboard & Mouse Ports
10/100 Base-T Ethernet card
Power Cable Sockets for both Computer and Monitor
Parallel & Serial Ports
VGA Monitor Connector

RISC OS
RiscPC600

RiscPC600
Acorn

XENON 2
MEGABLAST
XENON 2
MEGA BLAST
RiscPC600
Acorn

RiscPC600
Acorn

RiscPC600
Acorn

RiscPC600

Size: 524 MB (549,964,860 bytes)
Resolution: 1920x1080
Duration: 00:06:00
MPC-HC
(026) Vintage Acorn Risc PC 600 with Strongarm CPU
[1994]
00:00:21
00:00:42
00:01:03
00:01:46
00:02:07
00:02:28
PS2 Key
10/100
Parall
Power Cable S
VGA M
00:03:10
00:03:32
00:03:53

VIDEO

Specification:	
CPU	• Host: StrongARM @ 300 MHz Guest: 486 DX-4 @ 100 MHz PC Card
RAM	164 MB
STORAGE	32 MB boot + 9 GB Applications, CF based HDDs
DRIVES	• 3.5'' Floppy Disk Drive (1.44 MB) • CD Drive
DISPLAY	• HP Pavilion M50 D5258A CRT VGA Monitor (15") • VGA 640 × 480
OS	• Risc OS 3.7
KEYBOARD	• Original Acorn PS2 wired keyboard • Original Acorn PS2 3 buttons wired mouse (New Old Stock)
SOUND	Built-in PC speakers
Network	10/100 Base-T Ethernet expansion card
I/O PORTS	• Parallel port • Serial Port (RS-232) • VGA port • Acorn Keyboard and Mouse ports • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Acorn ALA40 RISC OS 3.1 Application Guides & Floppies • Original Acorn RISC OS Impression Publisher v4.11 Application Guides & Floppies
POWER SUPPLY	• **Computer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Monitor**: 100-240V Auto-Switch (Internal PSU) Plug Type: Powered from Computer (No Power Plug)
SPECIAL INSTRUCTIONS	• **Hold Delete at boot time**: To CMOS reset to detect the monitor and select 31khz output, 640x480 default resolution

(GOTO ^^TOP)

(027) Vintage SUN Microsystems Blade 150 UltraSPARC-IIe
[2000]


Sun microsystems
Solaris™ Easy Acces
Server 2.0
Software
Deutsch, English, Español,
Français, Italiano, Svenska
SOLARIS™
Complete New System
Software CDs Set

CF Card Reader Drive
48X-speed EIDE CD-ROM
16X-speed DVD-ROM
3.5'' Floppy Disk Drive
(1.44 MB)

Original SUN wired
USB Keyboard
Original SUN wired USB Mouse


10/100 Base-T Ethernet
twisted-pair (RJ-45) connector
2 x IEEE 1394
(6-pin) connectors
VGA Monitor Connector
4 X Universal Serial Bus
(USB) Type A
IEEE 1284 (bidirectional)
parallel port (DB25)


Floppy Drive
and CF Card Reader
1 GB PC133 168-pin
JEDEC DIMMs
HIPOT OK


Original Sun Microsystems
Mother board with UltraSPARC-IIe
@ 650MHz, 512 KB Cache


Internal Desktop HDD Drive Bays
80 GB + 40GB, 7200-rpm EIDE

Sun
Solaris Easy Access Server 2.0 Software
SOLARIS
Sun
Sun

Sun
Solaris Easy Access
Server 2.0
Software
SOLARIS


Sun
Solaris Easy Access
Server 2.0
Software
SOLARIS

Sun
Solaris Easy Access
Server 2.0
Software
SOLARIS
CENTRAL INTELLIGENCE AGENCY
Sun
Sun


Size: 555 MB (582,092,377 bytes)
Resolution: 1920x1080
Duration: 00:09:23
MPC-HC
(027) Vintage SUN Microsystems Blade 150 UltraSPARC-IIe
[2000]
SOLARIS
00:00:33
00:01:06
00:01:39
00:02:46
00:03:19
00:03:52
00:04:58
00:05:31
00:06:04

VIDEO

Specification:	
CPU	UltraSPARC-IIe @ 650MHz, 512 KB Cache
RAM	1 GB PC133 168-pin JEDEC DIMMs
STORAGE	80 GB + 40 GB, 7200-rpm EIDE disk drives
DRIVES	• 3.5'' Floppy Disk Drive (1.44 MB) manual-eject • 48X-speed EIDE CD-ROM, 16X-speed DVD-ROM
DISPLAY	• Original SUN LCD VGA Monitor (17") • 1280 x 1024 native resolution @ 60hz
OS	• Sun Solaris Workstation 9
KEYBOARD	• Original SUN wired USB keyboard • Original SUN wired USB mouse
Network	10/100 Base-T Ethernet twisted-pair (RJ-45)
I/O PORTS	• IEEE 1284 (bidirectional) parallel port (DB25) • 2 x IEEE 1394 (6-pin) connectors • Asynchronous serial port (DB9) • Smart card interface (10-pin) connector • 4 x Universal Serial Bus (USB) Type A connectors • Stereo 3.5 mm minijack audio sockets
EXPANSION PERIPHERALS	• 3 x full-size PCI slots • External LCD mounted Stereo mini speakers
ACCESSORIES & DOCUMENTS	• Original factory sealed SUN Solaris 7 Server Sparc Platform Edition with software and manuals
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Speakers**: USB Powered (from Computer)
SPECIAL INSTRUCTIONS	• **Login credentials**: user: root / pass: batman15 • **Linux Commands**: ls (list folders), df (Disks List), df -h (disk size)

(GOTO ^^TOP)

(028) Vintage NextStation Turbo Computer (N1100)
[1990]




NextStation Turbo
Motorola 68040 @ 33MHz
Processor, 8 GB SD HDD

Original Next MegaPixel
CRT Monitor (17")
100s of native NextStep
Application and games


Power On Button
Original Next N8002 keyboard
* Original Next N8003 mouse
* Next Computer Logo
Aluminum sign mousepad

2 X External Stereo
USB Speakers
with Power Adapter

MegaPixel Display
2-channel digital audio


MegaPixel Display
2-channel digital audio
Keyboard/Mouse Connector
External Speakers
and Headphone Jacks
DSP port (DA-15)
2 X RS-423 serial ports
(Mini-DIN 8)
NeXT Laser Printer port
(DE-9)
SCSI-2 external connector
(MD50)
10 Base-T, 10 Base-2
Ethernet ports

Network and
System Administration

Network and
System Administration

Network and
System Administration

Network and
System Administration

NEXTSTEP
Network and
System Administration


Size: 551 MB (578,051,473 bytes)
Resolution: 1920x1080
Duration: 00:09:53
MPC-HC
(028) Vintage NextStation Turbo Computer (N1100)
[1990]
00:00:35
00:01:10
00:01:45
00:02:54
00:03:29
00:05:14

VIDEO

Specification:	
CPU	Motorola 68040 @ 33MHz, 512 KB Cache
RAM	16 MB 72-pin SIMM
STORAGE	8 GB SD HDD
DRIVES	• 3.5'' Floppy Disk Drive (2.88 MB)
DISPLAY	• Original Next MegaPixel Display N4000B CRT Monitor (17") 1120 × 832 @ 92 DPI (Gray Scale)
OS	• NextStep v3.3
KEYBOARD	• Original Next N8002 keyboard • Original Next N8003 mouse
Network	10 Base-T, 10 Base-2 Ethernet ports
I/O PORTS	• SCSI-2 external connector (MD50) • DSP port (DA-15) • NeXT Laser Printer port (DE-9) • 2 x RS-423 serial ports (Mini-DIN 8)
EXPANSION PERIPHERALS	• 2 X External Speakers
ACCESSORIES & DOCUMENTS	• 100s of native NextStep Application and games • Next Computer User and Administration Manuals • Next Computer Logo 15 oz Coffee Mug • NEXT Computer Logo Coasters Next Computer Logo Aluminum sign mousepad
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Monitor**: 100-240V Auto-Switch (Internal PSU) Plug Type: Powered from computer throughout display cable • **Speakers**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	• Power On: from keyboard – Green button • Login credentials: user: root / pass: batman15

(GOTO ^^TOP)

(029) Vintage Sanyo MBC-2000 Z-80 Business Computer
[1982]




MicroPro
WORDSTAR TRAINING GUIDE
SANYO
MBC-2000/3000
SANYO
WordStar
WordStar Manuals
WordStar General Information Manual
Original WordStar
Printing Training Guide
Original Sanyo MBC 2000/3000
User's Manual Folder


MBC SERIES
SOFTWARE ENCYCLOPEDIA
AND
USER'S GUIDE
SANYO
Original Sanyo MBC
Software Encyclopedia
Original Sanyo MBC Boot Disks
SANYO
MBC-2000 SYSTEMDISK
CP/M V. 2.2 NO 2-246-
SBASIC V. 2 . 3
MD2HD
FORMATTED FOR
IBM

MBC-2000
SANYO
MIN
MAX
ON
Original Sanyo MBC Heavy
Metal Detachable Keyboard


editing no file
<<< NO-FILE MENU >>>
Built-in green monochrome
CRT Monitor (12")
2 x 5.25" Floppy
Disk Drive (2.88 MB)
SANYO
ON


2 x Serial ports
Printer/Parallel port
Keyboard Connector


SANYO
NOVEMBER 1981
END USER AGREEMENT


WordStar
Easy, powerful, incredibly versatile.
The way word processing should be.
From MicroPro
MICROPRO
PRODUCT CATALOG
WordStar
Reference Card
Version
3.0
MicroPro
INTERNATIONAL CORPORATION
MicroPro
WordStar

editing no file
Use this command to create a new document file,
or to initiate alteration of an existing document file.
A file name is 1-8 letters/digits, a period,
and an optional 0-3 character type.
File name may be preceded by disk drive letter A-D
and colon, otherwise current logged disk is used.
^S=delete character ^T=delete entry ^F=File directory
^D=restore character ^R=Restore entry ^V=cancel command
NAME OF FILE TO EDIT? SAM
DIRECTORY of disk A:
MBC-2000
SANYO
MIN
MAX

MBC-2000
SANYO
MIN
MAX

MBC-2000
SANYO
MIN
MAX

Specification:	
CPU	Intel 8085A @ 3 MHz (8-bit parallel central processor)
RAM	64 KB
STORAGE	
DRIVES	• 2 x 5.25'' Floppy Disk Drive (2.88 MB)
DISPLAY	• Built-in green monochrome CRT Monitor (12")
OS	• CP/M
KEYBOARD	• Built-in Full-Size
Network	
I/O PORTS	• 1 Printer/Parallel port • 2 x Serial ports • 1 Keyboard port
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Sanyo MBC-2000/3000 manual:
	  • User's Guide Folder
	  • WordStar Training Guide

	• WordStar Reference Guide • Software Encyclopedia • CP/M and WordStar Word Processor Bootable Floppy Disks
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• CP/M floppy disk boot

(GOTO ^^TOP)

(030) Vintage Commodore PET CBM 8096
[1980]

Commodore Computer
Full Dust Cover
commodore
CBM
Model 8096

Green Monochrome
CRT Monitor (12”)
commodore
CBM
Model 8096


Dataset Cassette
Recorder Interface
Parallel port
(for disk drives and printers)
Unique 8 GB SD Based Drive Preloaded
with Demo programs Connected
to Parallel IEEE-488 port and powered
from Dataset connector port


Keyboard Interface
8032 to 8096 upgrade board
with more RAM
and Faster Processor
Main System Motherboard
Power Supply

commodore
CBM
Model 8096

commodore
CBM
Model 8096

commodore
CBM
Model 8096

commodore
CBM
Model 8096

Specification:	
CPU	MOS Technology 6502 @ 1 MHz
RAM	• 32KB Main board (16 x HM4716AP 4N) • 64KB RAM board (32 x ITT4116 3N)
STORAGE	8 GB SD based preloaded HDD
DRIVES	
DISPLAY	• Built-in green monochrome CRT Monitor (12") • 80 x 25 characters • Motorola/MOS 6845 CRTC
OS	• CP/M • Built-in Commodore BASIC 4.0 (ROM)
KEYBOARD	• Built-in full-size keyboard and numeric keypad
Network	
I/O PORTS	• 1 Cassette tape recorder interface • 1 Parallel port (for disk drives and printers) • 1 IEEE-488 port (modems, disks)

EXPANSION PERIPHERALS	• This system was originally an 8032 and upgraded to a 8096
ACCESSORIES & DOCUMENTS	• Original Commodore Series 8000 User's Guide • Commodore computer full dust cover
POWER SUPPLY	• **Computer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• Boot to default Commodore BAISC v4.0 • Connect SD drive to the rear port near power cable and the power cable to the cassette port on far left • Connected SD card mapped to device #8 • DIRECTORY or CATALOG : command to list SD contents • DLOAD "filename.prg" : command to load program • RUN : command to execute current loaded program • LIST : command to show current loaded program contents • DSAVE "filename" : command to save file to SD • RENAME "oldfilename" TO "newfilename" • COPY "oldfile" TO "newfile" • SAVE "@D0:filename",8 : Saves over an existing filename

(GOTO ^^TOP)

(031) Vintage Sharp MZ-80K Computer
[1979]





Built-in Cassette Tape Recorder with Original Numertrone Tape Game


Expansion Bus Socket

MONITOR SP-1002 **
*LOAD
*PLAY
SPACE
CR
mz-80K

** MONITOR SP-1002 **
*LOAD
*PLAY
LOADING SPACE INVADERS
RECORD REWIND FFWD PLAY STOP EJECT
Personal Computer
mz-80K

SPACE
INVADER
RECORD REWIND FFWD PLAY STOP EJECT
Personal Computer
mz-80K

SCORE 00010 HIGH(0000) CANNON LEFT 3
SHARP
Personal Computer
mz-80K


Size: 413 MB (433,187,826 bytes)
Resolution: 1920x1080
Duration: 00:04:17
MPC-HC
(031) Vintage Sharp MZ-80K Computer
[1979]
Black & White
Monochrome monitor (
Transparent square keys.
78 keys + Numeric k
Built-in Cassette Tape Recorder
with Original Numetronic
Tape Game
SPACE
INVADER

VIDEO

Specification:	
CPU	Zilog Z80A @ 2 MHz (Sharp LH-0080)
RAM	48 KB (MZ-80K2)
STORAGE	
DRIVES	Cassette Tape (built-in)
DISPLAY	• Built-in black & white monochrome monitor (10") • Text: 40 x 25 (8 x 8 character matrix) • Graphics: 80 x 50
OS	• Sharp Basic (available on tape)
KEYBOARD	• Built-in transparent square keys. 78 keys + Numeric keypad
Network	
I/O PORTS	• Expansion bus
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Sharp Numbertron Cassette Tape
	• Supertape 2 Cassette including:
	  • Sharp BASIC SP-5025
	  • Space Invaders Game
	  • Zen

POWER SUPPLY	• **Computer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• LOAD : command to load program form cassette • PLAY: when prompted press cassette tape play button • RUN : command to execute current loaded program • LIST : command to show current loaded program contents

(GOTO ^^TOP)

(032) Vintage Tandy TRS-80 Model III Microcomputer
[1981]


Radio Shack
MODEL II SCRIPSIT™
REFERENCE MANUAL
TRS-80
MODEL II
Original TRS-80 SCRIPSIT
Reference Manual (Leather Folder)


YOUR SCORE 5
Bonus 100 Bonus 100
CRUSHER
Press <ENTER> for new game
2 x 5.25'' Floppy Disk Drive
(SS/SD)
MODEL III MICROCOMPUTER
1

External TRS-80 Realistic
MPS-5 mini amplified speaker system
(Connect to Cassette Port)

Cassette Tape
Recorder/Player Interface Port
CASSETTE

Original TRS-80
SCRIPSIT Reference Manual Including:
• Floppy Disks
• Cassette Tape
• Manual
EL II SCRIPSIT™


Original TRS-80
SCRIPSIT Reference Manual Including:
• System Boot Floppy Disks
• Operating System
• Library
• Utilities
• Drivers
• Job Controls
• LBASIC


TRS-80 MODEL II
TRS-80 MODEL II
CERTIFIED DISKETTE
UNFORMATTED 10 PAK
CRUSHER
Press <ENTER> for new game
Joystick compatible
with Sound effects
Radio Shack
TRS-80

TRS-80 MODEL II
TRS-80 MODEL II
CERTIFIED DISKETTE
UNFORMATTED 10 PAK
Radio Shack
TRS-80

File Size: 620 MB (650,517,439 bytes)
Resolution: 1920x1080
Duration: 00:04:22
MPC-HC
(032) Vintage Tandy TRS-80 Model III Microcomputer [1981]
00:00:15
(032) Vintage Tandy TRS-80 Model III Microcomputer [1981]
00:00:31
CRUSHER
Mini Amplified Speaker System
TRS-80 MODEL II
Original TRS-80 SCRIPSIT Reference Manual (Leather Folder)
00:01:17
2 x 5.25" Floppy Disk Drive (SS/SD)
00:01:32
External TRS-80 Realistic MPS-5 mini amplified speaker system (Connect to Cassette Port)
Mini Amplified Speaker System
00:01:48
00:02:19
00:02:34
00:02:50

VIDEO

Specification:	
CPU	Zilog Z80 @ 2.03 MHz 8-Bit
RAM	16 KB , 14 KB ROM
STORAGE	
DRIVES	• External Cassette Tape (TRS-80 CCR-81) • Internal 2 x 5.25'' Floppy Disk Drive (SS/SD)
DISPLAY	• Built-in black & white monochrome monitor (12" HiRes) • Text: 64 x 16 • Graphics: 128 x 48
OS	• TRS DOS (Floppy Boot)
KEYBOARD	• Built-in full-stroke keyboard with separated numeric keypad
Network	
I/O PORTS	• Cassette tape port • Centronics • Serial port (RS232)
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• External TRS-80 Realistic MPS-5 mini amplified speaker system
	• Set of 5.25'' floppy Apps/Games
	• Original 8'' floppy diskettes from model II (very rare)
	• Original External RadioShack TRS-80 Computer Cassette Recorder Model CCR-81
	• **System manuals**:
	  • TRS-80 Software Library Folder
	  • TRS-80 Model Scripsit Reference Manual

POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Computer Cassette Recorder**: 120V Only (Internal PSU) Plug Type: TYPE F, UK, 2 Thick Round Pins • **Speaker**: 4 X Size D Dry Batteries
SPECIAL INSTRUCTIONS	• CLS: Clear video display and home cursor • DIR: List disk contents • TAPEDISK: Copy tape files to a disk file • GETDISK: Copy any tape file to disk • GETTAPE: Copy any disk file to tape

(GOTO ^^TOP)

(033) Vintage Tandy Radio Shack 1000 TX Personal Computer
[1986]

Original sealed Tandy
The Fundamentals HX/TX
(system tutorial on floppy disk)
TANDY 1000 TX
Cat. No. 25-1600


5.25" Floppy Disk Drive (DS/SD)
Original Tandy MMS-10
Stereo Amplifier Speaker
3.5''Floppy Disk Drive
(DS/SD 720MB)
2 x external MLI 691H
HiFi speakers


Paint - (untitled)
File Edit Font FontSize Style Palette
Options
MS-DOS Executive
File View Special
About
Microsoft Windows
MS-DOS Executive
Version 3.0
Copyright © 1985-1990 Microsoft Corp
OK
Disk Space Free 5308K
Memory Free 341K
TANDY
Original Tandy Color external CGA/TGA Monitor (13”)

TANDY
PERSONAL COMPUTER


Original Tandy Serial Mouse
Original Tandy Joystick
Original Tandy ATX Mouse
with Heavy Metal Ball

Original Tandy Special
Parallel Printer Cable
TANDY
TOP


Keyboard Connector
2 X Joysticks Connectors
RESET Button
Volume Control Knob
Headphone Jack


Hard Drive on
a Card Expansion
Serial Port Mouse Connector
Video Monitor Connector
Composite Video
& Audio Out Sockets
Printer Parallel Cable Connector


Original Tandy ATX Mouse
with Heavy Metal Ball
Original Tandy Serial
Mouse with Rubber Ball


Seagate Model ST-1382
30 MB internal HDD
640 KB RAM Memory
Programmable
Interrupt Controller

Paint
Save current changes (untitled) ?
Yes
No
Cancel
TANDY

23 File(s) 5457920 bytes free
C:\sol striker
TANDY

STRIKER
BY DEREK WILLIAMS
Copyright (C)1985

SCORE:000080 MISSION:1 SHIPS:05
HI:000080



Specification:	
CPU	Intel 80286@ 8 MHz
RAM	640 KB
STORAGE	20 MB internal HDD
DRIVES	• Internal 5.25'' Floppy Disk Drive (DS/SD) • Internal 3.5'' Floppy Disk Drive (DS/SD 720MB)
DISPLAY	• Original Tandy Color external CGA/TGA (13") • Text: 80 x 25 • Graphics: 320 x 200 @ 16 colors
OS	• MS-DOS 3.22 (HDD) • MS Windows 3.0 (B&W)
KEYBOARD	• Built-in Full stroke keyboard, 92 keys, 12 function keys
Network	
I/O PORTS	• 2 x Joysticks • Composite video output • Parallel port • Serial port

	• 5 x internal expansion slots
EXPANSION PERIPHERALS	• Original Tandy Joystick • Original Tandy 5-DIN mouse (metal track ball) • Original Tandy Serial Mouse • Original Tandy MMS-10 Stereo Amplifier Speaker • 2 x external MLI 691H HiFi speakers
ACCESSORIES & DOCUMENTS	• Original Tandy 1000 TX box • Original sealed Tandy The Fundamentals HX/TX no. 25-1186 (system tutorial on floppy disk)
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Tandy Amplified Speakers**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **External Powered Speakers**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	• > CD WinIBM then > WIN → to run windows 3.0

(GOTO ^^TOP)

(034) Vintage Merlin Tonto MI800 One Per Desk OPD
[1984]


Original Merlin M1875 monochrome monitor (9 “).
Need special UK Network to Run (a printed sticker of original Top Level Menu for Placed for Display Only)
A documentation and presentation CD included
TOP LEVEL MENU
1 Telephone Directory
2 Telephone Control
3 Messaging Control
4 Applications
5 Computer Access
6 Calculator
7 BASIC
8 Housekeeping
© ICL 1984
THU 06 OCT 13:29
ICL
ONE PER DESK
Merlin
Tonto
700MB
52x


Merlin
M1876
Telephony Module
Lead Identity
Line 2
Line 1
2 X Phone Lines Module Included

Merlin Tonto
2 X mini Tape Data Storage


Merlin Tonto
Merlin
M1811 Rompack with Xchange
WARNING
Disconnect mains before removing or inserting Rompack or Capsules.
© ICL/PSION LTD 1984
Software ROMpack Module
with installed Interfile
+ Messaging ROM
Cartridge Modules

TOP LEVEL MENU
Merlin
Tonto



TOP LEVEL MENU
1 Telephone Directory
2 Telephone Control
3 Messaging Control
4 Applications
5 Computer Access
6 Calculator
7 DMSSC
8 Housekeeping



Specification:	
CPU	Motorola MC 68008 @ 7.5 MHz Sinclair ULA gate array chip (CO-PROCESSOR)
RAM	128 KB , 23 KB VRAM, 128 KB ROM
STORAGE	
DRIVES	• Internal 2 x micro tape drive
DISPLAY	• Original Merlin M1875 B&W monochrome monitor (9 ") • Text: 42 / 64 / 84 chars. x 24 lines • Graphics: 256 x 256 @ 8 colors (ZX8301)
OS	• Q-DOS (built-in)
KEYBOARD	• Built-in Full stroke 73-key with numeric keypad
Network	2 x QL Network
I/O PORTS	• 2 x Joysticks • 2 x Serial port (RS232) • RAM/ROM extension ports • TI TMP5220C speech synthesizer / built-in loudspeaker

EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Merlin M1876 2 lines Telephony Module • Original Merlin M1811 Rompack with exchange module • Interfile: ROM cartridge with manual • Messaging: ROM cartridge with manual (sealed)
POWER SUPPLY	• **Monitor**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Computer**: Power On from Monitor (No Power Cable)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(035) Vintage Cardinal Technologies CP600 Messaging System
[1988]



Cardinal
Original Integrated Cardinal Technologies Keyboard

Power
On Line
Shift Lock
Integrated Magnetic Card Reader


Power On Button
Memory Expansion Slot
Parallel Printer Connector


Monitor Remote Control
Dual Phone Lines
Composite Monitor Connector
Serial Port Connector


17” LCD Monitor Multi-Function
Input (HDMI AV BNC VGA USB)FHD
Phone Line Cable
Tesla
M Microsoft
1 Log on to entry service
2 Add or change entry
3 Erase an entry
4 Manual dial from keyboard
5 Re-connect to:
BHVNA

Info Services: Change Which entry?
A AMAZON
M Microsoft
Tesla
1 Log on to entry service
2 Add or change entry
3 Erase an entry
4 Manual dial from keyboard
5 Re-connect to:
1/01/87 12:55
BHVNA
NEWSTAR

Info Services: Changing entry: N
Press SELECT to alter Screen Columns
Name: nOKIA
Password: 123
Phone No: 00112312345
Screen Columns: 80
Terminal Emulation: VT52
Baud: 1200
Duplex: full
Parity: none
Handshaking: 1-way (std)
AutoLogon: off
AutoLogoff: off
Function Keys: off
Press ESC to return to Info Services.
1/01/87 12:55
BHVNA
NEWSTAR

Info Services: Hit RETURN for last no.
A AMAZON
M Microsoft
N nOKIA
T Tesla
1 Log on to entry service
2 Add or change entry
3 Erase an entry
4 Manual dial from keyboard
5 Re-connect to:
1/01/87 12:56
BHVNA
NEWSTAR



Specification:	
Menu	• The INFO SERVICES Menu • The PHONE BOOK Menu • MANUAL DIAL FROM KEYBOARD
KEYBOARD	• Programmable function keys
I/O PORTS	• Built-in 1200/300 baud modem with "originate" and "auto-answer" modes • Magnetic Card Reader • RS-232C Serial port • Parallel printer port (34-pin Card Edge) • 2 x RJ 11 C phone jacks Memory Expansion Slot
ACCESSORIES & DOCUMENTS	• Color LCD Composite Monitor • Original Packaging Box • Original Manual
POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins

	• **Monitor**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE F, UK, 2 Thick Round Pins
SPECIAL INSTRUCTIONS	• <FF>: Erase Screen • <ESC> M: Delete Line • <DC2>: Enable Printer • <ESC> <ESC> D2: 40 column mode • <ESC> <ESC> D2: 80 column mode • <ESC> <ESC> I0 <nstr> : Directory entry inquire • <ESC> <ESC> I1 <nstr> : Directory entry add • <ESC> <ESC> I2 <nstr> : Directory entry delete

(GOTO ^^TOP)

(036) Vintage Compaq Portable II Luggable PC
[1986]




COMPAQ Bootable Disks Set:
- BIOS Configuration Disk
- IBM PC DOS v3.3 (Full)
- MS DOS v6.2
MEMOREX
Nashua.


Green Monochrome CRT Monitor (9")
640 X 200
Type: 1 MFM MiniScribe
10 MB internal HDD
Monitor Brightness Control Dial
5.25" floppy drive (360 KB)
MEMOREX
Nashua.

COMPAQ
COMPAQ
F6
F7
F8
F9
F10
Keyboard Function Layer
Esc
Num Lock
Scroll Lock
Sys Req
7 Home
8
9 PgUp
PrtSc *
Enter
Shift
Full-stroke detachable keyboard wit

- Intel 80286 @ 6/8MHz (dual-speed)
- 640 KB RAM
- 10MB Internal HDD


Parallel Printer Port Expansion Card
RS-232 Serial Ports Expansion Card
CGA and Composite Video Output Expansion Card

System Leather Carrying Hand

Power Cable Connector
and Power Switch (120V)

Keyboard Lock/Unlock Sliders
Keyboard Risers

COMPAQ
PORTABLE II
Computer Riser Bar

COMPAQ
COMPAQ
Enter
Break

COMPAQ
File Window
Create new Works File.
COMPAQ

COMPAQ
Press ALT to choose commands.
COMPAQ

COMPAQ
1-Create a document
2-Create a file folder
3-Create a report
4-Create a spreadsheet
5-Get an existing file
6-Connect to another computer
7-Set up equipment
8-Leave First Choice
Copyright 1986 by Software Publishing Corporation
Use ↑ or ↓ to choose a selection, and then press ↵. Or press F1 for Help.

COMPAQ
Press 1,2, or E to Exit
Jingle Tunes
1

COMPAQ
COMPAQ

Size: 599 MB (628,364,766 bytes)
Resolution: 1920x1080
Duration: 00:09:15
MPC-HC
(036) Vintage Compaq Portable II Luggable PC
[1986]
COMPAQ Bootable Disks Set:
- BIOS Configuration Disk
- IBM PC DOS v3.3 (Full)
- MS DOS v6.2
MEMOREX
00:00:33
00:01:05
00:01:38
00:02:43
00:03:16
00:03:48
00:04:54
00:05:26
00:05:59

VIDEO

Specification:	
CPU	Intel 80286 @ 6/8MHz (dual-speed)
RAM	640 KB
STORAGE	Type: 1 MFM MiniScribe, 10 MB internal HDD
DRIVES	• Internal 5.25'' floppy drive (360 KB SS/SD)
DISPLAY	• Built-in Green Monochrome CRT Monitor (9'') • Text: 40/80 chars. x 25 lines • Graphics: 640 X 200
OS	• HDD: Compaq DOS 3.2 • Floppy: IBM PC DOS 3.3 & MS-DOS 6.2
KEYBOARD	Full-stroke detachable keyboard with function keys and numeric keypad
Network	
I/O PORTS	• RS-232 Serial Port • Parallel printer port • CGA and composite video output • 5 x 8-bit ISA expansion slots
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Parallel and Serial Connection Cables • COMPAQ BASIC V2 Reference Guide • COMPAQ Portable II Operations Guide Folder • 5.25 360K DOS Boot and BIOS Setup Disks
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: Built-in (No Power Cable)
SPECIAL INSTRUCTIONS	• **HDD Boot**: Since CMOS battery expired and HDD configuration not saved, please use the included COMPAQ BIOS Boot Disk to set the HDD Type to (1) then save and exit You need to do the same after each full system power off

(GOTO ^^TOP)

(037) Vintage IBM 5140 Convertible PC
[1986]



Travel Wheeled Carrying Bag
PIGEON

Original IBM Battery
Internal 2 x 3.5" floppy drives (720 KB)
Monochrome LCD
non-backlit Screen (10")
Original IBM Power Adapter

IBM
PC
Convertible


Original IBM Detachable
Expansion System Battery
Power Adapter Connector
and Power Switch Button




3.5" diskette
Disk Operating System
Version 3.20
IBM

IBM
PC Convertible
Guide to
Operations
Hardware Edition
IBM PC Convertible
Diagnostics Update
Diskette
User's Guide
IBM
Personal
Computer
Software
RETURN LABEL
BARGATHON SALE
01/16/89
TO: DISTRIBUTION CENTER
HOME SHOPPING FULFILLMENT OF VA., INC.
SALEM, VA 24156
NAME
MEMBERSHIP NO.
COMMENTS
RETURN FORM
HSC
HOME SHOPPING CLUB
PAYMENT METHOD
VISA
PACKAGE NO.
MEMBERSHIP NO.
DATE
59310301
189937121
01/16/89
ITEM NO.
DESCRIPTION
QTY
PRICE
SUMMARY
165053
IBM PC CONVERTIBLE W/PRINTER
1
998.77
998.77
THIS BARGATHON ITEM WAS SOLD AT A SPECIAL SALE PRICE AND IS NOT RETURNABLE. IF THE ITEM ARRIVES DAMAGED, PLEASE CALL CUSTOMER SERVICE FOR ASSISTANCE.
****** SHIP A.O.D. GROUND ******
****** INSERT NEW MEMBER MATERIALS ******
59310301165805

3.5" diskette
IBM PC Convertible

IBM PC Convertible

Specification:	
CPU	Intel 80C88 @ 4.77 MHz
RAM	256 KB
STORAGE	
DRIVES	• Internal 2 x 3.5'' floppy drives (720 KB)
DISPLAY	• Built-in Monochrome LCD non-backlit Screen (10") • Text: 80 chars. x 25 lines • Graphics: 640 x 200
OS	• PC-DOS 3.2 (built-in ROM MS BASIC Interpreter)
KEYBOARD	Full Stroke
Network	
I/O PORTS	• RS-232 Serial Port • Parallel printer port • CGA video output • Proprietary Snap-on Port
EXPANSION PERIPHERALS	Expansion bus

ACCESSORIES & DOCUMENTS	• Original IBM Disk Operating System v3.2 Folder Box (disks and manuals) • Original IBM Guide to Operators • Original IBM User's Manual • Original purchase invoice (January 16, 1989)
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• Floppy boot or internal ROM BASIC

(GOTO ^^TOP)

(038) Vintage IBM P70-386 PS2 8573-031 Portable
[1989]






Monochrome Red Gas Plasma Screen (10”) Pre-installed MS-DOS 6.20 and MS Windows 3.1
Popup 3.5” Floppy Drive (1.44 MB)
Program Manager
File Options Window Help
Main
Games
Accessories
Applicatia
IBM

Original Mini PS2 Mouse
Original Detachable
Full-Size Keyboard
IBM


Mouse Port
External 5.25” floppy disk port
Power Cable Socket


2 X Expansion Slots
External Second VGA Monitor
Parallel & Serial Ports

Program Manager
Minesweeper
Games
Applications

Type Invaders
Game Help
EYE
DAK
PAD

Specification:	
CPU	Intel 386 @ 16 MHz
RAM	2 MB 72-pin SIMMs
STORAGE	30 MB ESDI HDD
DRIVES	• Internal popup 3.5'' Floppy Disk Drive (1.44 MB)
DISPLAY	• Built-in Monochrome Red Gas Plasma Screen (10") • Text: 80 chars. x 25 lines • Graphics: VGA (640x480)
OS	MS-DOS 6.20 MS Windows 3.1
KEYBOARD	IBM 101 key, full size and full travel keyboard
Network	
I/O PORTS	• RS-232 Serial Port • Parallel printer port • External SCSI connector • PS/2 mouse port • External 5.25" floppy disk port

	• VGA port
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Sealed Microsoft Windows & MS-DOS Packages:
	  • Original Users Guide
	  • Original 3 X MS-DOS 6.22 3.5” Setup Floppy Disks
	  • Original 6 X MS Windows 3.1 3.5” Setup Floppy Disks

POWER SUPPLY	• **Computer**: 120-240V Auto-Switch (Internal PSU) Plug Type: TYPE F, UK, 2 Thick Round Pins
SPECIAL INSTRUCTIONS	HDD boot

(GOTO ^^TOP)

(039) Vintage IBM System 360-370 Field Engineer Tool Kit Briefcase [1968]

Original IBM logo Installation and Fixing Toolset
Original IBM System 360/370 New Spare Parts (As Per Included BOM)
Original IBM logo multimeter and manual

INSTRUCTIONS VOM-5A
CAUTION
B/M 1275087


Original IBM HIPO tool template (systems analysis design aid) 1970
Original IBM Time wheel that accommodates a work period and meal period
IBM
HIPO
IBM TIMEWHEEL
Original IBM flow charting tool template


Original IBM system 370 Quick reference summary 4th Edition 1976
Original IBM support Center Quick reference
IBM
System/370 Reference Summary
IBM Support Center Quick Reference
OPERATOR'S MANUAL
VOLT-OHM-MILLIAMMETER
IBM 1749231
Original IBM Multimeter Operations Manual


Original IBM Field Engineer Big Binder including:
• IBM System/360 Field Engineering Handbook 1971
• IBM OS/VS2 (MVS) Debugging Handbook 1978
IBM Field Engineering Handbook
System/360 Operating System
S229-3169-3


22JUN70
LISTING FROM LEX
Original IBM parts Bill Of Material (BOM) sheet dated (June 22, 1970)

IBM
IBM
TIMEWHEEL

IBM
IBM
TIMEWHEEL

IBM


IBM Field Engineering
Handbook
Form # S-229-4124
P/N 453559

Size: 539 MB (565,730,992 bytes)
Resolution: 1920x1080
Duration: 00:04:12
(039) Vintage IBM system 360-370 Field Engineer Tool Kit Briefcase
[1968]
(039) Vintage IBM system 360-370 Field Engineer Tool Kit Briefcase
[1968]
HIPO
HIPO
IBM
00:00:15
00:00:30
00:00:44
00:01:14
00:01:29
00:01:44
00:02:13
00:02:28
00:02:43

VIDEO

Specification:	

ACCESSORIES & DOCUMENTS	• Original IBM logo fixing tools
	• Original IBM logo multimeter and manual
	• Original IBM system 360 new spare parts
	• Original IBM parts Bill Of Material (BOM) sheet dated **June 22, 1970**
	• Original IBM flow charting tool template
	• Original IBM HIPO tool template (systems analysis design aid) 1970
	• Original IBM support Center Quick reference
	• Original IBM system 370 Quick reference summary 4th Edition 1976
	• Original IBM Time wheel that accommodates a work period and meal period
	• Original IBM Field Engineer Binder including:
	  • IBM System/360 Field Engineering Handbook 1971
	  • IBM OS/VS2 (MVS) Debugging Handbook 1978

(GOTO ^^TOP)

(040) Vintage Dolch FlexPAC Luggable PC
[1989]

XGA TFT Monitor (14”) 1024x768
Internal multi-speed super slim CD-ROM
3.5” floppy drive (1.44 MB)
Integrated 2 Stereo Speakers


10/100GHz BaseT Ethernet RJ45
Network Expansion Card
4 X Free Expansion Cards

Dolch

TurboPAC
Award Modular BIOS v6.00PG, An Energy Star Ally
Copyright (C) 1984-2001, Award Software, Inc.
1B740-G4-CUSX1-SI1.020-0528-DD-B7
Main Processor : Intel Pentium III 1.0GHz(133x7.5)
Memory Testing : 262144K OK
Main Memory Clock is 100 MHz
EPA POLLUTION PREVENTER
Press DEL to enter SETUP
05/22/2001-i815E-8712-6A69KIL9C-00

CPU ID/ucode ID : 0688/01
CPU Clock : 1.0GHz
Extended Memory : 261120K
Cache Memory : 256K
Diskette Drive A : 1.44M, 3.5 in.
Diskette Drive B : None
Pri. Master Disk : LBA,ATA 100, 136GB
Pri. Slave Disk : None
Sec. Master Disk : CD-RW,PIO 4
Sec. Slave Disk : None
Display Type : EGA/VGA
Serial Port(s) : 3F8 2F8
Parallel Port(s) : 378
SDRAM at Row(s) : 4 5
Display Cache Size: None
PCI device listing ...
Bus No. Device No. Func No. Vendor/Device Class Device Class IRQ
0 31 1 8086 2448 0101 IDE Cntrlr 14
0 31 2 8086 2442 0C03 Serial Bus Cntrlr 11
0 31 3 8086 2443 0C05 SMBus Cntrlr 11
0 31 4 8086 2444 0C03 Serial Bus Cntrlr 11
1 8 0 8086 2449 0200 Network Cntrlr 11
1 11 0 126F 0720 0300 Display Cntrlr 9
1 13 0 1274 1371 0401 Multimedia Device 11
Verifying DMI Pool Data .....

Microsoft Windows xp
Copyright © Microsoft Corporation
Microsoft

3D Pinball for Windows - Space Cadet
Player 1
Awaiting Deployment

ADMIN
Windows XP
Professional

Microsoft®
Windows
It is now safe to turn off your computer.

Size: 599 MB (629,105,294 bytes)
Resolution: 1920x1080
Duration: 00:06:47
MPC-HC
(040) Vintage Dolch FlexPAC Luggable PC
[1989]
00:00:24
00:00:48
00:01:12
00:02:00
00:02:24
00:02:48
00:03:36
00:04:00
00:04:24

VIDEO

Specification:	
CPU	Intel 845PE Pentium 4 @ 2.8 GHz
RAM	512 MB DDR
STORAGE	136 GB EIDE HDD
DRIVES	• Internal 3.5'' floppy drive (1.44 MB) • Internal multi-speed super slim CD-ROM
DISPLAY	• Built-in XGA TFT, 16MB M7 VRAM (14") • Graphics: 1024x768
OS	MS Windows XP
KEYBOARD	Full size, AT compatible, 104-key keyboard with 12 function keys and dedicated cursor keys
Network	10/100GHz BaseT Ethernet RJ45 Port
I/O PORTS	• Parallel Port • 2 x Serial Ports (COM1, COM2) • 2 x USB Ports • External Monitor Port • External Mouse Port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	HDD boot

(GOTO ^^TOP)

(041) Vintage Corona PPC-XT Luggable Computer
[1984]




Original Corona Data Systems 9”
Green Monochrome CRT Monitor
Exclusive version of MULTIMATE Rel 3.12C
1) Edit Old Document
2) Create New Document
3) Print Document Utility
4) Printer Control Utilities
5) Merge Print Utility
6) Document Handling Utilities
7) Other Utilities
9) Return to DOS
DESIRED FUNCTION:
Enter the number of the function, press RETURN
(C) Copyright 1982
Software Systems, Inc.
corona
2 x 5.25'' Floppy Drive
(360 KB SS/SD)


Parallel Printer Port
Serial Device Port
RESET

corona

Built-in Computer
& Monitor Metal STand



Original Corona Data Systems (Disks/Manuals) boxes:

- User's Guide
- DOS 2.0
- GWBASIC
- MULTIMATE

corona
data systems, inc.
corona
CONTRAST
KEYBOARD

corona
data systems, inc.
corona
CONTRAST
KEYBOARD

Specification:	
CPU	Intel 8088 16-bit @ 3.77 MHz
RAM	256 KB
STORAGE	
DRIVES	• Internal 2 x 5.25'' floppy drive (360 KB SS/SD)
DISPLAY	• Built-in Green Monochrome CRT Monitor (9") • Graphics: 640x400
OS	MS-DOS v2.11
KEYBOARD	Full size keyboard with 10 function keys
Network	
I/O PORTS	• Parallel Port • Serial Port (COM1)
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Corona Data Systems (Disks/Manuals) boxes:
	  • User's Guide
	  • DOS 2.0

	• GWBASIC • MULTIMATE
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: Built-in (No Power Cable)
SPECIAL INSTRUCTIONS	Floppy disk boot

(GOTO ^^TOP)

(042) Vintage KAYPRO II CPM Luggable Computer
[1982]



KAYPRO
DATASTAR
ERENCE MANUAL
WORDSTAR
CP/M EDITION
RELEASE 3
COMMAND
CARD
MicroPro
COMMAND CARD
POWER
NEWSTAR


Built-in non-glare green phosphor screen (9")
2 x 5.25'' full height floppy drive (190 KB SS/DD)
POWER
B

WORDSTAR®
CP/M® EDITION
RELEASE 4
COMMAND
CARD
KAYPRO
DATASTAR™
COMMAND CARD
(c) 1982, 1983 Yahoo Software
10970 Ashton Av Suite 312
Los Angeles, Ca 90024
Version : 5.13
Terminal: Kaypro
Difficulty level: 1
Up = 8 Down = 2 Left = 4 Right = 6
1 = 1 player game
2 = 2 player game
L = Change level of difficulty
I = Instructions
E = Exit CatChum
High Scores
1)
2)
3)
4)
5)
Enter one of the above:
Last Play : 60


OPENING MENU COMMANDS
SCROLL (MOVE SCREEN)
SAVE FILES
OTHER MENUS
MOVE CURSOR
DELETE AND INSERT
FIND AND REPLACE
Original Commands
and Shortcuts Cards

KAYPRO
ESC
TAB
CTRL
CAPS LOCK
SHIFT
BACK SPACE
DEL
RETURN
SHIFT
LINE FEED

Compatible Bootable Disks
for CP/M, MBASIC
and Games Executables.
IBM
KAYPRO II
Software 2
PIP/STAT
ENTER


KAYPRO 2


RESET Button
Centronics Type
Parallel Printer Port
2 X RS2322C Serial Ports
Keyboard Connector
300-Baud Modem
RJ11C Modular Telephone
KAYPRO 2
MADE IN U.S.A.

PUSH
A
POWER
PUSH
B

PUSH
A
POWER
PUSH
B

PUSH
A
POWER
PUSH
B
Press RETURN to continue


Size: 466 MB (488,818,029 bytes)
Resolution: 1920x1080
Duration: 00:04:54
(042) Vintage KAYPRO II CPM Luggable Computer
[1982]
(042) Vintage KAYPRO II CPM Luggable Computer
[1982]
Original Commands
and Shortcuts Cards
Compatible Bootable Disks
for CP/M, MBASIC
and Games Executables.
RESET Button
Keyboard Connector
300-Baud Modem
RJ11C Modular Telephone

VIDEO

Specification:	
CPU	Zilog Z80 @ 2.5 MHz
RAM	64 KB, 2 KB ROM, 2 KB VRAM
STORAGE	
DRIVES	• Internal 2 x 5.25'' full height floppy drive (190 KB SS/DD)
DISPLAY	• Built-in non-glare green phosphor screen (9") • Text: 80 x 25 • Graphics: 640x400
OS	MS-DOS 2.0, CP/M 2.2F
KEYBOARD	Full size keyboard with 10 function keys
Network	
I/O PORTS	• Parallel Port • Serial Port (COM1)
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	KAYPRO Manuals Bundle: • WordStar Reference Manual • WordStar Training Guide • DataStar Reference Manual • DataStar Training Guide
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: Built-in (No Power Cable)
SPECIAL INSTRUCTIONS	Floppy disk boot

(GOTO ^^TOP)

(043) Vintage Osborne 1 OCC1 Luggable Computer
[1981]


Built-in B&W
monochrome albeit CRT (5")

2 x 5.25'' floppy drive
(92 KB SS/SD)

OSBORNE
COMPUTER CORPORATION
2 x PointMaster Joysticks
ESC
TAB
CTRL
ALPHA LOCK

ESC
TAB
ALPHA LOCK
SHIFT
BELL
RETURN
SHIFT


Power Cable Connector
and Storage
Portable Computer Handle


Standard IEEE 488 Interface
(Data communication
with test instruments)
Keyboard Connector
Serial Port
2 X Floppy Disks Storage
2 X Joystick Ports

OSBORNE Computer Corporation Detailed Manual with Multiple

"The Portable Companion" Magazine Unique OSBORNE Issues (1983, 1984)

MBASIC
Microsoft BASIC-80
MICROSOFT

MBASIC
Microsoft BASIC-80
MICROSOFT

MBASIC
Microsoft BASIC-80
MICROSOFT

Loading Microsoft BASIC...


Size: 452 MB (474,637,897 bytes)
Resolution: 1920x1080
Duration: 00:07:01
(043) Vintage Osborne 1 OCC1 Luggable Computer
[1981]
00:00:25
00:00:50
00:01:14
00:02:04
00:02:29
00:02:53
Standard IEEE 488 Interface
(Data communication
with test instruments)
Keyboard Connector
Serial Port
2 X Floppy Disks Storage
2 X Joystick Ports
00:03:43
00:04:08
00:04:32

VIDEO

Specification:	
CPU	Zilog Z80 @ 4.0 MHz
RAM	64 KB
STORAGE	
DRIVES	• Internal 2 x 5.25'' floppy drive (92 KB SS/SD)
DISPLAY	• Built-in B&W monochrome albeit small screen CRT (5") • Text: 52 x 24
OS	CP/M 2.2
KEYBOARD	Detachable full-size keyboard with numeric keypad
Network	
I/O PORTS	• Serial Port (RS232C) • Joystick port • IEEE 488 Interface (Data communication with test instruments)
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Set of system diskettes and Games • Original Companion Magazines (FEB 1983, NOV 1984) • Original Osborne 1 user's guide and diskettes • Original Osborne 1 Applications and Programming • Original Osborne 1 Reference Manuals
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Monitor**: Built-in (No Power Cable)

SPECIAL INSTRUCTIONS	• Floppy disk boot
	• BASIC-80 (MBASIC) Commands:
	  • FILES: List files on disk
	  • LOAD "FILENAME.BAS": Load disk file name (Case Sensitive)
	  • LIST: List loaded BASIC file source code
	  • RUN: Execute current loaded BASIC file
	• CP/M Commands:
	  • DIR: List files on disk
	  • Filename.com or Filename.exe: Application Execution

(GOTO ^^TOP)

(044) Vintage Panasonic Personal Word Processor KX-W1500
[1988]






An Integrated 12 CPS, Wheel
(Mono Plastic) 96 Characters Printer

Extra new sealed printer black
Brother Compatible ribbon
brother
CORRECTABLE FILM RIBBON
For Use With:
BROTHER AX SERIES
ALL AX, GX, ML, SX, WPT, ZX Series and Models:
140 • 145 • 300 • 360M • 310 • 320 • 340 • 350 • 350E • 355 • 360 • 380
EM Series: 30 • 31 • 31-II • 350 • 350E
1030
BLACK
L MAR
R MAR
TAB SET
TAB CLR
MAR REL
TAB
LOCK
SHIFT
CODE
RPT

Accu-Spell Plus
Panasonic
Original Panasonic Detachable
45 Alpha/Numeric keys Keyboard
Panasonic KX-W1500
Automatic Demonstration
Please press SHIFT key and turn on power simultaneously
• Letter Quality Daisy Wheel Printer
• Tutorial Disk Included • Mail Merge / Mail List
• Global Search and Replace • Bi-Directional Printing

Power Cable Storage
and Keyboard back attachment

Panasonic
PERSONAL WORD PROCESSOR W1500
DISK STORAGE
POWER
BRIGHTNESS
Panasonic
CORRECTABLE FILM RIBBON
Reorder Number 1030
• 9" CRT Display (80chr.×25line) • Built-in 3.5" Floppy Disk Drive/353KB
• 63,000-Word Dictionary Plus 120-Word User Dictionary For
Spell Correction - Accu Spell Plus -
• 58,000 Character Text Memory with 20-Phrase Storage

Panasonic
PERSONAL WORD PROCESSOR W1500
DISK STORAGE
POWER
BRIGHTNESS
Typewriter Mode
Create New Text
Edit Text in Memory
Load Document from Disk
Store Text to Disk
Print Document
Mail Merge
Utility and Tutorial
CORRECTABLE FILM RIP
Reorder Number 1030

Hello World
I am Still Working
Best BegASOS AND Greetings
Panasonic
Personal Word Processor W1500
All Rights Reserved

Size: 584 MB (613,019,302 bytes)
Resolution: 1920x1080
Duration: 00:04:28
(044) Vintage Panasonic Personal Word Processor KX-W1500
[1988]
00:00:16
(044) Vintage Panasonic Personal Word Processor KX-W1500
[1988]
00:00:32
00:00:47
00:01:19
00:01:35
00:01:50
00:02:22
00:02:38
00:02:53

VIDEO

Specification:	
PRINT UNIT	• Print Speed: 12 CPS • Print Element: Wheel (Mono Plastic) 96 Characters • Typing Pitch: 10, 12, 15 CPI • Spell Correction (AccuSpell Plus) • Letter Quality Daisy Wheel Printer • Mail Merge/Mail List • Global Search and Replace • Bi-directional Printing • Bold, Underline, Centering
RAM	• Correction Memory: 1 Line • Text Memory: 58,000 Character with 20 Phrase Storage • 63,000 Word Dictionary + 120 Word User Dictionary
STORAGE	
DRIVES	• Internal 3.5'' Floppy Disk Drive (353 KB)
DISPLAY	• Built-in B&W monochrome CRT (9") • Text: 80 Characters X 25 Line
KEYBOARD	45 Alpha/Numeric keys
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Extra new sealed printer black ribbon.
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(045) Vintage Smith Corona PWP 3 Word Processor
[1987]



SMITH CORONA
PWP
Personal Word Proces
WORD PROCESSING
AUTO
Menu
Search
Insert
Marker
Page End
Indent
Center
Return
Under
Spell
Settings
Back Space
Tab
Return
Lock
Stop
Find
KB II
List
Reloc
Scrn
Shift
Paper In
View
Bold
Shift
Code
Margin
L
R
Half Space
WordEraser®
Correct

SMITH CORONA
PWP 3
Personal Word Processor


The 80 characters by 8 lines backlit LCD display pops up
LCD Brightness Control Slider
Integrated Dot matrix Printer with Original ink and correction ribbons
SMITH CORONA
MEM. REM.-32717
- Recall Document from DataDisk
- Erase Document from DataDisk
- DataDisk Directory
- Prepare New DataDisk
- Create, View, or Edit
- Set Margins, Tabs, and
- Print Text
- Store Text to DataDisk
Enter Selection - [ ]

Original Smith Corona System Hard Cover
SMITH CORONA


Power Cable Storage
Power ON Switch


Internal 2.8” Floppy
Disk Drive (720 KB)

PWP 3

SMITH CORONA
PWP 3
Personal Word Processor
Half Space

Size: 531 MB (557,138,120 bytes)
Resolution: 1920x1080
Duration: 00:04:12
MPC-HC
(045) Vintage Smith Corona PWP 3 Word Processor
[1987]
00:00:15
00:00:30
00:00:44
The 80 characters by 8 lines backlit LCD display pops up
LCD Brightness Control Slider
Integrated Dot matrix Printer with Original ink and correction ribbons
00:01:14
00:01:29
00:01:44
Power ON Switch
Power Cable Storage
00:02:13
00:02:28
00:02:43

VIDEO

Specification:	
FUNCTIONS	1. **TYPE/WP**: Switching between direct Typewriter mode and Word Processor mode 2. **Spell-Right™ Dictionary**: identifies errors. 3. **Automatic Correction**: corrects instantly with Correct Key, WordEraser®Key, and Typeover. 4. **Bold Print**: highlights text 5. **Word-Right®Autospell™**: suggests alternative spellings for incorrectly spelled words and automatically replaces them. 6. **List**: enables you to look up any word in the electronic dictionary, 7. **Insert**: easily insert new text into your documents. , 8. **Auto Center**: quickly and accurately centers text. 9. **Block delete, Move, Copy**: enables you to delete, add, or move bocks of text.
RAM	• Text Memory: 42,000 Character
STORAGE	
DRIVES	Internal 2.8'' Floppy Disk Drive (720 KB)
DISPLAY	The 80 characters by 8 lines backlit LCD display pops up
KEYBOARD	45 Alpha/Numeric keys + Cursor keys
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Original Hard Cover. • Empty 2.8'' Floppy Diskette. • Original ink and correction ribbons
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(046) Vintage Sharp PC-7000a Luggable
[1985]


Original SHARP PC-7000a Dust Cover
SHARP

SHARP PC-7000a
SHARP PC-7000a
Original RJ-11 Detachable Full-stroke
keyboard, numeric keypad, 10 function keys
SHARP


SHARP PC-7000A
White and Blue Monochrome
CGA CRT Monitor (10.5")
POWER
FLOPPY DISK DRIVE
A
B
Contrast
External Attached 20 MB HDD
SHARP
Monitor Tilt Button and Contrast
Control Dial Button

F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
Esc
Num Lock
Home
End
Ins
Enter
Shift
Ctrl
Alt
Caps Lock

Internal 2 x 5.25” floppy drive
(360 KB SS/DD)


Serial Port
Parallel Port
Phone/Line Ports
External Color CGA CRT
External Attached 20 MB HDD Unit


Power Switch
External HDD Unit Attachment Hang

SHARP
SHARP

SHARP
SHARP

SHARP PC-7000A
MAIN MENU FLOWCHART
Good Morning...Please Enter Your Selection
F1 Menu Maintenance
F10 Exit To DOS
POWER
FLOPPY DISK DRIVE
Contrast
SHARP
SHARP PC-7000a
SHARP PC-7000a

SHARP PC-7000A
File Maven 3.5a for DOS
File Transfer Program
Works on 8088
Serial - Parallel support
SHARP PC-7000a
MS-DOS 2.11 BOOT DISK
WITH SHARP PCB16G2
SHARP PC-7000a
MS-DOS 3.20 BOOT DISK
WITH SHARP DRIVER
POWER
FLOPPY DISK DRIVE
A
B
Contrast
Tilt
SHARP

SHARP PC-7000A
File Maven 3.5a for DOS
File Transfer Program
Works on 8088
Serial - Parallel support
SHARP PC-7000a
MS-DOS 2.11 BOOT DISK
WITH SHARP PCB16G2
SHARP PC-7000a
MS-DOS 3.20 BOOT DISK
WITH SHARP DRIVER
POWER
FLOPPY DISK DRIVE
A
B
Contrast
Tilt

SHARP PC-7000A
Press 1,2, or E to Exit.
Tinnie
Quiz
TYPE A
HOLIDAY
MESSAGE
PRESSING
ENTER AFTER
EACH LINE
HELLO
WORLD
POWER
FLOPPY DISK DRIVE
A
B
Contrast
Tilt
SHARP

SHARP PC-7000A
POWER
FLOPPY DISK DRIVE
A
B
Contrast
Tilt

Specification:	
CPU	Intel 8086 Processor @ 7.37 MHz
RAM	704 KB, 16 KB ROM
STORAGE	External Attached 20 MB HDD
DRIVES	• Internal 2 x 5.25'' floppy drive (360 KB SS/DD)
DISPLAY	• Built-in White and Blue monochrome CRT (10.5") • Text: 80 x 24 • Graphics: 640 x 200 (CGA mode 2)
OS	Sharp MS-DOS 3.20 and 2.11
KEYBOARD	Full-stroke keyboard, numeric keypad, 10 function keys
Network	
I/O PORTS	• Serial Port (RS232C) • Parallel printer port • External CGA color CRT port • Phone line ports
EXPANSION PERIPHERALS	• Attached 20 MB Sharp Hard Drive Unit (CE-720E)

ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• HDD boot (waiting 5-10 seconds for external drive detection and boot). • <CTRL>-<ALT>-<DELETE> key combination to reboot

(GOTO ^^TOP)

(047) Vintage Amstrad PPC640 Portable PC
[1988]



Original AMSTRAD PPC Carrying Bag
AMSTRAD


supertwist LCD
Phone Cable Storage
Green Monochrome non-backlit LCD (9")
Monitor Contrast
and Volume Control Dial Buttons

Original AMSTRAD PPC 240V
Type G Power Adapter
AMSTRAD


Internal 2 x 3.5" floppy drive
(720 KB), Loaded with Original
AMSTRAD MS-DOS 3.20
and Utility 3.5" Disks


Parallel Port
Power Adapter DC IN Port
MIDI Port
Expansion Peripheral Connectors (A + B)
Serial Port
External Monitor Port

PPC640
AMSTRAD

AMSTRAD

supertwist LCD
User Instructions
AMSTRAD

supertwist LCD
User Instructions
AMSTRAD
PPC640

superswist LCD
User Instructions
AMSTRAD

Size: 510 MB (535,725,326 bytes)
Resolution: 1920x1080
Duration: 00:06:04
(047) Vintage Amstrad PPC640 Portable PC
[1988]
00:00:21
00:00:43
00:01:04
00:01:47
00:02:08
00:02:30
00:03:13
00:03:34
00:03:56

VIDEO

Specification:	
CPU	Nec V30 @ 8 MHz
RAM	640 KB, 16 KB ROM
STORAGE	
DRIVES	• Internal 2 x 3.5'' floppy drive (720 KB)
DISPLAY	• Built-in green monochrome non-backlit LCD (9") • Text: 80 x 25 • Graphics: 640 x 200
OS	MS-DOS 3.20
KEYBOARD	Full 102 key mechanical keyboard, with numeric keypad, editing block and function keys
Network	
I/O PORTS	• Serial Port (RS232) • Centronics (Parallel printer port) • External CGA color CRT port • Phone line ports • 25-pin expansion port A • 37-pin RS494 expansion port B
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Amstrad PPC Organizer user instruction manual • Original Amstrad PPC Carrying bag
POWER SUPPLY	• **Computer**: 240V Only (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(048) Vintage Amstrad PC 1512
[1986]




3.5” floppy drive (720 KB)
5.25” floppy drive (360 KB)
POWER
AMSTRAD System Unit
PC1512 SD


PC-MM B&W
monochrome monitor (14”)
File Options Arrange
A:\
Disk Drives:
AMSTRAD
PC-MM

AMSTRAD 512K Personal Computer


Original Amstrad PC1512
Extended Keyboard
3 Buttons Serial Mouse
Keyboard attached Joystick
PC1512
PC MOUSE


Monitor and Computer Power On Button
Centronics (Parallel printer port)
Serial Port (RS232)
Monitor Video In Connector
Computer DC IN Power Connector (from Monitor)


Keyboard Connector
Serial Mouse Port
Volume Control Knob


8-bit ISA 10/100Base-T
Ethernet expansion card
CMOS Setting Save External
Standard AA Batteries
amazon basics

PC-MM
PERSONAL
COMPUTER
Book
1

Amstrad PC1512 GEM Desktop & Basic
PERSONAL COMPUTER
Book 1

File Options Arrange
DESKTOP
PC-MM
PC1512 SD
PERSONAL COMPUTER
Book 1

Specification:	
CPU	Intel 8086 @ 8 MHz
RAM	512 KB, 16 KB ROM
STORAGE	
DRIVES	• Internal 5,25'' floppy drive (360 KB) • Internal 3.5'' floppy drive (720 KB)
DISPLAY	• PC-MM B&W monochrome monitor (14") • Text: 80 x 25 • Graphics: 640 x 200
OS	• MS-DOS 3.2 or DR-DOS Plus • Amstrad GEM graphical desktop
KEYBOARD	Full-stroke keyboard, with function keys, numeric keypad and editing keys
Network	10/100Base-T Ethernet expansion card
I/O PORTS	• Serial Port (RS232) • Centronics (Parallel printer port) • RGB color CRT port • Joystick port (full 5-pin DIN)

	• Mouse port (proprietary) • 3 x 8 bit ISA slots
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Amstrad AT keyboard
	• Serial port mouse
	• Keyboard attached Joystick
	• Original Amstrad PC1512 User Instructions Book (1)
	• Amstrad PC1512 Boot Disks:
	  • Amstrad DOS 3.2
	  • Amstrad GEM Desktop & BASIC
	  • Amstrad DOS PLUS

POWER SUPPLY	• **Computer + Monitor**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins **Note**: Power Cable for Monitor then Computer Powered from Monitor DC IN Cable
SPECIAL INSTRUCTIONS	• Boot from floppy disk (1): MS-DOS • Insert floppy disk (2): GEM desktop (Run GEM1 app) • The system will as for GEM desktop disk (3) to run interface

(GOTO ^^TOP)

(049) Vintage GATEWAY Astro All In One PC
[1999]

Internet Explorer
Windows Media Player
WinZip
QuickTime Player
Recycle Bin
Screen and sound control
Dig Dug
Nintendo Games
Atari 2600 Games
Start
Screen Saver
9:59 PM
Gateway
celeron


My Computer
Microsoft Word
Network Neighborhood
Microsoft Publisher
My Documents
Microsoft Excel
Windows Explorer
Adobe Acrobat 5.0
Internet Explorer
Windows Media Player
WinZip
QuickTime Player
Recycle Bin
Carma geddon
Pacman
DD Tourname...
Galaxian
Hoyle Casino
Microsoft Picture It! 2.0
Pole Position
Classic Atari Arcade Games
Dig Dug
Screen and sound control
Nintendo Games
Atari 2600 Games
Start
Screen Saver
9:59 PM

External Original Gateway USB Windows Keyboard



Microsoft Huge IntelliMouse Trackball PS/2 to USB


Built-in 2 X Stereo Speakers
40X CD-ROM drive
3.5” floppy drive (1.44 MB)
Headphone Jack
Gateway


2 X USB Ports


2 X USB Ports
10/100Base-T Ethernet
(RJ-45)
HDD Removable Bay

Gateway
To display system messages, press the <TAB> key
Gateway

Gateway

1UP
00
HIGH SCORE
5370
READY!
Gateway

Gateway
CREDIT 0
ROUND

Gateway
120
10000
ROUND

Windows Update
New Office Document
Programs
Favorites
Documents
Settings
Find
Help
Run...
Log Off New User...
Shut Down...
Start
Windows98
Accessories
Astro Assembler
DD Tournament Poker
Doom Shareware for Windows 95
emma
Games
Gateway Utilities
Hoyle®
Intraplay
Maxis
Microsoft Games
Microsoft Hardware
Microsoft Office Tools
Playskool Children's Software
QuickTime
StartUp
TROPHY BASS 4
WinZip
Adobe Acrobat 5.0
Internet Explorer
Microsoft Excel
Microsoft Picture # 2.0
Microsoft Publisher
Microsoft Word
MS-DOS Prompt
Outlook Express
Screen and sound control
Windows Explorer
Windows Media Player
Carma geddon
Pacman
DD Tournamen...
Galaxian
Microsoft
Hoyle Casino
Activate Product
Microsoft Clip Organizer
Microsoft Office Application Recovery
Microsoft Office Document Imaging
Microsoft Office Document Scanning
Microsoft Office Shortcut Bar
Microsoft Office XP Language Settings
Microsoft Photo Editor
Save My Settings Wizard
Screen and sound control
Nintendo Games
Atari 2600 Games
Gateway

Microsoft
Windows98
Windows is shutting down.
Gateway

Specification:	
CPU	Intel Celeron processor @ 400 MHz
RAM	64 MB SDRAM
STORAGE	4.3 GB HDD
DRIVES	• Internal 3.5'' floppy drive (1.44 MB) • Internal 40X CD-ROM drive
DISPLAY	• Built-in color VGA CRT monitor (15")
OS	• MS Windows 98 SE • MS Works Suite 99 • Year 2000 Compliant
KEYBOARD	• External Original Gateway USB keyboard • Vintage Microsoft Huge IntelliMouse TrackBall PS/2 to USB
Network	10/100Base-T Ethernet (RJ-45)
I/O PORTS	• 4 x USB ports • 56K modem port • Headphone jack • Built-in microphone

EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Classic Pc Games Bundle • NES, Nintendo, Atari 2600 Emulators • Games: Pole Position, Dig Dug, Pac-Man, Pong, Super Mario bros 1-3, Mega-man • Set of 3 sealed 3.5” education games floppy disks
POWER SUPPLY	• **Computer + Monitor**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(050) Vintage GATEWAY GIA 1.1 Connected PC
[2000]



Color LCD (10")
Volume Control Buttons
Integrated Speakers, MIC and Audio IN/OUT ports
Power Button
Gateway
Instant AOL
Notepad
Read
Write
Shopping & Home
News, Weather & Info
TV, Movies & Music
Calendar, Maps & Addresses


Internet Phone Cable Included
External Wireless Infrared keyboard with integrated mouse stick and Internet Function Keys
Gateway


Gateway
Instant AOL
Welcome
Read
Write
IM
Chat
Music
Calendar
My AOL
Food & Kitchen
Family
Buddy List
Address Book
Favorite Places
AOL Channels
Notes
Help
Back Space
Home
Tab
PgUp
Caps Lock
Enter
PgDn
Shift
End
Ctrl
Esc
Del


2 X USB Ports
10/100Base-T Ethernet (RJ-45)
56K modem/phone port

Gateway
Introduction
1
Getting Started
Give it a try
i-opener
Netpliance

Gateway
Introduction
1
Getting Started
Give it a try
i-opener
Netpliance

Specification:	
CPU	Transmeta Crusoe (X86-Compatible) @ 700 MHz
STORAGE	4.3 GB HDD
DISPLAY	• Built-in color LCD (10")
OS	• Mobile Linux (AOL GUI)
KEYBOARD	• External Wireless Infrared keyboard with integrated mouse stick and buttons
Network	10/100Base-T Ethernet (RJ-45)
I/O PORTS	• 2 x USB ports • 56K modem/phone port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Gateway box with inserts and setup guide • Modem phone cable
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins

SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(051) Vintage Netpliance i-Opener Computer NP1000
[1999]


Internet Phone Cable Included
External PS2 keyboard with integrated mouse dial button and Internet shortcut keys


Parallel Printer Connector
USB Port
56K modem/phone ports

Gateway
How do I point and select things?
2
Getting Started
Give it a try
next
i-opener
NetAlliance

Gateway
How do I scroll down the page?
5
Getting Started
Give it a try
next
i-opener
NetAlliance

Specification:	
CPU	WinChip @ 200 MHz
RAM	32 MB, 16 MB Flash
STORAGE	
DISPLAY	• Built-in color LCD (10") • Graphics: 800 x 600
OS	• Mobile Linux
KEYBOARD	• External PS2 keyboard with integrated mouse dial button and Internet shortcut keys
Network	Dial-up network
I/O PORTS	• USB port • Parallel printer port • 56K modem/phone port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	

POWER SUPPLY	• **Computer**: 120V ONLY (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• System will need a dial up network to connect and update system contents

(GOTO ^^TOP)

(052) Vintage Commodore SX-64 Computer
[1983]




Children's Alphabet Zoo Education
Game Package (Cartridge & Manuals)
ALPHABET ZOO
SPINNAKER
ALPHABET ZOO
"The Spinnaker money offer."
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
OUTPUT 110V
OUTPUT 220V


Color CRT monitor (5") 320X200
Alpha Zoo Cartridge Installed
Volume, Brightness, Contrast
Color and Reset Buttons
Internal 5.25'' floppy (170 KB)
with Disks Storage

2 x Original Commodore Joysticks
(model 1311)
External Full-stroke detachable keyboard
66 keys, 4 function keys

COMMODORE
PORTABLE SX-64
COLOR COMPUTER
USER'S GUIDE
commodore
COMPUTER
ALPHABET
ZOO
ALPHABET
ZOO


Serial Port
External RGB Monitor Port
User's expansion Port
Dual Joystick Ports
Power ON Switch

Cartridge Slot

Keyboard Cable Connector

F8

ALPHABET ZOO
Start
Player 0
Player 0
Letters ABC
Level 1
Game 1
F8


F8



Specification:	
CPU	MOS Technology 6510 @ 1 MHz VIC II (Video), SID (Sound)
RAM	64 KB, 20 KB ROM
STORAGE	
DRIVES	• Internal 5.25'' floppy (170 KB)
DISPLAY	• Built-in color CRT monitor (5") • Text: 40 x 25 x 16 color • Graphics: 320 x 200
OS	• Commodore KERNAL/BASIC 2.0
KEYBOARD	• External Full-stroke detachable keyboard, 66 keys, 4 function keys
Network	
I/O PORTS	• Serial port • RGB video output port • 2 x Joystick Sockets (Atari standard) • Cartridge Slot

	• Expansion port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• 2 x Original Commodore Joysticks (model 1311) • Children's Alphabet Zoo Education Game Package (Cartridge & Manuals) • Original Commodore SX-64 Color Computer User's Manual binder
POWER SUPPLY	• **Computer**: 120V ONLY (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• **System Boot Priority**: Cartridge, Floppy, Internal BASIC • **BASIC**: Common Commands (LIST, RUN, FOR NEXT, GOTO, …)

(GOTO ^^TOP)

(053) Vintage Colby Portable Briefcase Computer
[1994]




Allus Technology ATC-1141S
Flat panel controller
120V Power Supply Unit
Kouwell kw-556N IDE
HDD/FDD/Serial mouse card
Videologic video decoder
with composite and s-video input


Internal Color VGA LCD Monitor
with Rem ote Control (10")
Dual External Speakers
and One Internal Mini Speaker
COLBY
Program Manager
File Options Window Help
Main
Accessories
Games
WORKS


Original “Chuck Colby” The Legend hand writing notes about the system testing
CHUCK COLBY

VGA Monitor Connector
Serial Mouse Connector


Bootable MS-DOS 6.22 Floppy Disk
Internal VGA Monitor Remote Control
• Genoa 66MHz bus motherboard
• Intel 80486 processor @ 25 MHz
• 486DX AMIBIOS
Socket 3
Internal Speaker


Internal 540 MB Maxtor
IDE HDD + 256 MB CF-based IDE HDD
Internal 3.5'' floppy (1.44 MB)

Original Chuck Colby Computer System
Company Logo Hard Metal SuitCase
COLBY
COMPUTER
CHUCK COLBY

COLBY

COLBY

1 UP
HIGH SCORE
PAC-MAN
1 PLAYER GAME
PRESS F1 FOR
2 PLAYER GAME
PRESS F2 TO
CHANGE DIFFICULTY
PRESS SPACEBAR OR JOYSTICK BUTTON
TO PLAY GAME
COLBY

HIGH SCORE
COLBY

COLBY

COLBY

Size: 571 MB (599,684,206 bytes)
Resolution: 1920x1080
Duration: 00:08:08
MPC-HC
(053) Vintage Colby Portable Suitcase Computer
[1994]
00:00:29
00:00:57
00:01:26
00:02:23
00:02:52
00:03:21
00:04:18
00:04:47
00:05:15

VIDEO

Specification: A Unique One of A kind Hand Made Machine from The Heritage of the Legened “Chuck Cloby”, April 1957-November 2020 (63 Years)	
CPU	• Genoa 66MHz bus motherboard • Intel 80486 processor @ 25 MHz • 486DX AMIBIOS
RAM	8 MB
STORAGE	256 MB CF-based IDE HDD 540 MB Maxtor IDE HDD
DRIVES	• Internal 3.5'' floppy (1.44 MB)
DISPLAY	• Built-in color VGA LCD monitor (10'') • Graphics: 800 x 600
OS	• MS-DOS 6.2 • MS Windows 3.1
KEYBOARD	• External BTC 5100C Compact AT 5-Pin DIN Keyboard
Network	
I/O PORTS	• Serial port • VGA port • Audio IN/OUT jacks
EXPANSION PERIPHERALS	• Videologic video decoder with composite and s-video input • Allus Technology ATC-1141S Flat panel controller • Kouwell kw-556N IDE HDD/FDD/Serial mouse card
ACCESSORIES & DOCUMENTS	• Original “Chuck Colby” The Legend hand writing notes about the system testing • Kensington Orbit Trackball 2 Buttons Serial Mouse • Monitor remote control
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• From DOS prompt> CD WIN311 then WIN to run windows 3.1

(GOTO ^^TOP)

(054) Vintage V-Marc 88a Computer
[1985]



Leather Storage Section
for Manuals and Reports
D. J. "Dato" Boulov FIC
REAL ESTATE
CAGIVA
COMBINATION LOCK


Preinstalled 3 Business Software Module
ROM Cartridges + 1 Mandatory V.marc
OS V3.0 Cartridge
(Up to 8 Expansion Slots)
Built-in 40-80 col. Thermal Printer
with Extra Paper Role
V-marc 88a
V-MARC 88 EOS 3.0
Copyright 1985,1986
Monochrome LED Display
(40 Characters X 2 Lines)
SET UP
ON
OFF
CALCULATOR
PROGRAM SELECT
ITEM 1
ITEM 2
ITEM 3
ITEM 4
EXIT
ENTER
CLEAR
SHIFT
CAPS LOCK

K OF C
CAGIVA High Quality Italian Leather
Hard Cover Briefcase with 4 Digits Passcode

V·marc 88a
THE DISCOVERER
{MORE}
INPUT
REPORT
LIST
CLIENT FILE
SET UP
ON
OFF
CALCULATOR
PROGRAM SELECT
DELETE CHAR
INSERT CHAR
PAPER FEED
MORE ITEMS
ITEM 1
ITEM 2
ITEM 3
ITEM 4
EXIT
ENTER
CLEAR
SHIFT
CAPS LOCK

V·marc 88a
= 400.0
PRINT ON
STORE
RECALL
DEC PLACES
SET UP
ON
OFF
CALCULATOR
PROGRAM SELECT
DELETE CHAR
INSERT CHAR
PAPER FEED
MORE ITEMS
ITEM 1
ITEM 2
ITEM 3
ITEM 4
EXIT
ENTER
CLEAR
SHIFT
CAPS LOCK

V·marc 88a
Printing REPORT . . . _
SET UP
ON
OFF
CALCULATOR
PROGRAM SELECT
DELETE CHAR
INSERT CHAR
PAPER FEED
MORE ITEMS
ITEM 1
ITEM 2
ITEM 3
ITEM 4
EXIT
ENTER
CLEAR
SHIFT
CAPS LOCK

V·marc 88a
Whole Life/WL+IPR/ART II
INPUT REPORT LIST CLIENT FILE
MORE ITEMS
ITEM 1
ITEM 2
ITEM 3
ITEM 4
SHIFT
CAPS LOCK



Specification:	
CPU	Toshiba TMP 80C40AP 8-bit
RAM	16 KB
STORAGE	(RAM cartridges add-on)
DRIVES	
DISPLAY	• Built-in Monochrome LED display (2 Lines) • Text: 40 x 2
OS	V-marc Operating System 3.0 (cartridge)
KEYBOARD	Internal Calculator type (rubber), QWERTY, numeric keypad
Network	
I/O PORTS	• 8 Expansion Cartridge Slots
EXPANSION PERIPHERALS	• Built-in 40_80 col. thermal printer •
ACCESSORIES & DOCUMENTS	• CAGIVA Italian Leather Hard Cover Briefcase with 4 Digits Passcode • Capital Management Analysis Cartridge (Software Module ROM) • Whole Life / A.R.T II Cartridge (Software Module ROM)

	• Discoverer Rev, (Software Module ROM)
	• Original Guides Set:
	  • V.Marc 88a User's Manual
	  • Capital Management Analysis User's Manual
	  • Knights of Columbus – Whole Life Art II Manual
	  • Knights of Columbus – The Discoverer
	  • Social Security Update Instructions 1987, 1988, 1990
	  • Printer Maintenance Procedure

POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	• Boot from included V-Marc Operating System 3.0 Cartridge (OS ROM) • Briefcase Current Passcode (0000)

(GOTO ^^TOP)

(055) Vintage Integrated Computer 8080 Microprocessor Trainer
[1980]




INTEGRATED COMPUTER SYSTEMS, INC.
MICROCOMPUTER TRAINING SYSTEM
Integrated 8 characters LED display
Low Level Programming Training
for the Intel 8080 Microprocessor
Integrated Hexadecimal entry keyboard
Address Check, and Instructions Run
REG
MEM
BRK
CLR
RST
STEP
RUN
ADDR
C
D
E
F
8
9
A
B
4
5
6
7
0
1
2
3


Integrated Audio Testing Board
Integrated Cassette Tape
Interface Testing Board
INTEGRATED COMPUTER SYSTEMS, INC.
EXPERIMENTAL PARTS ASSEMBLY
MICROCOMPUTER INTERFACING SYSTEM



THE PORTABLE
MICROPROCESSOR

Original System
Secured Hard Cover Suitcase
INTEGRATED COMPUTER SYSTEMS INC.
MICROCOMPUTER TRAINING SYSTEM

THE PORTABLE
MICROPROCESSOR

Self-Study Course
EDUCATION IS OUR BUSINESS


INTEGRATED COMPUTER SYSTEMS, INC.
MICROCOMPUTER TRAINING SYSTEM
REG
MEM
BRK
CLR
RST
STEP
RUN
ADDR
ADDRESS DECODE
PROM
RAM
CONTROL LOGIC
TAPE I/O


INTEGRATED COMPUTER SYSTEMS, INC.
MICROCOMPUTER TRAINING SYSTEM
REG
MEM
BRK
CLR
RST
RUN
ADDR
NEXT
ADDRESS DECODE
PROM


INTEGRATED COMPUTER SYSTEMS, INC.
MICROCOMPUTER TRAINING SYSTEM
REG
MEM
BRK
CLR
RST
STEP
RUN
ADDR
NEXT
ADDRESS DECODE
PROM



Specification:	

COMPONENTS	• The system is a full portable system for low level programming training for the Intel 8080 processor:
	  • Launched: on April 1974
	  • CPU clock rate: 2 MHz @ 8 bits data bus
	  • Address width: 16 bits @ 40-pin DIP socket
	• Integrated Hexadecimal entry keyboard
	• Integrated 8 characters LED display
	• Integrated audio board

FUNCTIONS	• Memory word, modules and access • Functional Unit • Instruction Cycles • The Program Counters • The Instruction Registers • The Accumulator • The Clock • Program modules, subroutines and stack • Logic and BIT manipulation

	• Program Execution

ACCESSORIES & DOCUMENTS	• Original Hard Cover Briefcase
	• Original Self-Study Workbooks Course (536A):
	  • Microprocessor Real-time Interfacing Vol Workbook (1) 1980 – 480 pages
	  • Microprocessor Real-time Interfacing Workbook Vol (2) 1980 – 410 pages

POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(056) Vintage Ferret-C Computer Testing System & EPROM Programmer [1983]



PARALLEL
+ 12v
- 12v
CURRENT LOOP
IN
OUT
CASSETTE
MODES
●RS232
●CURRENT LOOP
●PARALLEL
●RS232-CURRENT LOOP
●RS232-PARALLEL
●CURRENT LOOP-PARALLEL
●PROGRAM
MODEL FERRET/C
SERIAL No. C-
110 VOLTS 50/60 CYCLES 3 AMP.
WARNING
THE COVER SHOULD NOT BE REMOVED
EXCEPT BY QUALIFIED PERSONNEL
RESET
RESET
PAPER FEED
SHIFT
RS232
SKT 1
SKT 2


Integrated Strip Printer
16 Chars Mono LCD Display
Cassette Tape Interface
2 EPROM Sockets (28 and 24) Pins
(Original Apple IIc 859050 BIOS ROM
Chip Provided for Testing)
Integrated Hexadecimal Entry Keyboard
Serial and Parallel Interfaces with
Connection Cables and Testing Wires
RS232
SKT 1

Original Hard Cover Briefcase with Keys

PARALLEL
+ 12v
– 12v
CURRENT LOOP
IN
OUT
CASSETTE
MODES
●RS232
●CURRENT LOOP
●PARALLEL
●RS232-CURRENT LOOP
●RS232-PARALLEL
●CURRENT LOOP-PARALLEL
●PROGRAM
MODEL
FERRET/C
SERIAL No.
WARNING
THE COVER SHOULD NOT BE REMOVED EXCEPT BY QUALIFIED PERSONNEL
SKT 1
SKT 2
RESET
PAPER FEED
SHIFT
ENTER

PARALLEL
+ 12v
– 12v
CURRENT LOOP
IN
OUT
CASSETTE
MODES
●RS232
●CURRENT LOOP
●PARALLEL
●RS232-CURRENT LOOP
●RS232-PARALLEL
●CURRENT LOOP-PARALLEL
●PROGRAM
MODEL FERRET/C
SERIAL No.
110 VOLTS 50/60 CYCLES 3 AMP
WARNING
THE COVER SHOULD NOT BE REMOVED EXCEPT BY QUALIFIED PERSONNEL
RESET
RS232
SKT 1
SKT 2
SHIFT
ENTER

PARALLEL
+ 12v
– 12v
CURRENT LOOP
IN
OUT
CASSETTE
MODES
●RS232
●CURRENT LOOP
●PARALLEL
●RS232-CURRENT LOOP
●RS232-PARALLEL
●CURRENT LOOP-PARALLEL
●PROGRAM
MODEL FERRET/C
SERIAL No.
110 VOLTS 50/60 CYCLES 3 AMP
WARNING
THE COVER SHOULD NOT BE REMOVED EXCEPT BY QUALIFIED PERSONNEL
RESET
PAPER FEED
RS232
SKT 1
SKT 2
SHIFT
ENTER

Specification:	
COMPONENTS	• The system is a full portable system for low level programming training for up to 2 EPROMS (24 + 28) Pins • Integrated Hexadecimal Entry Keyboard • Integrated 1-line x 16 characters mono LCD display • Integrated strip printer with paper roll • Integrated Cassette interface • RS232 serial module and loop • Parallel module and loop
FUNCTIONS	• EEPROM to EEPROM clone • EEPROM programming • Program Execution • Program Execution visual indicator • Program result printing

ACCESSORIES & DOCUMENTS	• Original Hard Cover Briefcase with Keys
	• Original Ferret multi-function Computer testing system guide:
	  • Training manuals
	  • User's reference manual

	• **For Testing**: Original Apple IIc 859050 BIOS ROM Chip #342-0033-B
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(057) Vintage Sharp PC-1246 Pocket Computer
[1983]



Integrated Microcassette Tape Recorder
with Extra 2 Empty Tapes
Integrated Sharp CE-125 40_80 col.
thermal printer with Extra Paper Roll
Main Unit:
CMOS affair 4-bit @ 1 MHz
Monochrome LED display
(16 Characters X 1 Line)
SHARP
POCKET COMPUTER PC-1246
LIST_
SHARP
CE-125
PRINTER AND MICROCASSETTE RECORDER

Original SHARP Pocket Computer
Carrying Case
SHARP
POCKET COMPUTER

SHARP
POCKET COMPUTER PC-1246
10 FOR I=1 TO
SHARP
CE-125
PRINTER AND MICROCASSETTE RECORDER
TDK
D
60

SHARP
POCKET COMPUTER PC-1246
LIST_
SHARP
CE-125
PRINTER AND MICROCASSETTE RECORDER
REMOTE
LOW BATTERY
PRINTER
AUTOMATIC SHUT OFF
TDK
NORMAL POSITION
60
D

SHARP
POCKET COMPUTER PC-1246
RUN_
SHARP
CE-125
PRINTER AND MICROCASSETTE RECORDER
REMOTE
LOW BATTERY
PRINTER
AUTOMATIC SHUT OFF
TDK
NORMAL POSITION
60
D

AUTOMATIC SHUT OFF
STOP/EJECT
FF
REW
PLAY
REMOTE
LOW BATTERY
PRINTER
SHARP
POCKET COMPUTER PC-1246
SHARP
CE-125
PRINTER AND MICROCASSETTE RECORDER
TDK
NORMAL POSITION
60

Size: 550 MB (577,530,524 bytes)
Resolution: 1920x1080
Duration: 00:05:25
(057) Vintage Sharp PC-1246 Pocket Computer
[1983]
00:00:19
00:00:38
00:00:57
00:01:35
00:01:55
00:02:14
00:02:52
00:03:11
00:03:30

VIDEO

Specification:	
CPU	CMOS affair (SC61720D03) 4-bit @ 1 MHz
RAM	2 KB, 18 KB ROM
STORAGE	(mini cassette tapes)
DISPLAY	• Built-in Monochrome LED display • Text: 1 line x 16 characters
OS	Built-in BASIC interpreter
KEYBOARD	Internal Calculator type (rubber), QWERTY, numeric keypad
I/O PORTS	• I/O expansion slot for peripherals
EXPANSION PERIPHERALS	• Module: Sharp CE-125 40_80 col. thermal printer • Module: Microcassette Recorder
ACCESSORIES & DOCUMENTS	• Original AC Adapter • Microcassette connection cable • 2 x empty TDK micro cassettes • Printer paper roll • Original Sharp pocket bag • Original Sharp PC-1245 & Printer CE-125 instruction manuals
POWER SUPPLY	• **System**: 240V Only (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins

SPECIAL INSTRUCTIONS	• <MODE> button: to select BASIC program editing mode
	• example:
	`10 FOR I=1 to 10`
	`20  Print I;`
	`30 NEXT I`
	<SHIFT + => button or type RUN to execute the program

(GOTO ^^TOP)

(058) Vintage Panasonic HHC RL-H1400 Briefcase Computer
[1981]



Original Minicomputer
Leather Carrying Bag
Panasonic
HHC

Panasonic 6 Extra Functional
Expansion ROMS
Panasonic HHC Thermal
Printer Expansion
HHC
Printer/Cassette
Adaptor
Model: RL-P1004A
Instruction for Use
Panasonic
HHC
7=HHC MENU
NEWSTAR

VHS Training Video Tapes
(Financial Need Analysis Part 1 + 2)
Main Unit:
Motorola 6502 @ 1 MHz
Monochrome LED display
(26 Characters)
Printer/Cassette
Adaptor
Model: RL-P1004A
Instruction for Use
HHC MENU
Panasonic
NEWSTAR

Panasonic
Panasonic


Original VHS Training Video Tapes
(Financial Need Analysis Part 1 + 2)
Panasonic Expansion ROMS:
(COLUMBUS MUTUAL 300 Series
+ Driver + Tables, COLUMBUS Module
WL-102 Main + Utilities + SPDA-FRDA)

VERNON PUBLISHING
FINANCIAL NEED ANALYSIS: PART 1
23:00 minutes
FINANCIAL NEED ANALYSIS: PART 2
29:00 minutes
SAVE OUT
LOAD IN
PAPER FEED
Panasonic
HHC
PRINTER/CASSETTE ADAPTOR
HAND HELD COMPUTER
5=NEEDS DETERMINATION
Panasonic
HHC
SHIFT LOCK 2nd SFT DELETE INSERT ALARM ON LINE

VERNON PUBLISHING
FINANCIAL NEED ANALYSIS: PART 1
23:00 minutes
FINANCIAL NEED ANALYSIS: PART 2
29:00 minutes
SAVE OUT
LOAD IN
PAPER FEED
Panasonic
HHC
PRINTER/CASSETTE ADAPTOR
HAND HELD COMPUTER
2=UNIVERSAL LIFE 301
Panasonic
HHC
SHIFT LOCK 2nd SFT DELETE INSERT ALARM ON LINE

VERNON PUBLISHING
FINANCIAL NEED ANALYSIS: PART 1
23:00 minutes
VERNON PUBLISHING
FINANCIAL NEED ANALYSIS: PART 2
29:00 minutes
SAVE OUT
LOAD IN
PAPER FEED
Panasonic
HHC
PRINTER/CASSETTE ADAPTOR
HAND HELD COMPUTER
Panasonic
HHC
SHIFT LOCK 2nd SFT DELETE INSERT ALARM ON LINE


Size: 575 MB (603,611,399 bytes)
Resolution: 1920x1080
Duration: 00:06:59
MPC-HC
(058) Vintage Panasonic HHC RL-H1400 Briefcase Computer
[1981]
Panasonic Hand Held Computer
Panasonic
00:00:25
00:00:49
00:01:14
00:02:03
00:02:28
00:02:52
00:03:42
00:04:06
00:04:31

VIDEO

Specification:	
CPU	Motorola 6502 Low power NMOS version @ 1 MHz
RAM	16 KB
DISPLAY	• Built-in Monochrome LED display • Text: 1 line x 26 characters
OS	Built-in SNAP interpreter
KEYBOARD	Internal Calculator type (rubber), QWERTY, 65 keys
I/O PORTS	• 44-pin expansion port • 3 x sockets for program ROM's
EXPANSION PERIPHERALS	Panasonic HHC Thermal Printer Expansion

ACCESSORIES & DOCUMENTS	• Professional leather hard cover carrying briefcase with 3 digits Passcode
	• Panasonic printer expansion module
	• Panasonic modules connector base RD-9647
	• Panasonic extra expansion ROMS:
	  • COLUMBUS MUTUAL 300 Series
	  • COLUMBUS Tables
	  • COLUMBUS Driver
	  • COLUMBUS Module WL-102 Main
	  • COLUMBUS Module WL-102 Utilities
	  • SPDA-FRDA VRT 1-28-86
	• Original Panasonic Manuals:
	  • Computer Instruction for use
	  • Printer/Cassette Adapter Instruction for use
	  • AC Adapter Instruction for use
	• VHS training video tapes (Financial Need Analysis Part 1 + 2) 29 + 23 minutes each

POWER SUPPLY	• **System**: 120V Only (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • 5 x batterie 'AA' type
SPECIAL INSTRUCTIONS	• Insert “COLUMBUS MUTUAL 300 Series” Expansion ROM Module + Drive + Tables to add new Mutual Life Insurance Module Calculation (Option # 5) • Suitcase Current Passcode is 000

(GOTO ^^TOP)

(059) Vintage Tandy TRS-80 Radio Shack Model 100
[1983]




2 X Original Power Adapter
+ Modem/Phone Cables
Monochrome LED Display
(40 Characters X 8 Lines)
Original Radio Shack TRS-80
Cassette Tape Recorder CCR-81
External Dual Mini Speakers

Radio Shack
MODEL 100
PORTABLE
COMPUTER
TEXT
TELCOM
ADDRSS
SCHEDL
Select: _
29638 Bytes free


Power Adapter Connector
Cassette Tape + Speakers Connectors
Jan 01,1900 Sun 00:03:09 (C)Microsoft
BASIC TEXT TELCOM ADDRSS
SCHEDL
Select: _
29638 Bytes free
Radio Shack
TRS-80
MODEL 100
PORTABLE
COMPUTER
BREAK
AUTO STOP

2 X Internal Leather Storage Bags
for Main Unit and Manuals
TRS-80
MODEL 100
PORTABLE
COMPUTER
Quick Reference
Guide

Original Radio Shack Hard Cover
Suitcase for System and Accessories
Radio Shack

Jan 01 1900 Sun 00:07:29 (C)Microsoft
BASIC TEXT TELCOM ADDRSS
SCHEDL
Select: _ 29638 Bytes free
Radio Shack
TRS-80
MODEL 100
PORTABLE
COMPUTER
AUTO STOP
RECORD
PLAY
REVIEW
REWIND
CUE
FAST-F
STOP
EJECT
ESC
TAB
CTRL
SHIFT
CAPS LOCK
ENTER
GRPH
CODE
NUM
DEL BKSP

TRS-80 Model 100 Software
Copr. 1983 Microsoft
29382 Bytes free
Ok
10 for i=1 to 100
20 print i
30 next i
list
Radio Shack
TRS-80
MODEL 100
PORTABLE
COMPUTER
AUTO STOP
RECORD
PLAY
REWIND
F.FWD
STOP
EJECT
PAUSE

F. FWD
10 PRINT I
30 NEXT I
Ok
run
Radio Shack
TRS-80
MODEL 100
PORTABLE
COMPUTER
AUTO STOP
RECORD
PLAY
REWIND
F.FWD
STOP
EJECT
PAUSE

Jan 01,1900 Sun 00:10:59 (C)Microsoft
BASIC TEXT TELCOM ADDRSS
SCHEDL
Select: _
29606 Bytes free
Radio Shack
TRS-80
MODEL 100
PORTABLE
COMPUTER


Size: 525 MB (550,984,133 bytes)
Resolution: 1920x1080
Duration: 00:05:52
(059) Vintage Tandy TRS-80 Radio Shack Model 100
[1983]
00:00:21
00:00:41
00:01:02
00:01:44
00:02:04
00:02:25

VIDEO

Specification:	
CPU	Intel 8085 @ 3 MHz
RAM	8 KB
DISPLAY	• Built-in Monochrome LED display • Text: 40 Characters x 8 Lines
OS	Built-in Enhanced version of Microsoft BASIC interpreter Scheduler Program
KEYBOARD	Internal Full-size typewriter style keyboard 8 function keys
I/O PORTS	• Centronics • Tape interface • RS232 Serial port • Phone socket
EXPANSION PERIPHERALS	• Original Radio Shack TRS-80 Cassette Tape Recorder CCR-81 • External Dual Mini Speakers • Tape Interface Cable • 2 X Phone Cable • 2 X Original Power Adapter
ACCESSORIES & DOCUMENTS	• Original Radio Shack Hard Cover Suitcase • Original User Manual & Quick Reference Guide
POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Cassette Tape Drive**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(060) Vintage Tandy TRS-80 Prototype Briefcase Computer
[1981]




Initial Manual System
Components Design Map
Integrated Red LED Screen
(16 Characters x 2 Lines)
Serial Port with Spiral Cable
Video Processing Chip
Main Board & Microprocessor
120V Power Adapter
TRS-80 Keyboard with Encoder

SANYO



Initial System BIOS Low-Level

Programming Write up (Assembly Language)



[Video Processing] Initial System Electronic Components Design (Hand-Drawing)



[Main Board] Initial System Electronic Components Design (Computer Aided Design)

[Keyboard ASCII Encoder] Initial System Electronic Components Design ARCHER RADIO SHACK 277-117 Project Board



FIGURE 3. IC MOUNTING

ADDENDUM

ASCII ENCODER PROJECT BOARD
RADIO SHACK CATALOG NUMBER 277-117

This addendum corrects a printing error on pages 7 and 9.
See reverse side for other figure

TEST PROCEDURE

1. **Install the Heep Test Module** on the Printed Circuit Board.
2. **Connect +5-volt DC power** to pin 1 of test module connector.
3. **Connect ground return** to pin Z of test module.
4. **Perform test using Output Code Table** and observe test module LED indications. The following is a description and explanation on how to use the table and how to interpret the test module indications.

Looking at the Output Coding Table, you see there are two separate groups of output coding identified as NORMAL and SHIFT. These are two separate tests. First, you check the output codes of the Encoder in the NORMAL mode (not in SHIFT LOCK). After the NORMAL mode checks, depress the completing the NORMAL mode checks, depress the SHIFT LOCK key and check the output codes of the Encoder in the SHIFT mode.

The Heep Test module has nine LED's. With the keyboard toward you, let's identify the LED's. Starting on the left going to the right, the LED's are as follows:

A. The first LED lights when a key is pressed and stays on until you release the key at which time the LED goes off (not lighted).
B. The next LED monitors and represents E output code and lights when E output code is 1 and does not light when E output code is 0.
C. The next LED monitors and represents 2^6 output codes.
D. the next monitors and represents 2^5 output codes.
E. the next monitors and represents 2^4 output codes.
F. the next monitors and represents 2^3 output codes.
G. the next monitors and represents 2^2.
H. the next monitors and represents 2^1.
I. the next monitors and represents 2^0.

For an example, let's press the first key (ESC). Note that according to Output Coding Table that E output is 0, 2^6 is 1, 2^5 is 1, 2^4 is 1, 2^3 is 1, 2^2 is 1, 2^1 is 1, 2^0 is 1 and 2^0 is 0. When you press the key ESC, the first LED on the Heep Test Module should light. Release the key and the first light should go off.

Now check to see if the output code is correct. Do this by checking the LED's against the Output Coding Table. You should have the next (second from left) LED off (E), the next six LED's on and the last (far right) LED off.

5. **Perform NORMAL mode test.** With the keyboard in NORMAL (press and release SHIFT to ensure that keyboard is not in SHIFT LOCK) depress the keys one at a time as called out in the Output Coding Table. Verify the output codes from the Heep Test Module by checking against the Output Coding Table.
6. **Perform SHIFT mode test.** Depress the SHIFT LOCK key and release. You are now in SHIFT mode. Depress the keys one at a time as called out in the Output Coding Table. Check the output code response as called out in the table and as indicated by the LED's of the Heep Test Module.
7. **Press SHIFT key and release.** This takes you out of shift mode.
8. **Disconnect the +5-volt DC power** from pin 1 of Heep Test Module.
9. **Disconnect the ground return** from pin Z of the Heep Test Module.
10. **Remove the Heep Test Module** from the Printed Circuit Board.

The OUTPUT CODING TABLE is divided into two major sections — NORMAL and SHIFT. In NORMAL, the left-hand column lists the lower case symbols of the keyboard. In SHIFT, the left-hand column lists the marked upper case symbols of the keyboard or unmarked symbol abbreviations of the ASCII Code. Unmarked symbol abbreviations are preceded by an asterisk (*) in the SYMBOL column and are explained following this table. The OUTPUT CODE columns are sub-divided into 8 sections — these being E, 2^6, 2^5, 2^4, 2^3, 2^2, 2^1, and 2^0. This division is indicative of the encoder output bits. Beside each symbol is the ASCII code for that symbol. The right-hand columns list the equivalent hexadecimal number.

NORMAL

SYMBOL	E	2^6	2^5	2^4	2^3	2^2	2^1	2^0	HEX
ESC	0	1	1	1	1	1	1	0	7E
1	0	0	1	1	0	0	0	1	31
2	0	0	1	1	0	0	1	0	32
3	0	0	1	1	0	0	1	1	33
4	0	0	1	1	0	1	0	0	34
5	0	0	1	1	0	1	0	1	35
6	0	0	1	1	0	1	1	0	36
7	0	0	1	1	0	1	1	1	37
8	0	0	1	1	1	0	0	0	38
9	0	0	1	1	1	0	0	1	39
0	0	0	1	1	0	0	0	0	30
-	0	0	1	0	1	1	0	1	2D
;	0	0	1	1	1	0	1	0	3A
^	0	1	0	1	1	1	1	0	5E
BACK SPACE	0	0	0	0	1	0	0	0	08
BREAK	1	0	0	0	0	0	0	0	00
TAB	0	0	0	0	1	0	0	1	09

SHIFT

SYMBOL	E	2^6	2^5	2^4	2^3	2^2	2^1	2^0	HEX
*	0	0	1	0	1	1	1	0	2E
!	0	0	1	0	0	0	0	1	21
"	0	0	1	0	0	0	1	0	22
#	0	0	1	0	0	0	1	1	23
$	0	0	1	0	0	1	0	0	24
%	0	0	1	0	0	1	0	1	25
&	0	0	1	0	0	1	1	0	26
* '	0	0	1	0	0	1	1	1	27
(	0	0	1	0	1	0	0	0	28
)	0	0	1	0	1	0	0	1	29
* SPACE	0	0	1	0	1	0	0	0	20
=	0	0	1	1	1	1	0	1	3D
* *	0	0	1	0	1	0	1	0	2A
* SO	0	0	0	0	0	1	1	1	0E
* BS	0	0	0	0	0	1	0	0	08
* ,	1	1	1	1	0	0	0	0	60
* HT	0	0	0	0	1	0	0	1	09



Specification:	

FUNCTION	• This is a rare TRS-80 Initial Project Protype Computer consists of:
	  • Motherboard and CPU
	  • Power Supply
	  • ASCII Keyboard
	  • Red LED Screen (16 Characters x 2 Lines)

ACCESSORIES & DOCUMENTS	• Keyboard ASCII translation manual • Original printed initial system Assembly code sheets • Hard Cover Storage briefcase
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	This is uncompleted prototype initial project for the TRS-80 computer and not ready to RUN.

(GOTO ^^TOP)

(061) Vintage Apple Macintosh 1st Portable M5120
[1989]

Original Apple Macintosh Portable
Travel Carrying Bag

Internal Auto Loading/Eject
3.5” Floppy Drive (1.44 MB DS/DD)


DB-25 SCSI
Mouse / Keyboard / Joystick ADB Port
External Floppy Drive Port
Modem Port
External Monitor


Authentic Apple Portable Case
with Exact Photos of Apple Engineers
Signature Engraving

Removable System Battery
Original Power Adapter

Mac OS
Starting up...
Macintosh Portable

B&W Active Matrix Backlite
LCD Screen (9.8”)
Motorola 68000 @ 16 MHz
1 MB SRAM, 256 KB ROM
40 MB Desktop HDD
Integrated Swappable Trackball mouse
Macintosh Portable

Macintosh Portable

Full Backlit Brightness Control
Macintosh Portable

Macintosh Portable

Fully Charged Working System Batt
Macintosh Portable

Macintosh Portable


Portable 40
57 items
10.2 MB in dis
Name
Clean Up Window
Empty Trash...
Eject Disk
Erase Disk...
Restart
Shut Down
Sleep
Jigsaw Prefs
Launcher Preferences
Portable 40
Trash
Macintosh


Size: 679 MB (712,717,774 bytes)
Resolution: 1920x1080
Duration: 00:09:37
MPC-HC

VIDEO

Specification:	
CPU	Motorola 68000 @ 16 MHz
RAM	1 MB SRAM, 256 KB ROM
STORAGE	Internal 40 MB 3.5” desktop Conner CP-3045 HDD
DRIVES	• Internal 3.5'' floppy drive (1.44 MB DS/DD)
DISPLAY	• Built-in B&W active matrix LCD screen (9.8") • Graphics: 640 x 400
OS	MacOS 7.5.5 (HDD boot)
KEYBOARD	• Internal Apple Standard Typewriter 80-key • Integrated Trackball mouse
Network	
I/O PORTS	• Serial port • Parallel port • 2 x ADB ports • SCSI connector
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Working system battery • Original Apple Macintosh Portable Bag • Original Apple Macintosh Portable Computer Spiral Owner's Manual Guide • Set of pre-installed Apps and Games
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	• This type of portables works on battery power only and will power off when near empty, so need to first to charge at least 30% of the battery before power on. • After full shutdown, wait for 2 minutes booting time for HDD recognize and mounting

(GOTO ^^TOP)

(062) Vintage Apple iBook G3 Clamshell Indigo
[1999]




iBook
Finder File Edit View Go Window Help
Wed 7:11 PM
HDD1
TFT Active-Matrix Display (12.1”)
ATI Rage Mobility (2X AGP) with 4 MB of SDRAM


Apple Full-Size 76 keys, 12 Function Keys
4 Arrow Keys, and Numeric Keypad
Integrated Trackpad supports tap
double tap, and drag


Power Adapter Connection Port
24X Tray-Loading CD-ROM Drive


Modem 56k v.90 (RJ-11)
Standard 10/100Base-T (RJ-45)
USB 1.1 Port
Firewire (IEEE 1394a) Port
Headphone Socket

iBook

iBook
Finder File Edit View Go Window Help
Wed 7:21 PM
About This Mac
Mac OS X
Version 10.4.3
Software Update...
Processor 366 MHz PowerPC G3
Memory 320 MB
Startup Disk HDD1
More Info...
TM & © 1983–2005 Apple Computer, Inc.
All Rights Reserved.
HDD1
iDisk


iBook
PAC THE MAN 2
McSebi Software
2003

iBook
610
01
0

iBook
Project Gallery

iBook


File Size: 537 MB (563,968,547 bytes)
Resolution: 1920x1080
Duration: 00:07:00
MPC-HC
(062) Vintage Apple iBook G3 Clamshell Indigo
[1999]
00:00:25
00:00:49
00:01:14
00:02:03
00:02:28
00:02:53
00:03:42
00:04:07
00:04:32

VIDEO

Specification:	
CPU	PowerPC 750 (G3) @ 366 MHz
RAM	320 MB PC66 SDRAM, 1 MB ROM
STORAGE	Internal 10 GB HDD
DRIVES	Internal 24X tray-loading CD-ROM drive
DISPLAY	• Built-in TFT active-matrix display (12.1") • ATI Rage Mobility (2X AGP) with 4 MB of SDRAM • Graphics: 800 x 600
OS	MacOS X 10.4 (Tiger)
KEYBOARD	• Internal Apple full-size 76 keys, 12 function keys, 4 arrow keys, and numeric keypad • Integrated Trackpad supports tap, double tap, and drag.
Network	• Standard 10/100Base-T (RJ-45) • Internal "AirPort" (802.11b) wireless networking (option)
I/O PORTS	• Modem 56k v.90 (RJ-11) • USB 1.1 port • Audio inputs
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• HDD Boot

(GOTO ^^TOP)

(063) Vintage Apple Macintosh PowerBook 180 Laptop
[1992]


File Edit View Label Special
About This Macintosh
PowerBook 180
System Software 7.5
© Apple Computer, Inc. 1983-1994
Built-in Memory: 12,288K
Total Memory: 14,336K
Largest Unused Block: 6,011K
System Software 3,455K
Judy's Hard Disk
Trash
Macintosh
PowerBook 180
Active-Matrix Gray Scale
LCD Display (9.8")
Display Brightness Control Sliders
Motorola 68030 32-bit @ 33 MHz
+ 68882 FPU
Internal 80 GB SCSI HDD
Integrated Trackball 2 Buttons Mouse


Internal 3.5” Floppy Drive (1.44 MB)


HDI-30 SCSI port
ADB Port (Keyboard/Mouse)
Modem / Phone Connector
Mini-15 video port
Power Adapter Connector
Power Button
2 x Serial Ports

File Edit Label Special
About This Macintosh...
RDG
Alarm Clock
AppleCD Audio Player
Automated Tasks
Calculator
Chooser
Control Panels
Fast Find
Fax Center
Find File
Jigsaw Puzzle
Key Caps
KeyFinder
Microsoft Mail
Note Pad
Puzzle
Recent Applications
PowerBook Display
aFileSaver
Apple Menu Options
AutoRemounter
Color
Control Strip
Desktop Patterns
DialAssist
DiskLight
File Sharing Monitor
General Controls
Keyboard
Labels
Launcher
Macintosh Easy Open
Map
Memory
Monitors
Mouse
Network
Numbers
Macintosh
PowerBook 180

This product is licensed to:
Judith E. Glazer
Benchmark Communications, Inc.
Microsoft Word
Version 6.0.1
for the Macintosh
Copyright © 1983-1995
Microsoft Corporation
This program is protected by US and international copyright laws as described in About Microsoft Word.
Macintosh
PowerBook 180

File Edit View Insert Format Tools Table Window
Document1
HELO WORLD
THIS IS MACINTOSH POWERBOOK 180
2024
Macintosh
PowerBook 180

File Edit Label Special
Macintosh
PowerBook 180

Size: 583 MB (612,171,838 bytes)
Resolution: 1920x1080
Duration: 00:06:31
MPC-HC
(063) Vintage Apple Macintosh PowerBook 180 Laptop
[1992]
00:00:23
00:00:46
00:01:09
00:01:55
00:02:18
00:02:41
00:03:27
00:03:50
00:04:13

VIDEO

Specification:	
CPU	Motorola 68030 32-bit @ 33 MHz + 68882 FPU
RAM	4 MB DRAM Card, 1 MB Macintosh ROM
STORAGE	Internal 80 GB SCSI HDD
DRIVES	• Internal 3.5'' floppy (1.44 MB)
DISPLAY	• Built-in active-matrix LCD display (9.8'') • Built-in dedicated 512 KB VRAM • Graphics: 640 x 400 grayscale (4-bit, 16 grays)
OS	MacOS 7.1
KEYBOARD	• Internal Apple Standard Keyboard. • Integrated Trackball mouse.
Network	
I/O PORTS	• Mini-15 video port • HDI-30 SCSI port • ADB port (Keyboard/Mouse) • 2 x Serial ports • Audio inputs
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Apple laptop Power Adapter • Laptop Carrying Bag • Printer and phone cables
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	• HDD Boot • **First Time Boot**: Leave around 10 minutes for HDD recognition and mounting

(GOTO ^^TOP)

(064) Vintage Apple Macintosh PowerBook 520c Laptop
[1994]

Apple Logo Laptop Carrying Bag

Original Apple Power Adapter
Motorola 68LC040 32-bit @ 25 MHz
4 MB DRAM Card, 2 MB Macintosh ROM
Internal 160 MB SCSI HDD


PowerBook 520c
File Edit View Label Special
About This Macintosh
System Software 7.1.1
© Apple Computer, Inc. 1983-1993
Largest Unused Block: 2,061K
Macintosh HD
Wheel of Fortune
Trash
• Dual Scan Color LCD Display (9.5”)
• Built-in dedicated 512 KB VRAM
• Graphics: 640 x 480 (8-bit, 256 colors)
Display Brightness Control Buttons

esc
delete
tab
caps lock
return
shift
shift
ctrl
option
enter

Soft Keyboard Power Button
Internal Battery Compartment
3.5" Floppy Drive (1.44 MB)


Apple Attachment Unit Interface (AAUI-15) - Ethernet
ADB Port (Keyboard/Mouse)
Mini-15 Video Port
Power Adapter Connector
Printer Connector
HDI-30 SCSI port

PowerBook
520c
File Edit View Label Special
Control Panels

PowerBook
520c
WHEEL OF FORTUNE
MANLEY
Licensed to:
YUETTE MACHUCA
MY HOUSE

PowerBook
520c
File Edit Game Options
Wheel of Fortune
PERSON
Camille
$ 0

PowerBook
520c
File Edit Show Label Special
Macintosh HD



Specification:	
CPU	Motorola 68LC040 32-bit @ 25 MHz
RAM	4 MB DRAM Card, 2 MB Macintosh ROM
STORAGE	Internal 160 MB SCSI HDD
DRIVES	• Internal 3.5'' Floppy Drive (1.44 MB)
DISPLAY	• Built-in Color Dual Scan LCD (9.5") • Built-in dedicated 512 KB VRAM • Graphics: 640 x 480 (8-bit, 256 colors)
OS	MacOS 7.1.1
KEYBOARD	• Internal Apple Standard Keyboard and Trackpad.
Network	Ethernet (AAUI-15)
I/O PORTS	• Mini-15 video port • HDI-30 SCSI port • Apple Attachment Unit Interface (AAUI-15) • ADB port (Keyboard/Mouse) • Serial port • Audio inputs

EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Apple laptop Power Adapter • Laptop carrying bag (Apple Logo) • Macintosh 7.5 Upgrade Guide • Original Laptop User's Guide and Installation Disks • Apple Resource Guide • Apple Remote Access Client User's Guide
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• HDD Boot • If Battery is fully empty then need to remove battery (Right Front Slot) first to power on the system on AC power only

(GOTO ^^TOP)

(065) Vintage Apple Macintosh PowerBook 190cs Color Laptop
[1995]

Power Button
Apple StyleWriter 1200 Bubblejet Printer
720x360-dpi 2 PPM in best mode.
StyleWriter 1200

Original Apple Power Adapter
CLARIS
ClarisWorks 4.0
USER'S GUIDE
Apple Logo Mouse Pad
• Motorola 68LC040 32-bit @ 33 MHz
• 8 MB DRAM Card, 2 MB Macintosh ROM
• Internal 500 MB IDE HDD
Original Apple ADB Mouse


Soft Power Button
• Passive-Matrix Color LCD (10.4”)
• Dedicated 1 MB VRAM
• 640 x 480 (8-bit, 256 colors)
Display Brightness Control Buttons

3.5” Swappable Floppy Drive (1.44 MB)


Serial Port
Infrared Port (IrDA1.0: 115.2Kbps)
ADB (External Keyboard/Mouse Port
HDI-30 SCSI Port
Power Adapter connector

PCMCIA Peripherals Expansion Slot

Original Apple StyleWriter
Black Ink Cartridge M8041G/C

StyleWriter 1200
Macintosh
PowerBook 190cs
NEWSTAR
223

File Edit View Activities Reports Online
Macintosh HD
Quicken
Quicken version 6 for Macintosh
StyleWriter 1200
Macintosh
PowerBook 190cs
NEWSTAR
223

Size: 591 MB (620,272,189 bytes)
Resolution: 1920x1080
Duration: 00:10:54
MPC-HC
00:00:38
00:01:17
00:01:55
00:03:12
00:03:51
00:04:29
00:05:46
00:06:25
00:07:03

VIDEO

Specification:	
CPU	Motorola 68LC040 32-bit @ 33 MHz
RAM	8 MB DRAM Card, 2 MB Macintosh ROM
STORAGE	Internal 500 MB IDE HDD
DRIVES	• Internal 3.5'' swappable floppy drive (1.44 MB)
DISPLAY	• Built-in color passive-matrix LCD (10.4") • Built-in dedicated 1 MB VRAM • Graphics: 640 x 480 (8-bit, 256 colors)
OS	MacOS 7.5.2
KEYBOARD	• Internal Apple Standard Keyboard and Trackpad.
Network	
I/O PORTS	• HDI-30 SCSI port • ADB port (Keyboard/Mouse) • Serial port • Audio inputs
EXPANSION PERIPHERALS	• Apple StyleWriter 1200 printer + Manual
ACCESSORIES & DOCUMENTS	• Original Apple laptop Power Adapter • Laptop carrying bag • Original Laptop User's Guide • Apple Resource Guide • Apple Remote Access Client User's Guide • Claris Office Manual • Original Laptop Invoice dated: November 20, 1995
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Printer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• HDD Boot

(GOTO ^^TOP)

(066) Vintage Apple Newton Emate 300 WorkPad
[1997]


Original Apple eMate 300 Packaging Box
• Rugged construction lets you take it everywhere
• Lots of built-in software
• Access to the Internet and e-mail
• Exchange data with Mac OS– and Windows-based computers
• Long battery life
Potter Rd
POTTERS ROAD ELEMENTARY
WEE5010196
eMate 300
A new class of mobile computer designed for learners of all ages.
Exchange data with Mac OS– and Windows-based computers.
Newton


Original Stylus Pen
Display Brightness Sliders
Backlit Light Button
Newton


Monochrome Built-in backlit LCD display
(6.8”), 480 x 320 (16-shade grayscale)
Test
3:06 pm Mon 7/8/96
yahyapc * Newton 300
3:14 pm Mon 7/8/96
Reyadpc
3:28 pm Mon 7/8/96
yahyapc
3:34 pm Mon 7/8/96
Extras
Notes
Calculator
Clock
Classroom Dock
eMate Tour
Teacher Setup
Help
Align Pen
Charging

PCMCIA Expansion Slot

Power Adapter Connector
Serial Port Connector
(Printer/Modem/Fax)
and Newton Devices Interconnect Port

Hello

Hello
I am Apple eMate 30 0
202 4
Newton


Size: 532 MB (557,886,784 bytes)
Resolution: 1920x1080
Duration: 00:05:56
MPC-HC
(066) Vintage Apple Newton eMate 300 WorkPad
[1997]
00:00:21
00:00:42
00:01:03
00:01:45
00:02:06
00:02:27
00:03:09
00:03:30
00:03:51

VIDEO

Specification:	
CPU	ARM 710a @ 25 MHz
RAM	3 MB, 8 MB ROM
STORAGE	
DRIVES	
DISPLAY	• Built-in backlit LCD display (6.8") • Graphics: 480 x 320 (16-shade grayscale)
OS	NewtonOS 2.1
KEYBOARD	Internal Standard Keyboard and Stylus Pen.
Network	
I/O PORTS	• PCMCIA (II/III) slot • Serial Port (Printer/Modem/Fax) • Interconnect Port (Connecting Other Newton Devices)
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Power Adapter
	• Original Packaging Box
	• Original Manuals and Guides Pack:
	  • eMate 300 Teacher's Guide
	  • Graphics Calculator Manual
	  • QuickFigure Work User's Manual
	  • Newton Solutions Guide
	  • Apple Support and Warranty Booklets

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	• NewtonOS ROM Boot

(GOTO ^^TOP)

(067) Vintage Apple Newton MessagePad 110
[1994]



Original Newton Power Adapter
(120-240V)
Original Newton MessagePad
3.5” Floppy Diskettes Sync Software
for Windows and Macintosh
Program Disk for
Windows-based
Computers
EXPM351 1.0.3
Disk 1 of 1
Program Disk
for Macintosh
Computers
EXPM351 1.0.3
Disk 1 of 1

Original Newton 2 MB PCMCIA
Memory Expansion Card
Extra Stylus Pen
Original Stylus Pen
Newton
2MB
Flash
Storage Card
ARM 610 @ 20 MHz (1 MB, 4 MB ROM)
Monochrome Backlit LCD display (4.5”)
320 x 200

Newton
2MB
Flash
Storage Card
Newton
Conglomerated Credit
Names
Dates
Extras
Undo
Find
Assist

Stylus Pen Storage
Power Adapter Connector
PCMCIA Expansion Slot

LCD Brightness Control Dial Button
Power Switch

Newton
2MB
Newton MessagePad
and All Accessories Carrying Bag

Newton
2MB
Flash
Storage Card
Newton
Unfiled names
Ms./Mr.
First Bob
Last Anderson
Title
Company
Address 51 Partlow Pond Road
City Pine
State New York
Zip Code 13639
Country
E-Mail
Home 315 555-4476
Phone
In Box
Out Box
Connection
SHARP
Card
Calculator
Formulas
Time Zones
Prefs
Styles
Volume
Battery
Extras
Undo
Find
Assist

Newton
2MB
Flash
Storage Card
Newton
Unfiled names
Bob
Anderson
878,112,314
Find
Assist

Newton
2MB
Flash Storage Card
Newton
June 1995
Assist

Newton
2MB
Flash Storage Card
Newton
June 1995
In Box
Out Box
Connection
SHARP
Card
Calculator
Formulas
Time Zones
Prefs
Styles
Volume
Battery
Assist



Specification:	
CPU	ARM 610 @ 20 MHz
RAM	1 MB, 4 MB ROM
STORAGE	
DRIVES	
DISPLAY	• Built-in backlit LCD display (4.5") • Graphics: 320 x 200 (B&W)
OS	NewtonOS 2.0
KEYBOARD	Pressure-sensitive monochrome display with a stylus pen
Network	
I/O PORTS	• PCMCIA (Type II) slot
EXPANSION PERIPHERALS	• 20MB PCMCIA card
ACCESSORIES & DOCUMENTS	• Original Power Adapter • Original Manuals • 2 x Stylus Pens • Leather Case

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat • **4** X AA Size Dry Batteries
SPECIAL INSTRUCTIONS	• NewtonOS ROM Boot

(GOTO ^^TOP)

(068) Vintage Apple iPhone 1st Gen A1203 iOS 1.0
[2007]

Charging/Syncing Dock with Cable and Adapter
Original Instructions Paper
Original Headset
iPhone
3G

About
iPhone
Network
Songs
Videos
Photos
Capacity
Available
Version

No SIM
6:30 PM
General
About
Capacity 7.3 GB
Available 7.3 GB
Version 1.0 (1A543a)
Serial Number 7V7299WKWH8
Model MA712
Wi-Fi Address 00:1C:B3:6B:71:4D
Bluetooth 00:1C:B3:6B:71:4C
IMEI 011300000188251
ICCID
9:42 AM

9:42 AM

No SIM
6:31
Tuesday, September 19

No SIM
6:39 PM
Text
Calendar
Photos
Camera
YouTube
Stocks
Maps
Weather
Clock
Calculator
Notes
Settings
Phone
Mail
Safari
iPod

No SIM
6:49 PM
General
About
Capacity
7.3 GB
Available
7.3 GB
Version
1.0 (1A543a)
Serial Number
7V7299WKWH8
Model
MA712
Wi-Fi Address
00:1C:B3:6B:71:4D
Bluetooth
00:1C:B3:6B:71:4C
IMEI
011300000188251
ICCID

iPhone
8GB

16GB
at&t



Specification:	
CPU	Samsung 32-bit RISC ARM 1176JZ(F)-S v1.0 @ 620 MHz
RAM	128 MB eDRAM
STORAGE	8 GB FLASH Memory
BATTERY	Built-in rechargeable lithium-ion battery 3.7 V 1400 mAh
DISPLAY	• Built-in backlit LCD display (3.5") • PowerVR MBX Lite 3D GPU • Graphics: 480 x 320 (28-bit color)
OS	iPhone OS 1.0
KEYBOARD	Multi-touch touchscreen display
Network	• Quad-band GSM/GPRS/EDGE (850, 900, 1800, 1900 MHz) • Wi-Fi (802.11 b/g) • Bluetooth 2.0
I/O PORTS	• USB 2.0/dock connector • 3-axis accelerometer • Proximity sensor

	• Ambient light sensor
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Packaging box and accessories:
	  • Wall AC Adapter
	  • Power/Data Cable
	  • Charging/Syncing Dock
	  • Headset
	  • Instruction papers, stickers and screen protector
	• Leather Case

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(069) Vintage Apple iPhone 3GS A1303
[2009]

Charging / Data Cable and Adapter
Original Packaging Box

About
Name
Network
Songs
Videos
Photos
Capacity
9:41 AM

11:06
Tuesday, February 13
slide to unlock


No Service
11:10 AM
74%
General
About
Available 5.8 GB
Version 6.1.6 (10B500)
Carrier AT&T 14.0
Model MC640LL/A
Serial Number 88128YNGEDG
Wi-Fi Address 04:0C:CE:8B:0F:45
Bluetooth 04:0C:CE:8B:0F:44
IMEI 01 276100 703056 5
ICCID 8901 4103 2544 2812 7330
Modem Firmware 05.16.08

iPhone
Designed by Apple in California Assembled in China
Model No.: A1303 FCC ID: BCGA1303B IC ID: 579C-A1303B

8GB
at&t
iPhone 3G



Specification:	
CPU	ARM Cortex-A8 @ 600 MHz
RAM	256 MB DRAM
STORAGE	8 GB FLASH Memory
BATTERY	Built-in rechargeable lithium-ion battery 3.7 V 1220 mAh
DISPLAY	• Built-in backlit LCD display (3.5") • PowerVR SGX535cGPU • Graphics: 480 x 320 (24-bit color)
OS	iPhone OS 3.0
KEYBOARD	Multi-touch touchscreen display
Network	• Quad-band GSM/GPRS/EDGE (850, 900, 1800, 1900 MHz) • Tri-band UMTS/HSDPA (850, 1900, 2100 MHz) • Wi-Fi (802.11 b/g) • Bluetooth 2.1+EDR
I/O PORTS	• USB 2.0/dock connector • 3-axis accelerometer

	• Proximity sensor • Ambient light sensor • Digital compass
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Packaging box and accessories:
	  • Wall AC Adapter
	  • Power/Data Cable
	  • Car Charger
	  • Headset
	• Carrying Case Bag

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(070) Vintage Apple iPOD 1st Gen Scroll Wheel M8541
[2001]




Dual ARM @ 2 x 90 MHz
5 GB Internal Storage
Backlit B&W LED Display (2")
Original Wall AC Adapter
iPod XtremeMac Italian Leather
Belt Clip Case
Headset

iPod

PIONEER
STEREO HEADPHONES

Original Pioneer Headphone
Hard Cover Carrying Case
Long Spiral Cable and Extra Extension
Cable with ¼" to 1/8" Adapters
Volume Control Dials for Each Speaker
PIONEER

Now Playing
1 of 1
You Can Call Me Al
Paul Simon
Graceland
3:30
-1:10
menu

About
iPod 5 GB
Songs 1
Capacity 4.6 GB
Available 4.5 GB
Version 1.5
S/N U2148712LG6
menu

menu

Now Playing
1 of 1
You Can Call Me Al
Paul Simon
Graceland
0:47
-3:53
menu


Size: 535 MB (561,385,391 bytes)
Resolution: 1920x1080
Duration: 00:05:00
MPC-HC
(070) Vintage Apple iPOD 1st Gen Scroll Wheel M8541 [2001]
(070) Vintage Apple iPOD 1st Gen Scroll Wheel M8541 [2001]
00:00:18
00:00:35
00:00:53
00:01:28
00:01:46
00:02:03
00:02:39
00:02:56
00:03:14

VIDEO

Specification:	
CPU	PortalPlayer PP5002 with dual ARM 7TDMI @ 2 x 90 MHz
RAM	32 MB
STORAGE	5 GB FLASH Memory
BATTERY	Built-in rechargeable Lithium Polymer battery 1200 mAh
DISPLAY	• Built-in backlit LED display (2") • Graphics: 160 x 128 (monochrome white color)
OS	iOS 1.0.4
KEYBOARD	**Scroll Wheel**: a combination of touch technology and traditional buttons, involving the capacitive sensing, which senses the touch of the user's fingers.
Network	
I/O PORTS	• Firewire (IEEE 1394a) port (Charging and Syncing) • 3.5-mm stereo headphone jack
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Wall AC Adapter • Original FW Cable • Headset • Vintage Pioneer SE-505 2-Way Stereo Headphones, Black Leather, Adjustable Volume, with Original Pioneer Hard Carrying Case (Military Grade, Japan, **1973**) • XtremeMac Italian Leather Belt Clip Case
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(071) Vintage Apple iPad 1st Gen A1219
[2010]

7:24
Tuesday, February 13
slide to unlock

Messages
Contacts
Notes
Calendar
Reminders
YouTube
Videos
Maps
Game Center
Settings
App Store
Newsstand
iTunes
Safari
Music

iPad
16GB

iPad

Size: 349 MB (366,671,385 bytes)
Resolution: 1920x1080
Duration: 00:02:29
MPC-HC
(071) Vintage Apple iPad 1st Gen A1219
[2010]
00:00:09
00:00:18
00:00:26
00:00:44
SPECIAL INSTRUCTIONS
Charging Cable and Power Adapter
CPU
RAM
STORAGE
BATTERY
DISPLAY
OS

VIDEO

Specification:	
CPU	Apple A4 (S5L8930) ARM based @ 1.0 GHz
RAM	256 MB
STORAGE	16 GB FLASH Memory
BATTERY	Built-in rechargeable Lithium Polymer battery 25Whr
DISPLAY	• Built-in IPS LED-backlit display (9.7") • Graphics: 1024x768 (132 ppi)
OS	iPhone OS 3.2 (7B367)
KEYBOARD	Soft touch multi-language keyboard.
Network	• WiFi 802.11a/b/g/n • Bluetooth 2.1+EDR
I/O PORTS	• USB port (Charging and Syncing) • 3.5-mm stereo headphone jack
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• AC adapter • Charging/Syncing cable
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(072) Vintage Apple iPod Touch 4th Gen A1367
[2010]



iPod
7:42
Tuesday, February 13
8GB

iPod
7:43 PM
8GB


8GB
iPod
7:42 PM
General
About
Name
iPod
Songs
Videos
Photos
Capacity
Available
Version
Model
Serial Number

Videos
Maps
Weather
Passbook
Notes
Reminders
Clock
Game Center
Newsstand
iTunes
App Store
Settings
Messages
Music

iPod
8:25 PM
13
FaceTime
Calendar
Photos
Camera
Videos
Maps
Weather
Passbook
Notes
Reminders
Clock
Game Center
iPod
8GB


College Wooden Frame
of Real iPod Touch Components
iPod touch
AN IPHONE WITHOUT THE PHONE
INTRODUCED: September 5, 2007


iPod touch
AN IPHONE WITHOUT THE PHONE
INTRODUCED: September 5, 2007
Power button cable
Circuit board
Cover
RF base
Power button
LCD:480-by-320-pixel
resolution at 163 pixels per inch
Volume +
Volume –
Main board
Screen 3.5" multi-touch
Main board cover
CPU: ARM11 core
Bus Speed: 133 MHz
Register Width: 32-bit
Onboard RAM: 128 MB
Maximum RAM: 128 MB
Dock connector
Home
Height: 4.3 inches
Width: 2.4 inches
Depth: 0.33 inches
Weight: 4.05 ounces
Flex cable
Button board
Headphone socket
"Have the courage to follow your heart and intuition. They somehow already know what you truly want to become. Everything else is secondary."

iPod touch
Finger Tips


Size: 585 MB (613,657,270 bytes)
Resolution: 1920x1080
Duration: 00:04:32
MPC-HC
(072) Vintage Apple iPod Touch 4th Gen A1367
[2010]
Original Packaging Box
Apple A4 (S5L8930) ARM based @ 1.0 GHz
8 GB FLASH Memory, 256 MB RAM
LED-Backlit Display (3.5")
Headset
00:00:16
00:00:32
00:00:48
00:01:04
00:01:20
00:01:36
00:01:52
00:02:08
00:02:24
00:02:40
00:02:56
00:03:12

VIDEO

Specification:	
CPU	Apple A4 (S5L8930) ARM based @ 1.0 GHz
RAM	256 MB
STORAGE	8 GB FLASH Memory
BATTERY	Built-in rechargeable Lithium Ion battery 930 mAh
DISPLAY	• Built-in non-IPS LED-backlit display (3.5") • Graphics: 960 x 640
OS	iPhone OS 6.1.6 (10B500)
KEYBOARD	Soft touch multi-language keyboard.
Network	• WiFi 802.11b/g/n • Bluetooth 2.1+EDR
I/O PORTS	• USB port (Charging and Syncing) • 3.5-mm stereo headphone jack
Camera	• The rear camera: HD video720p up to 30 FPS with audio), 960x720 still photos • The front mounted camera: VGA quality photos and video up to 30 FPS
ACCESSORIES & DOCUMENTS	• AC Adapter • Charging/Syncing Cable • Headset • Original Glass Box • College Wooden Frame of Real iPod Touch Components
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(073) Vintage Apple iPod Video 5th Gen A1136
[2005]




Dual ARM @ 2 x 80 MHz
30 GB FLASH Memory
QVGA LCD display (2.5”)
Charing Cable and Power Adapter
Standing Base


iPod
12:22 AM
1 of 673
Abracadabra
Sugar Ray
14:59
0:04
-3:40
MENU

iPod
Now Playing
5 of 673
Ain't No Mountain Hig
Bridget Jones' Diar...
Bridget Jones's Diar...
0:01
-3:30
MENU


iPod
MENU

iPod
MENU


12:30 AM
Shower The People
Side With The Seeds
Silent Night
Silent Running
Silly Love Songs
Sing
Sinkin' Soon
Sister Golden Hair
(Sittin' On) The Dock Of The Bay

iPod
30GB
Serial No.: 4J548UG8TXK
Designed by Apple in California Assembled in China Model No.: A1136 EMC No.: 2065
Rated 5-30V ⎓ 1A Max. TM and © 2005 Apple Computer, Inc. All rights reserved.

iPod

iPod
Now Playing
Designed by Apple in California


Size: 527 MB (553,462,521 bytes)
Resolution: 1920x1080
Duration: 00:07:20
MPC-HC
(073) Vintage Apple iPod Video 5th Gen A1136
[2005]
Dual ARM @ 2 x 80 MHz
30 GB FLASH Memory
QVGA LCD display (2.5")
Charing Cable and Power Adapter
Standing Base

VIDEO

Specification:	
CPU	PortalPlayer PP5002 with dual ARM 7TDMI @ 2 x 80 MHz
RAM	32 MB
STORAGE	30 GB FLASH Memory
BATTERY	Built-in rechargeable Lithium Ion battery (MA002LL/A) 14 hours of music playback
DISPLAY	• Built-in QVGA LCD display (2.5") • Graphics: 320 x 240
OS	iOS 1.3
KEYBOARD	ClickWheel
Network	
I/O PORTS	• USB port (Charging and Syncing) • 3.5-mm stereo headphone jack
Camera	
ACCESSORIES & DOCUMENTS	• Original AC adapter • Original Charging/Syncing cable • Headset • Original packaging box • Original Software CD and User's Manual • iPod Pouch
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(074) Vintage IBM PALM TOP SubNoteBook PC110
[1995]




Intel 80486SX @ 33 MHz
4 MB RAM
260MB Flash Storage
System Status LCD
Dual Speakers
Original IBM Dock Station


Original Dual-Scan Passive-Matrix
Citizen CSTN LCD (4.7")
640 × 480 @ 256 colors
CSTN LCD Was Working but Already
Degraded as Expected, So Connected
to an External VGA Monitor
IBM
Palm Top PC 110

External VGA Color LCD Monitor (13.3")
Schedule
ToDo List
Notebook
Address
E-Mail
FAX
Telephone
IR Connect
am
予定表
World Clock
Calculator
Editor
Draw Memo
Game
Personal
DOS
Power MGT
Peregnaware
英数 半角 R
IBM

Schedule
ToDo List
Notebook
Address
E-Mail
FAX
Telephone
IR Connect
am
0:34
予定表
World Clock
Calculator
Editor
Draw Memo
Game
Personal
DOS
Power MGT
Peregnaware
英数 半角 R
IBM

Integrated Dial Mouse
with 2 Buttons (Left and Right)

IBM
Palm Top PC110
IBM


Dock Station External VGA Monitor Port
Dock Station Parallel Printer Port
Dock Station Serial RS-232 Port


2 X ADP Ports
(External Keyboard / Mouse)
Power Switch
PCMCIA Slot
Power Adapter Connector

IBM


DOS PCMCIA Socket Services Driver, Version 1.37
PCMCIA Socket Services Release 2.1
Copyright 1993,1995 IBM Corp.
All rights reserved.
DOS Card Services Driver, Version 2.22
PCMCIA Card Services Release 2.10
Copyright 1993 - 1995 IBM Corp.
IBM DOS PC Card Power Management Driver Version 2.32.
(C) Copyright IBM Corporation 1993, 1994, 1995
All right reserved
PCMCIA-ATA/SRAM Device Driver Version 1.01
(C) Copyright IBM Corporation 1995. All rights reserved.
PCMCIA Storage Device(s) is assigned to drive [D] [E]
IBM DOS PC Card Auto Configurator Version 2.00
(C) Copyright IBM Corporation 1995. All rights reserved.
連文節変換ルーチン(IBMMKKV.EXE Version 7.00)ｶﾞ EMS メモリーに導入されました。
英数 半角 R
IBM
PalmTop PC110

Schedule
ToDo List
Notebook
Address
E-Mail
FAX
Telephone
IR Connect
am 0:37
DOSコマンド
World Clock
Calculator
Editor
Draw Memo
Game
Personal
DOS
Power MGT
英数 半角 R
IBM

World Clock
東京
ニューヨーク
1994-01-01 00:37:59
1993-12-31 10:37:59
英数 半角 R
IBM
Palm Top PC 110

Calculator
関数電卓
Personaware CALC
123,489,877.
HEX
DEC
RAD
DEG
INV
log
ln
sin
cos
tan
7
8
9
CE
AC
4
5
6
1
2
3
0
exp
+/-
M+
M-
Min
MR
英数 半角 R
IBM
Palm Top PC 110

Game
連結牌数
総合得点
3 22 27 19 33 16
0
39
英数 半角 R
IBM

METPHONE EXM 52,840 95-10-16 1:00
METSCHD EXM 87,430 95-10-16 1:00
METTODO EXM 47,340 95-10-16 1:00
METAGENT EXM 37,925 95-10-16 1:00
METCALC EXM 47,631 95-10-16 1:00
METCLOCK EXM 51,047 95-10-16 1:00
METGAME EXM 27,605 95-10-16 1:00
METVIEW EXM 28,467 95-10-16 1:00
METIR EXM 47,990 95-10-16 1:00
METFILE EXM 29,798 95-10-16 1:00
METRFILE EXM 31,990 95-10-16 1:00
METPINFO EXM 21,237 95-10-16 1:00
METPSTIT EXM 23,648 95-10-16 1:00
METEDIT EXM 18,750 95-10-16 1:00
METFAX EXM 45,375 95-10-16 1:00
METPML EXM 79,154 95-10-16 1:00
MET COM 21,233 95-10-16 1:00
METADDR EXM 55,812 95-10-16 1:00
DOSPM EXE 67,043 95-10-16 1:00
PW BAT 222 20-06-28 3:57
26 個 871,315 バイトのファイルがあります
491,520 バイトが使用可能です
D:¥PW>exit_
英数 半角 R
IBM

Address 一覧
名前 電話 1 FAX 1 住所 1
IBM FAX サー 044-200-8600
カストマー・サービス・ 0120-550-132
紀伊國屋書店 03-3808-1645 03-3808-0180
ダイヤルIBM 0120-04-1992
Personaware
PCソフトウェア・サービ 03-3798-9340
PCソフトウェア・サービ 03-3798-9352
PC DOCK秋葉 03-3258-7025 千代田区外
PC DOCK大阪 06-636-9015 大阪市浪速
PC DOCK相模 0427-49-8300 神奈川県相
PC DOCK名古 052-581-8733 名古屋市中
ピープル事務 0120-860-864 03-5563-0353
英数 半角 R
IBM
Palm Top PC 110



Specification:	
CPU	Intel 80486SX @ 33 MHz
RAM	4 MB
STORAGE	260 MB
BATTERY	Built-in rechargeable lithium-ion pack (NP500 series)
DISPLAY	• Built-in original dual-scan passive-matrix Citizen CSTN LCD (4.7") • Graphics: 640 × 480 @ 256 colors • CSTN LCD Already degraded as expected, so connected to: External VGA Color LCD Monitor (13.3”) HD 1366 x 768
OS	• PC DOS 7.0 • Personaware (a basic graphical operating system)
KEYBOARD	89-keys
Network	
I/O PORTS	• Serial RS-232 • Parallel • VGA

	• 2 x PS/2 (Mouse/Keyboard)
Camera	
ACCESSORIES & DOCUMENTS	• Original AC adapter • Original IBM Battery • Original IBM Dock station • External 3.5'' Floppy Drive • Leather case
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat • **External Monitor**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(075) Vintage IBM ThinkPad 365ED Type 2625 Laptop
[1995]




Original IBM Power Adapter
Sealed SkyMaster QuickShot QS-206
Flight Simulator Joystick
SKYMASTER
Laptop Carrying Bag
WIZ PS2 Graphics Digitizer
including Mouse & Graphics Pad

The Cyrix 5x86 @ 100 MHz
24 MB RAM, 340 MB HDD
Microsoft ™ Windows 98
2X CD-ROM


Passive Matrix (DSTN) Display (10.4”)
640 × 480 @ 256 colors
My Computer
My Briefcase
My Documents
Setup for Microsoft I...
Internet Explorer
Network Neighborhood
Recycle Bin
Connect to the Internet
Start
4:14 AM
Office
Microsoft
IBM ThinkPad
USED EQUIPMENT

Esc
F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
F11
F12
PrtSc
ScrLk
Pause
Insert
Home
PgUp
Delete
End
PgDn
Backspace
Tab
Caps Lock
Enter
Shift
Fn
Ctrl
Alt


Parallel Printer Port
Serial Port
External VGA Monitor
PS2 Ports (Keyboard / Mouse)
MIDI / Joystick Port

3.5mm Audio IN, OUT, MIC
Power Switch

IBM
Part No. 42H3979
FRU No. 41H9780
ID No. 355979
May 20, 1998
PII No. KTC2 Model M6-1


SKYMASTER
Thrustmaster Compatible
Works with Win 95
QS-206

WIZ
WIZ
IBM



Microsoft
Windows98
Windows is shutting down



Specification:	
CPU	The Cyrix 5x86 @ 100 MHz
RAM	24 MB FP Mode SO-DIMM
STORAGE	340 MB
DRIVES	2X CD-ROM
DISPLAY	• Built-in passive matrix (DSTN) display (10.4") • Graphics: 640 × 480 @ 256 colors
OS	• Microsoft Windows 98
KEYBOARD	• Full-Size ALPS switch keyboard with 8 function keys • TrackPoint III pointing stick
Network	LAN Adapter (via PCMCIA card)
I/O PORTS	• VGA port • Serial port • Parallel port • PS/2 port • 3.5mm audio in, out, mic in • MIDI / Joystick port

ACCESSORIES & DOCUMENTS	• Original AC adapter • New Old Stock (NOS) WIZ PS2 Graphics Digitizer including Mouse, Graphics Pad, Connection Adapters, Manuals, and Software in 3.5” and 2.25” Floppy Disk Formats • Sealed SkyMaster QuickShot QS-206 Flight Simulator Joystick (4 Fire Buttons, Throttle Control, HAT/THROTTLE Switch, XY Axis Adjustment) • IBM Logo Carrying Bag
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(076) Vintage IBM WorkPad 8602-10U
[1997]




WorkPad
Your Thought Connection
WorkPad
Your PC Companion
Original Companion Software CDs

Motorola 68328 @ 16 MHz
Touchscreen LCD
with Manual Backlit (160 X 160)
GoType Pro External Keyboard
with Data Transfer Base
Dual Stylus Pen Stand

IBM
GoType!

IBM

IBM
WorkPad
Jan 2, 97
New
Details
Go to
GoType!
Del
Enter
Shift
Num Lock

IBM
WorkPad
7896
Del
Enter
Shift
Num Lock

IBM
WorkPad
Address
Calc
Date Book
Expense
Graffe
HotSync
Mail
Memo Pad
Memory
Prefs
Security
To Do List
8:23 am
Battery
GoType!
Tab
Caps Lock
Shift
Command
ShortCut
Alt
Del
Enter
Shift
Num Lock


Size: 551 MB (578,229,240 bytes)
Resolution: 1920x1080
Duration: 00:05:33
MPC-HC
(076) Vintage IBM WorkPad 8602-10U
[1997]
00:00:20
00:00:39
00:00:59
00:01:38
00:01:58
00:02:17
00:02:57
00:03:16
00:03:36

VIDEO

Specification:	
CPU	Motorola 68328 @ 16 MHz
RAM	2 MB
STORAGE	
DRIVES	
DISPLAY	• Built-in touchscreen LCD • Graphics: 160 x 160
OS	• PalmOS 2.0
KEYBOARD	Touchscreen soft keyboard
Network	
I/O PORTS	• Infrared IrDA port • Serial RS-232 port
ACCESSORIES & DOCUMENTS	• Original data transfer dock station • Leather case • Original Built-in Stylus Pen • 2 x Extra Stylus pens • Original Companion Software CDs • Original WorkPad Graffiti Reference Card • GoType Pro external keyboard
POWER SUPPLY	Battery Operated (2 X Size AAA Standard Dry Batteries)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(077) Vintage Sony Anycast Station AWS-G500
[2003]

POWER
EXT MIC
ON
EAR


Sony Station + Sony VCR Wheeled Travelling Bag
Original RCA NewVicon Video Camera Carrying Bag and Owner's Manual
SONY
RCA
Color Video Camera
CC017 Owner's Manual


High-resolution LCD Screen (15")
Video IN Source Selection Buttons
Detachable Integrated Wireless (Infrared) Full Keyboard and Trackpad
Main Mixing and Effects Slider


• 2 x Sony SDI/Composite Interface Module card add-on
•Sony PC RGB Interface Module card add-on
2 X Audio Line-in Ports
Video OUT Multi-Connector


- 3 X USB
- 10/100 base-T ethernet (RJ-45)
External RGB Monitor

SONY
ANYCAST STATION

SONY
FUJIFILM
smart engine
2x SCART


Extendable Built-in MIC
Original RCA CAM Power Adapter
& AV OUT Cable Connector
Video Lens and Zoom Dial

COLOR VIDEO CAMERA
RCA

SONY
FUJIFILM
smart engine

FUJIFILM
8Hrs T160
VHS
FUJIFILM
smart engine
0035
SONY
AnyCast Station
PVW
PGM

FUJIFILM
8Hrs T160
VHS
FUJIFILM
smart engine
0037
SONY
AnyCast Station
PVW
PGM
RCA

Specification:	
DESCRIPTION	A unique portable solution incorporating video switching and audio mixing with high quality LCD display for producing live broadcast events.
DISPLAY	• Built-in High-resolution LCD Screen (15") • Graphics: 1280 x 800
KEYBOARD	Integrated wireless (Infrared) full keyboard and Trackpad
Network	10/100 base-T ethernet (RJ-45)
I/O PORTS	• **i-LINK (IEEE 1394)**: Connect external devices • **VISCA control port** (8 pins): Camera Control Color, Zoom, Iris, Pan, Tilt, Focus • **Video Switcher**: Up to 6 primary input feeds • **Audio Mixer**: 48KHz/24bit Processing, 6 Channel Input Mixing, Real Channel Faders and a Master Fader, Stereo Speakers • **Intercom I/O**: Contact director or camera operators • 2 X USB A v1.1 • RGB GUI port (HD-15) • RS-232 9-Pin serial port (remote control)

	• Sony Memory Stick Slot
ACCESSORIES & DOCUMENTS	• 2 x Sony SDI/Composite Interface Module card add-on • Sony PC RGB Interface Module card add-on • RCA NewVicon Color Video Camera Model CC011-017 (with original RCA carrying bag) • Sony VCR SLV-SE230G (Video Cassette Recorder)
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **VCR**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **VIDEO CAM**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	• Plug VCR to S-Video (1) Port at Video-IN Upper Interface Card • Plug CAM to S-Video (2) Port at Video-IN Upper Interface Card

(GOTO ^^TOP)

(078) Vintage Sony VAIO All-in-One PCV-W10
[2002]

Full Size Keyboard
with integrated Internet
and Multimedia Action Keys
MAIL
INTERNET
MUSIC
PICTURE
DVD
HELP


Audio IN/OUT/MIC Jacks
CD-RW DVD-ROM Combo drive
Modem/Phone Ports
2 x 4pin i.LINK (IEEE 1394)
10Base-T/100Base-TX
Fast Ethernet
2 x PCMCIA Type-II Card Slots
3 x USB 2.0 Ports


Volume & Brightness Control Dials
Memory Stick Media Slot
Power Cable Socket

SONY
VAIO

SONY
Kid
Disney
It's a Magical World
VAIO
Specifications

SONY
System Properties
VAIO
Specifications

SONY
VAIO
Specifications
17750
Hit Mission Targets To Select Mission

SONY
VAIO
Specifications



Specification:	
CPU	Intel 3 Series (Celeron) @ 1.6 GHz
RAM	512 MB PC-2100 DDR
STORAGE	60 GB Ultra ATA/100 Hard Drive
DRIVES	CD-RW (16X write, 10X rewrite, 24X read) DVD-ROM (8X Read) Combo drive
DISPLAY	• Built-in LCD Wide Aspect Ratio (15.3") • SIS650 Integrated Graphics with Real2562D/3D Graphics Accelerator32MB Shared Graphics Memory • Graphics: WXGA (1280 x 768)
OS	• Microsoft Windows XP (Disney Theme)
KEYBOARD	Built-in full VAIO Keyboard
Network	• 10Base-T/100Base-TX Fast Ethernet • V.90 compatible data/fax modem (RJ-11)
I/O PORTS	• 3 x USB 2.0 • 2 x 4pin i.LINK (IEEE 1394) • Audio ports (IN, OUT, LINE)

	• 2 x PCMCIA Type-II Card Slots • Memory Stick Media Slot
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **Computer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(079) Vintage Sony VAIO PCG-R505EL Laptop
[2003]


Laptop and Accessories Carrying Bag
Original Microsoft ™ MSN CD and Instructions
BEST BUY
You're moments away
from the ultimate Web experience.
msn
1000 HOURS FREE!
for 45 days
ALL-NEW! Version 7.0
America Online (AOL) CD and Instructions

Original Sony Power Adapter
Mobile Intel Pentium III processor @ 1.3 GHz
256 MB SDRAM, 30 GB Hard Drive
VAIO
SONY

SONY
Expand and Empower your R505 Notebook
Optional VAIO® Accessories
Learn about accessories for your VAIO® R505 series notebook at an authorized Sony dealer or at www.sony.com/vaio.
• Double Capacity Battery (PCGA-BP4R)
Power to go! No worries when you travel
• Wireless LAN Pro Access Point (PCWA-A200) and Wireless LAN PC card (PCWA-C100 or PCWA-C150S)
Enjoy high-speed wireless connection to the network
• Additional AC Adapter (PCGA-AC19V3)
Get one for home and one for the office
• Carrying Case (PCGA-CCR5)
Superb protection yet lightweight to help you stay mobile
• Notebook Backpack (PCGA-CCP1)
Ergonomically designed shoulder straps and ribbed contour padding ensure maximal comfort
VAIO
PCG-R505EL
VAIO® R505 SuperSlim Pro™ Notebook
Mobility, Power, and Style...Redefined.
Mobile Intel® Pentium® III processor 1.13 GHz[1] - M
Approx. 4.30 lbs. light[2] & about 1" thin[2]
SlimDock™ docking station with CD-RW/DVD combo drive included
• 30 GB[2] hard drive
• 256 MB SDRAM (expandable to 384 MB max.)
• 12.1" XGA TFT screen
• Integrated V.90 modem and Ethernet with RJ-45 interface for high-speed Internet access
• i.LINK® (IEEE1394) S400 interface[3] for high-speed digital video transfer
• MagicGate™ Memory Stick® media slot
• Sony programmable center Jog Dial™ scroll button
• Microsoft® Windows® XP Home Edition[4]
Sony PCs use genuine Microsoft® Windows®
www.microsoft.com/piracy/howtotell
4-665-411-01 b For footnotes see top cover of notebook.
intel inside
pentium III
Designed for Microsoft® Windows® XP

Original VAIO SlimDock™ Station
CD-RW (16X), DVD-ROM (8X)
Combo drive
2 x 4pin i.LINK (IEEE 1394)
2 x USB 2.0 Ports
10Base-T/100Base-TX Fast Ethernet (RJ-45) +
V.90 compatible data/fax modem (RJ-11)


Original VAIO SlimDock™ Station
3.5” Floppy Disk Drive (1.44 MB)
PCMCIA Type-II Card Slots
Sony Memory Stick Media Slot
Dock Station Release Levers

SONY

VAIO
SONY
SONY

VAIO
3D Pinball for Windows - Space Cadet
3D Pinball
Space Cadet
BALL 1
SONY

VAIO
Cricut Design Studio Trial Mode
Cricut Cartridge Library
George and Basic Shapes
Shape Properties
cricut
SONY


Size: 594 MB (623,674,358 bytes)
Resolution: 1920x1080
Duration: 00:06:41
MPC-HC
(079) Vintage Sony VAIO PCG-R505EL Laptop
[2003]
SONY
VAIO
00:00:24
00:00:47
00:01:11
00:02:45
00:03:32
00:03:56
00:04:19

VIDEO

Specification:	
CPU	• Mobile Intel Pentium III processor @ 1.3 GHz • Cache Memory: 512K integrated on-die level 2 • Bus Speed: 133 MHz
RAM	256 MB SDRAM
STORAGE	30 GB Hard Drive
DRIVES	• SlimDock™ docking station: CD-RW (16X write, 10X rewrite, 24X read), DVD-ROM (8X Read) Combo drive • SlimDock™ docking station: 3.5" Floppy Disk Drive (1.44 MB)
DISPLAY	• Built-in Color TFT LCD (12.1") • Intel 830MG graphic chip with 32 MB Video SDRAM • Graphics: XGA (1024 x 768)
OS	• Microsoft Windows XP (Home Edition)
KEYBOARD	• Built-in full VAIO Keyboard • Electro-Static touch pad: Center Jog Dial control with back button
Network	• 10Base-T/100Base-TX Fast Ethernet (RJ-45 interface) • V.90 compatible data/fax modem (RJ-11)
I/O PORTS	• 2 x USB 2.0 • 2 x 4pin i.LINK (IEEE 1394) • Audio ports (IN, OUT,) • PCMCIA Type-II Card Slots • Sony Memory Stick Media Slot • VGA out port
EXPANSION PERIPHERALS	• Original VAIO SlimDock™ docking station
ACCESSORIES & DOCUMENTS	• Original Packaging Box • Microsoft ™ MSN CD and Instructions • America Online (AOL) CD and Instructions
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(080) Vintage EPSON Equity LT-386SX Laptop
[1992]

Original EPSON logo carrying bag
EPSON
Original EPSON EQUITY
Companion 3.5” Diskettes

High Contrast, Paper-White
Backlit LCD (10”)
Original Power Adapter + Power Cable
EQUITY
EPSON
Logitec Serial Mouse
Intel 80386SX Microprocessor @ 16 MHz
85 Sculptured Keys; Status Indicator bar

Status Indicators LCD Mini Screen
EPSON
EQUITY LT-386SX
LCD

MS-DOS Executive
File View Special
About
Microsoft Windows
MS-DOS Executive
Version 3.0
Copyright © 1985-1990 Microsoft Corp.
OK
Disk Space Free: 5K
Memory Free: 388K
System Resources Free: 90%
EPSON


External VGA Monitor
3.5” Floppy Drive (1.44 MB)
External Serial Mouse
Parallel Printer Port
External Drive
Expansion Components
External Keyboard

EPSON
Power Adapter
Battery Charger Connector

EPSON EQUITY LT-386SX

System Configuration (C) Copyright 1985-1989, American Megatrends Inc.,
Main Processor : 80386
Numeric Processor : None
Floppy Drive A: : 1.2 MB, 5¼"
Floppy Drive B: : 360 KB, 5¼"
Display Type : VGA or EGA
BIOS Date : 09/15/89
Base Memory Size : 640 KB
Ext. Memory Size : 0 KB
Hard Disk C: Type : 5
Hard Disk D: Type : 13
Serial Port(s) : 3F8
Parallel Port(s) : 378
Starting MS-DOS...
EPSON
EQUITY LT-386SX User's Guide
EQUITY
EPSON
EPSON

Microsoft
Windows™
Version 3.0
Copyright© Microsoft Corporation 1985-1990. All Rights Reserved.
EPSON
EQUITY
EPSON

MS-DOS Executive
File View Special
Run...
Load...
Copy...
Get Info...
Delete...
Print...
Rename...
Exit
About MS-DOS Exec...
EPSON
EQUITY
EPSON

MICROSOFT®
Microsoft Windows
Version 1.01
Copyright (c) Microsoft Corporation, 1985. All Rights Reserved.
Microsoft is a registered trademark of Microsoft Corp.
EPSON
EQUITY LT-386SX

MS-DOS Executive
File View Special
Run...
Load...
Copy...
Get Info
Delete...
Print...
Rename...
\WIN101 \
MSDOS.EXE
MSDOSD.EXE
NOTEPAD.EXE
PAINT.EXE
PRACTICE.DOC
README.DOC
REVERSI.EXE
ROMAN.FON
SCRIPT.FON
SPOOLER.EXE
TERMINAL.EXE
TMSRA.FON
TMSRB.FON
WIN.CNF
WIN.COM
WIN.INI
WIN100.BIN
WIN100.OVL
WINOLDAP.GRB
WINOLDAP.MOD
WRITE.DAT
WRITE.EXE
~MSP0931.TMP
CLOCK.EXE
COMMAND.COM
CONTROL.EXE
COURA.FON
COURB.FON
DOTHIS.TXT
HELVA.FON
HELVB.FON
HIFONTS.FON
HPLASER.DRV
LOFONTS.FON
MODERN.FON
EPSON
EQUITY LT-386SX

EPSON
EPSON


Size: 543 MB (569,569,729 bytes)
Resolution: 1920x1080
Duration: 00:08:52
MPC-HC
(080) Vintage EPSON Equity LT-386SX Laptop
[1992]
00:00:31
00:01:03
00:01:34
00:02:39
00:03:08
00:03:39
00:04:42
00:05:44
MICROSOFT

VIDEO

Specification:	
CPU	Intel 80386SX microprocessor @ 16 MHz
RAM	2 MB (640KB standard and 1280KB extended)
STORAGE	Interchangeable, pop-out, 20MB, 16-bit bus AT-compatible Controller HDD
DRIVES	Internal 3.5" floppy drive (1.44 MB)
DISPLAY	• Built-in high contrast, paper-white, backlit LCD (10") • Graphics: (640 x 480) 16-level gray scale
OS	• Microsoft MS-DOS 6.22 (floppy) • Microsoft Windows 3.0 (floppy) • Microsoft Windows 1.01 (floppy)
KEYBOARD	85 sculptured keys; status indicator bar, icons for Num Lock, Caps Lock, and Scroll Lock
Network	Internal modem slot; 34-pin male connector
I/O PORTS	• Parallel: Standard 8-bit parallel, Z-pin, D-type female connector • Serial: RS-232C, programmable, asynchronous, 9-pin, D-type male connector • Video: 15-pin, female connector; supports VGA monitor • External Drive: 15-pin, D-type female connector • Keyboard connector for optional, external keyboard
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original Power Adapter
	• Original EPSON logo carrying bag
	• Logitec Serial Mouse
	• Original EPSON EQUITY Manuals:
	  • MS-DOS 4.01 reference manual
	  • MS-DOS 4.01 installation + Shell mini guides
	  • MS-DOS 4.01 Operating + Shell + Reference floppy diskettes
	  • EPSON User's Guide

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(081) Vintage Compaq Contura Aero Laptop
[1994]


Original Compaq PCMCIA
Data/Fax Modem with Cable
Intel SL Enhanced 486SX processor @ 25 MHz
4 MB RAM, 170 MB HDD
Original Compaq External
PCMCIA Floppy Driver

Backlit Monochrome LCD (8")
(640 x 480) 16-level gray scale
TabWorks : DEFAULT.TWF
File Tab Page Item Options Help
Compaq Utilities
Page 1 of 1
Compaq User's Guide
Mouse & Trackball Software
Compaq Dictionary
Compaq EZSearch
Compaq Diagnostics
Computer Setup
HotKey
Security
Power Management & Hibernation
EZ Help Online Library
Contents
Index
COMPAQ
CONTURA
AERO 4/25

Standard Full Keyboard
Inverted "T" Cursor Keys
External 3.5" Floppy Disk Drive (1.44 MB)
with Integrated PCMCIA Card
Integrated Easy-Point Trackball


Parallel Printer Port
Docking Base Port
Power Adapter Connector
External VGA Monitor Port


Type II PCMCIA Slot

COMPAQ
TabWorks : DEFAULT.TWF
File Tab Page Item Options Help
CONTURA
AERO 4/25
COMPAQ

COMPAQ
CONTURA
AERO 4/25
TabWorks : DEFAULT.TWF
Control Panel
Settings Help
Changes the Windows screen colors

COMPAQ
CONTURA
AERO 4/25
File Manager
File Disk Tree View Options Tools Window Help
About File Manager
Microsoft Windows File Manager
Version 3.1
OK
This product is licensed to:
COMPAQ DirectPlus Customer
Compaq Computer Corporation
Please contact your hardware manufacturer for
Windows technical support.
386 Enhanced Mode
Memory: 6,445 KB Free
System Resources: 81% Free

COMPAQ
Volume Serial Number is 2317-10FC
Directory of C:\
DOS <DIR> 09-23-94 10:13a
CPQDOS <DIR> 09-23-94 10:13a
WINDOWS <DIR> 09-23-94 10:13a
AUTOEXEC 1 292 09-29-94 1:00p
AUTOEXEC BAT 298 10-03-94 3:57p
LETTER DOC 14,336 04-02-98 7:27p
COMMAND COM 54,619 09-30-93 6:20a
WIN420 386 9,349 09-30-93 6:20a
WIN32APP <DIR> 10-04-94 4:52p
CONFIG SYS 479 03-01-96 5:42a
CONFIG BAK 479 03-01-96 5:42a
MATH DOC 13,824 05-27-98 8:59a
ORGANIZE <DIR> 09-23-94 10:42a
WIMLIMX <DIR> 09-23-94 10:44a
MOUSE <DIR> 09-23-94 10:35a
AUTOEXEC BAK 285 09-23-94 10:51a
WINFAX <DIR> 09-23-94 10:56a
TARWORKS <DIR> 09-23-94 10:55a
10 file(s) 93,961 bytes
99,893,248 bytes free
CONTURA AERO 4/25


Size: 546 MB (573,497,117 bytes)
Resolution: 1920x1080
Duration: 00:05:59
MPC-HC
(081) Vintage Compaq Contura Aero Laptop
[1994]
Specification:
CPU
RAM
STORAGE
DRIVES
DISPLAY
OS
KEYBOARD
Network
I/O PORTS
00:00:21
00:00:42
00:01:03
00:01:46
00:02:07
00:02:28
00:03:10
00:03:31
00:03:52

VIDEO

Specification:	
CPU	• Intel SL Enhanced 486SX processor @ 25 MHz • Integrated 8 KB cache
RAM	4 MB
STORAGE	170 MB HDD
DRIVES	External PCMCIA 3.5" floppy drive Series 2833 (1.44 MB)
DISPLAY	• Built-in backlit monochrome LCD (8") • Graphics: (640 x 480) 16-level gray scale
OS	• Microsoft MS-DOS 6.2 • Microsoft Windows 3.1 • Windows TabWorks Shell Manager • Windows Compaq Diagnosis Utility
KEYBOARD	Standard full keyboard, inverted "T" Cursor Keys, integrated Easy-Point Trackball
Network	Original Compaq PCMCIA Type II 14.4 Data + Fax modem
I/O PORTS	• Type II PCMCIA slot • Memory Expansion Slot • External VGA monitor port • Parallel printer port • Docking base port
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Power Adapter (Series 2832A) • Original Compaq External Floppy Driver (Series 2833) • Original Compaq PCMCIA data/fax modem with cable • Original Compaq laptop battery + Duracell backup battery • Premium Kensington Laptop Bag
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(082) Vintage Compaq LTE Elite 4-75CX Laptop
[1993]


IntelDX4 i486 Microprocessor @ 75 MHz
8MB RAM
340 MB PATA (Parallel ATA) HDD
Monitor Integrated Easy-Point Trackball
Internal 3.5” Floppy Disk Drive (1.44 MB)


Backlit Color TFT Screen (9.5”)
(640 x 480) @ 256 Colors
TabWorks : DEFAULT.TWF
File Tab Page Item Options Help
Quicken
Page 1 of 1
Quicken 4 for Windows
Intuit Marketplace
ExpensAble 2.1
Remove ExpensAble 2.1
Click to go to Applications Tab.

Power
Esc
F1
F2
F3
F4
F5
F6
F7
F8
F9
F10
F11
F12
Insert
Prt Sc
Home
Scroll
Pg Up
Pause
Delete
SysRq
End
NumLk
Pg Dn
Break
Backspace
Tab
Caps Lock
Enter
Shift
Ctrl
Alt
Fn


Serial RS232 Port
Monitor Back 2 Mouse Buttons
External Dock Station
PS2 Keyboard / Mouse Port
Parallel Printer Port
Power Cable Connector
External VGA Monitor

PCMCIA 56K Modem Card
56K

COMPAQ

V.90 56K FAX MODEM

Expanded memory services unavailable
Error : CD-ROM not responding
Driver NOT installed
COMPAQ

TabWorks : DEFAULT.TWF
COMPAQ

TabWorks : DEFAULT.TWF
COMPAQ

TabWorks : DEFAULT.TWF
File Tab Page Item Options Help
COMPAQ

TabWorks : DEFAULT.TWF
File Tab Page Item Options Help
Calculator
Edit View Help
COMPAQ

COMPAQ

Size: 577 MB (605,909,872 bytes)
Resolution: 1920x1080
Duration: 00:06:20
MPC-HC
(082) Vintage Compaq LTE Elite 4-75CX Laptop
[1993]
Original Compaq Laptop Carrying Bag
Serial RS232 Port
External Dock Station
PS2 Keyboard / Mouse Port
Parallel Printer Port
External VGA Monitor
Monitor Back 2 Mouse Buttons
Power Cable Connector
00:00:22
00:00:45
00:01:07
00:02:14
00:02:36
00:03:21
00:03:43
00:04:06

VIDEO

Specification:	
CPU	• IntelDX4 is a clock-tripled i486 microprocessor @ 75 MHz • Integrated 16 KB level 1 cache
RAM	8 MB
STORAGE	340 MB PATA (Parallel ATA) HDD
DRIVES	Internal 3.5” Floppy Disk Drive (1.44 MB)
DISPLAY	• Built-in backlit Color TFT Screen (9.5") • Graphics: (640 x 480)
OS	• Microsoft DOS 6.20 • Microsoft Windows 3.1 • Windows TabWorks Shell Manager
KEYBOARD	Standard full keyboard, integrated Easy-Point Trackball
Network	
I/O PORTS	• External VGA monitor port • Parallel printer port • Serial RS232 port • PS/2 port • Docking connector
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Compaq Laptop Carrying bag • PCMCIA 56K Modem Card
POWER SUPPLY	• **System**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(083) Vintage HP Compaq Tablet PC TC1100 Laptop
[2004]

Original Touch Screen Attached S-Pen
Original Power Adapter
Intel Pentium M @ 1.0 GH
512 MB RAM
40 GB PATA (Parallel ATA) HDD


Backlit Color Touch TFT Screen (10.4")
NVIDIA GeForce 4 Go 420 (32MB VRAM)
XGA (1024 x 768)
Adobe Reader 7.0
Verknüpfung mit PINBALL.EXE
Eigene Dateien
Verknüpfung mit freecell.exe
My Copmuter
Network
Internet Explorer
Papierkorb
Bildschirmtastatur
Start

Standard Full Keyboard
with Integrated AccuPoint Stick Mouse


Audio / MIC Ports

Monitor Rotating Base


S-Pen Monitor Compartment
PCMCIA Card Expansion Slot
Power Adapter Connector


Adobe Reader 7.0
Verknüpfung mit PINBALL.EXE
Administrator
Start


Adobe Reader 7.0
Verknüpfung mit PINBALL.EXE
Administrator


3D Pinball for Windows - Space Cadet
3D Pinball
Space Cadet
BALL 1
1
0


Spider
Score: 500
Moves: 0
Start

Computer ausschalten


Size: 585 MB (613,858,858 bytes)
Resolution: 1920x1080
Duration: 00:07:18
(083) Vintage HP Compaq Tablet PC TC1100 Laptop
[2004]
00:00:26
00:00:52
00:01:17
00:02:09
00:02:35
00:03:00
00:03:52
00:04:18
00:04:44

VIDEO

Specification:	
CPU	• Intel Pentium M @ 1.0 GHz • Integrated 512 KB cache
RAM	512 MB
STORAGE	40 GB PATA (Parallel ATA) HDD
DRIVES	
DISPLAY	• Built-in backlit Color Touch TFT Screen (10.4") • NVIDIA GeForce 4 Go 420 (32MB VRAM) • Graphics: XGA (1024 x 768)
OS	• Microsoft Windows XP Tablet PC Edition
KEYBOARD	• Attached standard full keyboard • Keyboard integrated AccuPoint stick mouse • Original Touch Screen Attached S-Pen
Network	• 10/100 Broadcom 440x Fast Ethernet (RJ45) • Modem 56K (RJ11)
I/O PORTS	• 2 x USB v2.0 ports • External VGA monitor port • PCMCIA Expansion Card Slot • InfraRed port • SD Card port • Audio input ports 2.5 mm (IN, OUT, MIC)
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Laptop Carrying Sleeve
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(084) Vintage HP iPAQ Pocket PC H5450 PDA
[2002]


Original iPAQ Pocket PC Packaging Box
2 X Original Heavy Duty Cover Case
(HP, Compaq Logos)
COMPAQ
iPAQ
Pocket PC
Original Sealed
Car Cigarette Lighter Charger

NAVMAN GPS Module with Car GPS Adapter
64MB CF Card and TomTom Maps
Intel XScale Processor@ 400 MHz
64 MB RAM; 48-MB Flash ROM
Transflective TFT LCD (3.8")
NAVMAN
COMPAQ
Original Charging/Sync Base
with Style Pen Holder
Original Fabric Belt Cover Case

Start
1:20
Recent Programs
Today
iPAQ Wireless
ActiveSync
Calendar
Contacts
Inbox
Internet Explorer
Notes
Tasks
Windows Media
Programs
Settings
Find
Help
iPAQ
Pocket PC
COMPAQ

Settings
1:20
ok
About
Microsoft® Pocket PC
Version 3.0.11171 (Build 11178)
© 1996 - 2001 Microsoft Corporation.
All rights reserved.
This computer program is protected by
U.S. and international copyright laws.
Processor: Intel(R) PXA250
62.91 MB
Expansion slot: In use
Owner:
Version
Device ID
Copyrights
iPAQ
Pocket PC
COMPAQ

Settings
1:21
Power
Main battery:
LiPolymer
Recharging state:
Charging
Backup battery:
On battery power:
Turn off device if not
3 minutes
Main
Standby
USB Charging
iPAQ
Pocket PC
COMPAQ

Solitaire
Time: 0
Score: 0
New
Tools
iPAQ
Pocket PC
COMPAQ

NAVMAN
64
COMPAQ

COMPAQ
iPAQ
Pocket PC
» Outstanding performance
» Personal entertainment features
» Acclaimed design, dazzling display
Microsoft mobile

GPS 3400
Voice
NAVMAN
1300


Size: 561 MB (588,863,935 bytes)
Resolution: 1920x1080
Duration: 00:05:55
MPC-HC
(084) Vintage HP iPAQ Pocket PC H5450 PDA
[2002]
00:00:21
00:00:42
00:01:03
00:01:44
00:02:05
00:02:26
00:03:08
00:03:29
00:03:50
COMPAQ
iPAQ
Pocket PC

VIDEO

Specification:	
CPU	Intel PXA250 XScale Processor@ 400 MHz
RAM	64 MB SDRAM; 48-MB Flash ROM
STORAGE	SD/MMC memory cards
DRIVES	
DISPLAY	• Built-in Transflective TFT liquid crystal display (3.8") • Graphics: (240 x 320) @ 64K color
OS	Microsoft Windows Mobile Pocket PC 2002
KEYBOARD	• Touch-sensitive display for stylus or fingertip (Handwrite Recognition) • Biometric Fingerprint Reader • 5-way Joypad
Network	• WLAN: IEEE 802 Part 11b (802.11b) • Bluetooth: V1.1 compliant (2.4 GHz) • Infrared (IrDA)
I/O PORTS	• AutoSync/Desktop Cable (USB and Serial) • 3.5 mm 4-way Audio Jack • InfraRed port • SD Card slot
EXPANSION PERIPHERALS	• Navman jacket GPS (integrated) + Disks + Packaging Box • Tomtom with external GPS receiver +Maps CDs
ACCESSORIES & DOCUMENTS	• Original Packaging Box • Original Charging/Syncing Dock • Original Fabric heavy duty cover case • Cigarette lighter charger
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **GPS**: 12V Car Adapter
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(085) Vintage Toshiba LIBRETTO 50CT Laptop
[1996]

Laptop and Accessories Carrying Bag
Ethernet Adapter
with Instructions Booklet
Original Companion Software
Disks and Instructions
COMPANION
DISKETTE
NOW SPEED IT UP!
PCMCIA LinkSys 10Mbps Ethernet card
+ Hays Optima 336 V.34 Data/Fax modem


Intel Pentium @ 75 MHz
16 MB SDRAM
722 MB 2.5” Enhanced IDE
Original Toshiba Power Adapter
External PCMCIA 3.5” Floppy
Disk Drive (1.44 MB)

TFT Active Matrix Color Display (6.1")
4 MB EDO Video DRAM
800 x 600 @ 64K Colors
Power Button
Monitor Integrated Nubbin Mouse
(2-Buttons on the Back
Libretto 50CT
intel inside
pentium
Designed for
Microsoft Windows 95
TOSHIBA
My Computer
Windows Explorer
Internet Explorer
Inbox
Network Neighb...
My Briefcase
Start


Power Adapter Cable Connector
PCMCIA Slot


Back Monitor Mouse 2 Buttons
Attached Dock Station 25-Pin Parallel
(8 bit ECP) Port
Attached Dock Station 9-Pin
Serial (16550 UART)
Infrared Port (IrDA1.0 115.2Kbps)
Attached Dock Station External 15-Pin
RGB (SVGA Video) Port

TOSHIBA
Libretto 50CT

TOSHIBA

Laptop Anti-Theft Security Slot
Original Toshiba LIBRETTO IO
Dock Model (CAB0346A)

Libretto 50CT
intel inside
pentium
Designed for
Microsoft Windows 95
TOSHIBA
My Computer
Windows Explorer
Internet Explorer
Inbox
View
Programs
Documents
Settings
Find
Help
Run...
Suspend
Shut Down...
Windows 95
Start
Accessories
Games
Microsoft Works 4.0
Pos
Reflection
StartUp
Toshiba Accessories
Toshiba Utilities
TranXit
WinZip
Yamaha
Internet Explorer
MS-DOS Prompt
Windows Explorer
Best of Entertainment
Jixxa
FreeCell
Hearts
Minesweeper
Solitaire
12:19 AM

Libretto 50CT
intel inside
pentium
Designed for
Microsoft Windows 95
TOSHIBA
My Computer
Windows Explorer
Internet Explorer
Inbox
Network Neighb...
My Briefcase
Recycle Bin
Shortcut Bar
Dial-Up Network...
Microsoft Works 4.5
Minesweeper
Game Help
Start
Minesweeper
12:19 AM

Libretto 50CT
intel inside
pentium
Designed for
Microsoft
Windows 95
TOSHIBA
Works TaskWizard
Resume TaskWizard
Chronological
Qualifications
Curriculum Vitae
Chronological resume
Instructions
Cancel
Next >
Start
Microsoft Works
12:20 AM

Libretto 50CT
intel inside
pentium
Designed for
Microsoft
Windows 95
TOSHIBA
Microsoft Works
File Edit View Insert Format Tools Window Help
Unsaved Document 1
Header
Your Name
Address Line 1
Address Line 2
City, State/Province Postal Code
Country
Home Phone 555-2468
SUMMARY
WORK HISTORY
Start
Microsoft Works
12:21 AM

Libretto 50CT
intel inside
pentium
Designed for
Microsoft Windows 95
TOSHIBA
Please wait while your computer shuts down.
Microsoft Windows 95

Size: 551 MB (577,839,103 bytes)
Resolution: 1920x1080
Duration: 00:06:32
MPC-HC
(085) Vintage Toshiba LIBRETTO 50CT Laptop
[1996]
00:00:23
00:00:46
00:01:09
00:01:37
00:01:55
00:02:18
00:02:42
00:03:28
00:03:51
00:04:14

VIDEO

Specification:	
CPU	• Intel Pentium @ 75 MHz • 16KB (8KB code; 8KB data) Cache
RAM	16 MB SDRAM; 256 KB ROM
STORAGE	722 MB 2.5” Enhanced IDE
DRIVES	External PCMCIA 3.5" Floppy Disk Drive (1.44 MB)
DISPLAY	• Built-in TFT Active Matrix Color display (6.1") • 4 MB EDO Video DRAM • Graphics: (800 x 600) @ 64K colors
OS	Microsoft Windows 95
KEYBOARD	• 80 keys, 12 dedicated function keys, Inverted T Cursor control • The mouse is tiny nubbin to the screen front with the buttons relegated to the back
Network	External PCMCIA LinkSys 10Mbps Ethernet card
I/O PORTS	• 9-Pin Serial (16550 UART) • 25-Pin Parallel (8 bit ECP) • 15-Pin RGB (SVGA video) • Headphone (2.5mm mini jack, stereo) • Infrared port (IrDA1.0: 115.2Kbps) • PCMCIA Slot
EXPANSION PERIPHERALS	• Hays Optima 336 V.34 Data/Fax modem (PCMCIA with cable)

ACCESSORIES & DOCUMENTS	• Original AC Adapter
	• Original IO Dock model (CAB0346A)
	• Original Hays Optima modem guides
	• Original Toshiba Companion Diskettes and Guide
	• Original Manuals:
	  • User’s Guide
	  • Configuration Guide
	  • Quick Reference Guide

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(086) Vintage Toshiba Satellite 205CDS Laptop
[1996]




Dual Scan, DSTN Color
LCD Display (11.3")
Original Toshiba Companion
Floppy Diskettes
External Microsoft IntelliPoint
USB to PS2 Mouse and Pad
Original Toshiba External
3.5" Floppy Drive (1.44 MB)


Keyboard integrated AccuPoint
Stick 2 Buttons Mouse
80 keys, 12 dedicated function keys
Inverted T Cursor control

Satellite
205CDS
TOSHIBA
My Computer
Inbox
Recycle Bin
Dig Dug
Mickey and Friends Pl...
Galaxian
Microsoft Works 4.0
Pac-Man
Quicken Speci...
Pole Position
Skins Golf
Pac-Man
Game Options Help
1UP
70
HIGH SCORE
500
Start
Pac-Man
12:19 AM

Integrated, Modular, 5.25-inch
6X CD-ROM Drive


25-Pin Parallel (8-bit ECP)
Power Cable
Infrared port (IrDA1.0: 115.2Kbps)
PS/2 External Keyboard/Mouse
9-Pin Serial (16550 UART)


External Floppy Drive Connector
PCMCIA Modem Card
15-Pin RGB (SVGA video)
Power Button

TOSHIBA
COMPANION
DISKETTE
Satellite
205CDS
TOSHIBA

TOSHIBA
COMPANION
DISKETTE
System Properties
TOSHIBA
Satellite
205CDS
TOSHIBA

TOSHIBA
COMPANION
DISKETTE
Satellite
205CDS
TOSHIBA
Pac-Man
HIGH SCORE
7710

TOSHIBA
COMPANION
DISKETTE
Satellite
205CDS
TOSHIBA
Dig Dug
ROUND

Please wait while your computer shuts down.
Microsoft Windows 95
TOSHIBA
COMPANION DISKETTE


Size: 547 MB (574,264,344 bytes)
Resolution: 1920x1080
Duration: 00:06:39
(086) Vintage Toshiba Satellite 205CDS Laptop
[1996]
00:00:23
00:00:47
00:01:10
00:01:57
00:02:21
00:02:44
00:03:31
00:03:54
00:04:18

VIDEO

Specification:	
CPU	• Intel Pentium @ 100 MHz • 16 KB write-back internal cache
RAM	16 MB EDO DRAM
STORAGE	722 MB 2.5” Enhanced IDE
DRIVES	• Integrated, modular, 5.25-inch 6X CD-ROM drive • External 3.5" floppy drive (1.44 MB 2HD, 720 2DD)
DISPLAY	• Built-in dual scan, DSTN color LCD display (11.3") • 4 MB VRAM (F65550 SVGA graphics controller) • Graphics: (800 x 600) @ 64K colors
OS	Microsoft Windows 95
KEYBOARD	• 80 keys, 12 dedicated function keys, Inverted T Cursor control • Keyboard integrated AccuPoint stick mouse
Network	
I/O PORTS	• 9-Pin Serial (16550 UART) • 25-Pin Parallel (8 bit ECP) • 15-Pin RGB (SVGA video) • PS/2 port (external keyboard/mouse) • Headphone (2.5mm mini jack, stereo) • Infrared port (IrDA1.0: 115.2Kbps) • 176-pin port supports an optional NoteDock
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original AC Adapter • External Microsoft IntelliPoint mouse • Original Toshiba Companion Diskettes and Guide • Mickey & friends print studio CD • Original laptop invoice dated: December 24, 1996 • Original laptop manuals
POWER SUPPLY	• **System**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(087) Vintage Toshiba Qosmio G25-AV-513 Laptop
[2004]


TruBrite Color LCD display (17")
up to WXAG+ (1440 X 900)


Dual Stereo Speakers
Multimedia Control Touch Buttons
Integrated Touchpad
Volume Control Dial Button
and Indicator Lights

TOSHIBA
Qosmio


PCMCIA Expansion Slot
SD Card Reader


S-Video Port
External VGA Monitor
Power Adapter Connector
Phone/Modem Line
Video Display Port


Power Button
Local Area Network (LAN)
Ethernet 10Base-T/100Base-TX (RJ45)
4 x USB 2.0 4 pin USB Type A

3D Pinball
Space Cadet
BALL 1
1 0
Player 1
Awaiting Deployment
TOSHIBA
Qosmio

3D Pinball
Space Cadet
BALL 2
1 126250
Player 1
Hit Mission Targets To Select Mission
TOSHIBA
Qosmio


TOSHIBA
Qosmio
Office Online
harman/kardon

Microsoft
Windows
Hibernating...
TOSHIBA
Qosmio
harman/kardon

Specification:	
CPU	• Intel Pentium M 760 @ 2 GHz • 2 mb L2 Cache
RAM	2 x 512 MB DDR2 SDRAM
STORAGE	2 X 60 GB SATA 5400 rpm HDDs
DRIVES	
DISPLAY	• Built-in TruBrite Color LCD display (17") • NVIDIA GeForce Go 6600 128 MB DDR SDRAM • Graphics: WXAG+ (1440 X 900)
OS	Microsoft Windows XP Media Center Edition 2005
KEYBOARD	• 80 keys, 12 dedicated function keys, Inverted T Cursor control • Integrated Touchpad
Network	• Ethernet 10Base-T/100Base-TX (RJ45) • Intel PRO/Wireless 2915ABG (802.11a/b/g) • Modem: ITU V.90, ITU V.92 (56 Kbps) (RJ11) • Bluetooth
I/O PORTS	• 4 x USB 2.0 4 pin USB Type A • IEEE 1394 (FireWire)

	• Video display ports (HD-15 VGA, S-video, component video, TV antenna) • Headphone (2.5mm mini jack, stereo) • SD Card Reader
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original AC Adapter
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • 6-cell Lithium Ion 4400 mAh battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(088) Vintage Fujitsu Lifebook P1630 UMPC Laptop
[2008]



Original New Sealed
Microsoft ™ OneNote Setup CD
Original New System Packaging Box
Inserts, Sealed Recovery and Drives CDs
Do Not Discard The CDs or This CD Case
Made in JAPAN
FUJITSU
intel

Original New System Power Adapter
Original New System Chargeable Battery
(6-cell Lithium Ion 4400 mAh)
Microsoft
Do Not Discard The CDs or This CD Case


Transmissive TFT display (8.9")
WXGA (1280 X 800)
Full Swivel Tablet Mode Screen
Integrated FingerPrint Sensor Reader
Monitor Integrated Function Keys
Power Button and System LED Indicators
Keyboard Integrated AccuPoint
Stick Mouse
FUJITSU
Bluetooth

SD Card Slot
2 X USB 2.0 Port
Audio / MIC Ports
Power Adapter Connector

ERASER
DUAL PROGRAMMABLE BUTTONS
& L
LEFT & RIGHT MOUSE BUTTONS
WHITE NIB PENABLED WACOM STYLUS
Passive Digitizer Pen


LIFEBOOK
FUJITSU
10/100/1000 Base-T Ethernet (RJ45)
Anti-Theft Lock Slot
Modem Port (RJ11)


Atheros XSPAN WiFi (802.11abgn)
Bluetooth v2.1
ON/OFF Switch
PCMCIA Card Type I/II Slot

LIFEBOOK
FUJITSU


FUJITSU
AC ADAPTER
FUJITSU LIMITED
Do Not Discard The CDs or

FUJITSU
AC ADAPTER
CAUTION
FUJITSU LIMITED
Do Not Discard The CDs or

FUJITSU
EverNote
EverNote is a single place for all your notes.
EverNote lets you store all types of notes and organize them into scrollable tape.
In this demo, you'll see how easy it is to use EverNote.
Please click Next to continue.
AC ADAPTER
CAUTION
FUJITSU LIMITED
Do Not Discard The CDs or

FUJITSU
AC ADAPTER
FUJITSU LIMITED
Do Not Discard The CDs or


Size: 545 MB (572,313,728 bytes)
esolution: 1920x1080
uration: 00:06:46
MPC-HC
(088) Vintage Fujitsu Lifebook P1630 UMPC Laptop
[2008]
00:00:24
00:00:48
00:01:12
00:01:59
00:02:23
00:02:47
Atheros XS
00:03:35
00:03:59
00:04:23

VIDEO

Specification:	
CPU	• Intel Core 2 Duo SU9300 @ 1.2 GHz • 3 MB L2 cache
RAM	1 GB DDR2 667 MHz Micro-DIMM slot
STORAGE	80 5400 rpm PATA HDD
DRIVES	
DISPLAY	• Built-in Transmissive TFT display (8.9") • Graphics: WXGA (1280 X 800)
OS	Microsoft Windows Vista Business Edition
KEYBOARD	• Integrated 82-key standard keyboard • Passive digitizer Pen • Keyboard integrated AccuPoint stick mouse • Fingerprint Sensor
Network	• 10/100/1000 Base-T Ethernet (RJ45) • Atheros XSPAN WiFi (802.11a/b/g/n) • Bluetooth v2.1
I/O PORTS	• 2 x USB 2 pin USB Type A • 1.3mp camera • PCMCIA type I/II • Video display ports (HD-15 VGA) • Headphone (2.5mm mini jack, stereo) • SD Card Reader
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) with original:
	  • Packaging box and inserts
	  • AC Adapter
	  • System manuals and CDs
	  • Battery

POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • 6-cell Lithium Ion 4400 mAh battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(089) Vintage Fujitsu Lifebook 555Tx Laptop
[1998]

Original Fujitsu Power Adapter
External 3.5” Floppy Disk Drive (1.44 MB)
Original Microsoft ™ PS2 Laser Mouse
Internal CD-ROM Drive
Intel ™ Logo Mouse Pad


LCD Color Display (8.9”)
VGA (800 X 600) @ 256 colors
Start
9:18 AM
My Computer
Microsoft Access
Network Neighbor...
Microsoft Excel
Microsoft Outlook
Microsoft PowerPoint
My Briefcase
Microsoft Word
Windows95 Tour and ...
Notepad
Recycle Bin
Paint
Arrange Icons
Line up Icons
Paste
Paste Shortcut
New
Properties
FUJITSU


Original Microsoft ™ PS2 Laser Mouse
Integrated Touchpad

System Status LCD D
Power But

Power Adapter Connector
PS2 Port (External Keyboard / Mouse)
Audio/MIC Ports
and Volume Control Dial Button


Parallel Printer Port
Expansion Dock Station
External VGA Monitor
Serial RS232c Port
InfraRed Sensor

PCMCIA Type I/II Card Slot
External Floppy Disk Drive Connector

Control Panel
System Properties
FUJITSU
LIFEBOOK

Start
Programs
Accessories
Games
FUJITSU
intel

Start
Solitaire
FUJITSU

Microsoft PowerPoint - [Presentation1]
Click to add title
Click to add text
FUJITSU
LIFEBOOK

Please wait while your computer shuts down
Windows 95
FUJITSU
LIFEBOOK

Specification:	
CPU	• Intel Pentium MMX @ 150 MHz • 256 KB L2 cache
RAM	32 MB
STORAGE	2 GB HDD
DRIVES	• Internal CD-ROM Drive • External 3.5'' Floppy Disk Drive (1.44 MB)
DISPLAY	• Built-in LCD color display (8.9") • Graphics: VGA (800 X 600) @ 256 colors
OS	Microsoft Windows 95
KEYBOARD	• Standard 80 keys, 12 function keys, Cursor control • Integrated Touchpad
Network	• PCMCIA 10/100 Base-T Ethernet (RJ45)
I/O PORTS	• PCMCIA type I/II • Serial RS232c port, Printer port • Headphone (2.5mm mini jack, stereo)

EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original AC Adapter • Microsoft PS/2 mouse • Carrying bag
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat Pins + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(090) Vintage Gateway 2000 ColorBook Laptop
[1993]



Laptop and Accessories Carrying Bag
Original Microsoft ™ Basic Mouse Box and Instructions Papers
The Easy Choice
Microsoft
Basic Mouse
Easy setup
Microsoft reliability
Two-year warranty
Basic Mouse


External PCMCIA Telepath fax modem (RJ11)
Original Gateway Power Adapter
Intel 804865SX @ 25 MHz
80 MB HDD - 4 MB RAM
1 MB Memory Expansion Module
The Easy Choice
Microsoft
Basic Mouse


LCD color display (8.9”)
800 X 600 @ 256 colors
GATEWAY2000
COLORBOOK
Memory Expansion Compartment
Power Button
80 keys, 12 function keys, Cursor control
with Integrated popup Trackball Mouse


Integrated Popup Trackball Mouse
3.5" Floppy Disk Drive (1.44 MB)


Power Adapter Connector
External VGA Monitor Port
Serial Port
PS2 (Mouse / Keyboard) Port
Parallel Printer Port

Program Manager
File Options Window Help
About Program Manager
Program Manager
Microsoft Windows for Workgroups
Version 3.11
Copyright © 1985-1993 Microsoft Corporation
This product is licensed to
Gateway Authorized Customer
Gateway 2000
Product Number
Memory: 36,591 KB Free
System Resources: 78% Free
OK

CLEAR Image 1.00 by CLEAR Software, Inc.
Path: c:\clr3\clearclp
File: bus198.wmf
Files:
bus180.wmf
bus182.wmf
bus184.wmf
bus187.wmf
bus194.wmf
bus198.wmf
bus295.wmf
Directories:
Select File
Copy to Clipboard
Quit
About CLEAR Image
Copy Image to Clipboard
Options
Quit

Create Investigator Accts Template.
Obtain Investigator List with contacts & acct #s from

C:\>ver
MS-DOS Version 6.22
C:\>dir_

CDOLG <DIR> 02-22-95 11:28a
MSWORKS <DIR> 02-22-95 11:28a
DESKJET <DIR> 03-05-95 8:04p
LARRPTS LOG 11,066 11-27-95 1:03p
WINWORD <DIR> 09-02-95 11:26p
EXCEL <DIR> 09-02-95 11:51p
AUTOEXEC SYD 435 09-02-95 12:02a
AOL40 <DIR> 01-16-00 6:59p
SCANDISK LOG 463 01-15-00 11:07a
FILE0001 CHK 19,439,616 10-06-99 8:52a
AUTOEXEC BAT 407 10-13-99 1:42a
AOL30 <DIR> 10-13-99 5:03p
AOL40A <DIR> 10-13-99 6:05p
AOL40B <DIR> 12-31-99 10:36p
MARKETIN <DIR> 01-18-00 5:38p
MAB <DIR> 11-25-96 6:38p
FAXWORKS <DIR> 11-25-96 6:41p
CHKLIST MS 135 12-06-96 12:50a
ALL3 <DIR> 01-27-97 10:04p
CK_LIST DOC 10,240 02-26-97 2:36p
SUPPLY3 DOC 4,030,976 03-12-96 8:26p
32 file(s) 23,549,037 bytes
177,684,480 bytes free
C:\>_

e Size: 586 MB (615,294,875 bytes)
esolution: 1920x1080
uration: 00:05:51
MPC-HC
(090) Vintage Gateway 2000 ColorBook Laptop
[1993]
00:00:21
00:00:41
00:01:02
00:02:04
00:02:25
00:03:06
00:03:27
00:03:47

VIDEO

Specification:	
CPU	Intel 804865SX @ 25 MHz
RAM	4 MB
STORAGE	80 MB HDD
DRIVES	• Internal 3.5'' floppy drive (1.44 MB)
DISPLAY	• Built-in LCD color display (8.9") • Graphics: 800 X 600 @ 256 colors
OS	Microsoft Windows 3.1 FWG
KEYBOARD	• Standard 80 keys, 12 function keys, Cursor control • Integrated popup Trackball mouse
Network	• External PCMCIA Telepath fax modem (RJ11)
I/O PORTS	• PCMCIA type I/II • Serial RS232c port, Printer port • Headphone (2.5mm mini jack, stereo)
EXPANSION PERIPHERALS	1 MB NEC Memory Expansion Module
ACCESSORIES & DOCUMENTS	• Original AC Adapter • Original User's Guide • Original Companion CDs and Diskettes • Original Microsoft ™ PS2 BasicMouse
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(091) Vintage PackardBell Easynote MV35-V-007 Laptop
[2005]


Audio/MIC Ports
Intel Celeron M @ 2 GHz
1 GB DDR2 RAM, 60 GB HDD
Status LED Indicators
Packard Bell

Super-TFT LCD color display (15.4")
ATi Mobility Radeon 200M
1280 X 800 @ True Colors
start

Integrated Stylish Touchpad
2-Buttons Mouse


2 X USB 2.0 Ports
DVD-RW Drive

Packard Bell
Power Adapter Connector
2 X USB 2.0 Rear Ports

External VGA Monitor Connector
10/100 Base-T Ethernet (RJ45)
+ Modem 56K Port (RJ11)

System Properties
Packard Bell

PB
Packard Bell

Packard Bell

Packard Bell


Packard Bell

Turn off computer
Packard Bell

Specification:	
CPU	Intel Celeron M @ 2 GHz
RAM	1 GB DDR2
STORAGE	60 GB HDD
DRIVES	DVD-RW Drive.
DISPLAY	• Built-in Super-TFT LCD color display (15.4") • ATi Mobility Radeon 200M • Graphics: 1280 X 800 @ True colors
OS	Microsoft Windows XP PRO edition
KEYBOARD	• Standard Full-Size Keyboard • Integrated Stylish Touchpad
Network	10/100 Base-T Ethernet (RJ45)
I/O PORTS	• 2 X USB 2.0 • VGA External Monitor port.
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Original AC Adapter • Laptop Carrying Bag
POWER SUPPLY	• **Computer**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(092) Vintage Panasonic Toughbook CF-U1 MK2
[1996]



• Intel Atom Single-Core processor Z530 @ 1.6 GHz
• 2GB DDR2 SDRAM, 64GB (Solid State Disk) HDD
• Transflective plus TFT LCD (5.6”), WSVGA (1024 X 600)
• Microsoft ™ Windows 7 PRO edition
TOUGHBOOK


Display Zoom Button
Dual Batteries Status Light
Most Used Apps Shortcut Buttons
Keyboard Backlit Switch Button
61 keys US Mini Qwerty Keyboard


Dual Front / Back Cameras
Installed 2 X Working Chargeable Batteries
Original Pivoting Black Leather Hand Strap


Original Stylus Pen
(Let or Right Compartment)
Audio: Mini-jack, 3.5 DIA, stereo
SD Card Slot

Power Adapter Charging Cable Connector

Panasonic
CF-U1
TOUGHBOOK

Panasonic
CF-U1
TOUGHBOOK
APP

Panasonic
CF-U1
TOUGHBOOK
APP

Panasonic
CF-U1
TOUGHBOOK

Size: 564 MB (592,062,560 bytes)
Resolution: 1920x1080
Duration: 00:05:52
MPC-HC
(092) Vintage Panasonic Toughbook CF-U1 MK2
[1996
Specification:
Original Stylus Pen
(Left or Right Compartment)
Audio Mini-jack, 3.5 DIA, stereo
SD Card Slot
Power Adaptor Charging Cable Connector

VIDEO

Specification:	
CPU	• Intel Atom Single-Core processor Z530 @ 1.6 GHz • 512 KB L2 cache, 533 MHz FSB
RAM	2GB DDR2 SDRAM
STORAGE	64GB (Solid State Disk) HDD
DRIVES	
DISPLAY	• Built-in Transflective plus TFT LCD (5.6") • Graphics: WSVGA (1024 X 600)
OS	Microsoft ™ Windows 7 PRO edition
KEYBOARD	• 61 keys US Mini Qwerty Keyboard • Integrated Touchscreen with Stylus Pen
Network	Intel WiFi Link 5100 (IEEE 802.11a/b/g) 2.4 and 5.0 GHz
I/O PORTS	• USB 2.0 • Audio: Mini-jack, 3.5 DIA, stereo • Expansion connector: Cradle I/O
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original AC Adapter • Original Stylus Pen • Pivoting Black Leather Hand Strap
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE F, UK, 2 Thick Round Pins • **Battery**: Original 2 X working 3400mAh batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(092A) Vintage Samsung Q1 Ultra Handheld Computer A110 [2007]




120-240V Power Adapter
Original Packaging Box and Inserts
Samsung Q1 Ultra
imagine digital freedom
Mini Keyboard

Integrated Fingerprint Reader

Mini Qwerty Split Keyboard
Integrated Thumb Mouse
Color Touch LCD (7")
WSVGA (1024 X 600), Dual Cameras
Original Touchscreen Stylus Pen


Front Camera
Integrated Mouse 2 Buttons
Original Samsung Hand Strap


Power Adapter Cable Connector
External VGA Monitor Connector


SD Card Slot
2 X USB Ports
Rare Camera
SAMSUNG

SAMSUNG
Admin
Documents
Pictures
Music
Computer
Control Panel
Devices and Printers
Default Programs
Help and Support
Back space
Enter
Shift
Alt
Ctrl
PgUp
PgDn
Home
End

MARIO
COINS
LIVES
TIME
MUSIC
00000
0
10
99
SAMSUNG
Back space
Enter
Shift
Alt
Ctrl
PgUp
PgDn
Home
End

MARIO
COINS
LIVES
TIME
MUSIC
00000
0
10
88
SAMSUNG
Back space
Enter
Alt
Ctrl

SAMSUNG
Tab
Caps Lock
Shift
Ctrl
Fn
Alt
PgUp
PgDn
End

SAMSUNG
ENTER
Esc
Tab
Caps Lock
Shift
Ctrl
Fn
Alt
Back space
Enter
Home
PgUp
PgDn
End


Size: 581 MB (610,224,328 bytes)
Resolution: 1920x1080
Duration: 00:07:42
MPC-HC
(092A) Vintage Samsung Q1 Ultra Handheld Computer A110
[2007]
Safety Instruction
00:00:27
00:00:54
00:01:22
00:02:16
00:02:45
00:03:10
00:04:05
00:04:32
00:04:59

VIDEO

Specification:	
CPU	• Intel Celeron M ULV (Ultra Low Voltage) A110 @ 800 MHz • Mobile Intel 915GMS Express Chipset
RAM	1GB DDR2 533 RAM
STORAGE	60 GB 1.8" Hard Drive (ZIF interface)
DRIVES	SD Card Slot
DISPLAY	• Built-in Color Touch LCD (7") • Graphics: WSVGA (1024 X 600) • Dual Cameras with Front-Facing Camera
OS	Microsoft ™ Windows 7 Enterprise Edition
KEYBOARD	• Mini Qwerty Split Keyboard • External New USB Mini Keyboard (English/Arabic) • Integrated Single Touchscreen with Stylus Pen
Network	• 10/100 LAN • 802.11b/g WLAN • Bluetooth
I/O PORTS	• 2 X USB 2.0 • MIC, Stereo Speakers • Digital Multimedia Broadcasting (DMB)
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts • Original AC Adapter • Original Stylus Pen • Original Samsung Hand Strap • Original Samsung Q1 Sleeve • Original Manuals and Instruction Papers • Original Sealed System Recovery and Utilities CDs
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(093) Vintage Brother Super PowerNote PN-8500MDS
[1996]

Original Brother Packaging Box
& Inserts with Owner's Manual

Original Brother Owner's Manual and Original 3.5" Companion Diskettes (with ready-to-use letters)

Monochrome (black on light green)
LCD (8") Pre-loaded CP/M
Boot Menu System
MAIN MENU
1 Word Processing
2 Addressbook
3 Spreadsheet
4 Scheduler /Calendar
5 Things to Do List
6 Clock
7 Calculator
8 Communication
9 Line by Line
0 File Management
A Disk Application
B Set Up

Internal Standard 3.5" floppy drives
(1.44 MB / 720 KB)

RS-232C serial port
DB-25 Parallel port (Printer)


Power ON Switch
LCD Brightness Control Dial Button
Power Adapter Cable Socket

« MAIN MENU »

RECORD: 1
TOPIC:
TO DO:
DEADLINE : / /
ALARM TIME: OFF
CHECK DATE: / /

CALCULATOR



Specification:	
FUNCTIONS:	1. Word Processor 2. Spreadsheet 3. Address Book 4. Calculator 5. Scheduler / Calendar 6. To Do List 7. Clock 8. File Management (floppy disk explorer) 9. Games & Conversion Applications
CPU	Zilog Z80 @ 8.0 MHz
RAM	64 KB (32 KB usable)
STORAGE	
DRIVES	Internal Standard 3.5'' floppy drives (1.44 MB / 720 KB)
DISPLAY	• Built-in monochrome (black on light green) LCD (8'') • Text: 80 Chars X 22 Lines
OS	CP/M (Control Program for Microcomputers OS)
KEYBOARD	Full-size 59-key ‘Perfectype’ ‘keyboard

Network	
I/O PORTS	• RS-232C serial port • DB-25 Parallel port (Printer)
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts • Original AC Adapter • Original Owner's Manual • Original 3.5 Companion Diskettes (with ready-to-use letters)
POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(094) Vintage Cidco Mail-Station Mivo 100 Det 101
[1999]




Zilog Z80 @ 10 MHz
128 KB static RAM, 1 MB Flash Memory
CP/M OS (Control Program
for Microcomputers)
Original 120V Power Adapter
Easiest Way
to E-mail
Start e-mailing
today!
Easy one-call setup
personal e-mail without the PC
Mivo 100
NEWSTAR
Phone Cable

Monochrome LCD (6.5”)
Resolution: 320 X 128
Mivo 100
02:35 AM
jereannemarie@mailstation.co
Oct 5, 2000
In Box
(0 New)
Out Box
(0 Saved)
Create
New E-Mail
Address
Book
Extras
Power

Display Brightness Control Dial Button
Power


Phone Modem Connectors
Parallel Printer Connector
PHONE
RESET
Power Adapter Connector

MIVO 100 QUICK START CARD
SEND AND RECEIVE E-MAIL

Mivo™ 100
02:38 AM
jereannemarie@mailstation.co...
Oct 5, 2000
In Box
(0 New)
Out Box
(0 Saved)
Create
New E-Mail
Address
Book
Extras
Power
Main Menu
Back
Print
Delete
Tab
Caps Lock
Shift
Function
Home
End

Extras
Calculator
Calendar
Sent Mail
Settings
Power
Back
Print
Delete
Tab
Caps Lock
Enter
Shift
Function
Home
End

Settings
XTND: On V3.03
User Name: Test
Dial-Up No: B18-0177
Reply-To:
E-Mail Address: jereannemarie@mailstation.com
Automatically Check Mail No
Auto Check Time 1 03:25 PM
Do you have call waiting ? No
Ignore dial tone when dialing ? No
Time 2 03:25 AM
Speaker Yes
Battery Status: High
Current Time: 02:38 AM
Save
Set Time/Date
Details
Power
Back
Print
Delete
Tab
Caps Lock
Enter
Shift
Function
Home
End

Calculator
1234.
+ 4567.
= 5801.
5,801.
Clear
Power
Back
Print
Delete
Tab
Caps Lock
Shift
Home
End

Calendar
October 5,2000
Jan 2001
Sun Mon Tue Wed Thu Fri Sat
1 2 3 4 5 6
7 8 9 10 11 12 13
14 15 16 17 18 19 20
21 22 23 24 25 26 27
28 29 30 31
Feb 2001
Sun Mon Tue Wed Thu Fri Sat
1 2 3
4 5 6 7 8 9 10
11 12 13 14 15 16 17
18 19 20 21 22 23 24
25 26 27 28
Today
<Previous
Next>
Set Time/Date
Power
Back
Print
Delete
Tab
Caps Lock
Enter
Shift
Home
End

Mivo™ 100
02:40 AM
jereannemarie@mailstation.co...
Oct 5, 2000
In Box (0 New)
Out Box (0 Saved)
Create New E-Mail
Address Book
Extras
Main Menu
Back
Print
Delete
Tab
Caps Lock
Enter
Shift
Function
Home
End


Size: 585 MB (614,349,238 bytes)
Resolution: 1920x1080
Duration: 00:05:14
(094) Vintage Cidco Mail-Station Mivo 100 Det 101
[1999]
00:00:18
00:00:37
00:00:55
00:01:51
00:02:09
00:02:46
00:03:05

VIDEO

Specification:	
FUNCTIONS:	1. E-mail Management 2. Spell Checker 3. Address Book 4. Weather, Finance, Astrology and TV Listings news
CPU	Zilog Z80 @ 10 MHz
RAM	• 128 KB static RAM (8 bankable pages) • 1 MB flash memory (64 bankable pages of OS code) • 512 KB flash memory (32 bankable pages of user data)
DISPLAY	• Built-in monochrome LCD (6.5") • Graphics: 320 X 128
OS	CP/M (Control Program for Microcomputers OS)
KEYBOARD	Full-size 72-key QWERTY keyboard
Network	Rockwell RCV336DPFSP 33.6kbps modem with caller ID
I/O PORTS	• DB-25 Parallel bidirectional port (Printer)
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts • Original AC Adapter • Original Quick Start Guide • Modem phone line cable
POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • 3 X AA size Standard Dry Batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(095) Vintage Palm Tungsten E2
[2005]

palm
TUNGSTEN E2
11:51 pm
1 2 3 4
Applications
Photos & Videos
Music
Web
Memos
Calculator
Quick Tour
ABC
123

palm
TUNGSTEN E2
11:51 pm
All
Quick Tour
BibleReader
Calc
Contacts
Dialer
Favorites
HandyShpr
HotSync
ABC
123

palm
TUNGSTEN E2
579
MC
%
√
+/-
÷
MR
7
8
9
×
M+
4
5
6
−
CE
1
2
C
0
.
ABC

palm
TUNGSTEN E2
Feb 25, 24
S M T W T F S
8:00
9:00
10:00
11:00 Church
12:00
1:00
2:00
3:00
4:00
5:00
6:00
Details
New
Go To
ABC
123

palm
TUNGSTEN E2
Solitaire
1825 / 7:23
Game Completed!
You won! Would you like to start a new game, or keep playing this one?
Start New Game
ABC
123

palm
TUNGSTEN E2
Sherri
ACES 2
TWOS 0
THREES 9
FOURS 0
FIVES 0
SIXES 0
BONUS 0
SUB-TOTAL 0
3 OF A KIND 11
4 OF A KIND 0
FULL HOUSE 25
SM. STRAIGHT 0
LG. STRAIGHT 0
CHANCE 11
YAHTZEE! 0
SUB-TOTAL 0
TOTAL 0
0
ROL
ABC
123

palm
TUNGSTEN E2
Memos
All
1. Monterey-
2. Song
3. Dunning Vineyards
4. Las Vegas
5. Power Tips
New
ABC
123



Specification:	
CPU	• Intel XScale PXA255, 32 bit, single-core @ 200 MHz • 32 KB I-Cache, 32 KB D-Cache
RAM	• 32 MB SDRAM, 32 MB ROM
DISPLAY	• Built-in Color LCD (6.5") • Graphics: 320 X 128
OS	PalmSource Palm OS 5.4 (Garnet)
KEYBOARD	• Resistive touch screen with Passive Stylus • 5-Way Directional Pad
Network	• Bluetooth 1.1 • IrDA 1.2 @ 115200bit
I/O PORTS	• USB 1.1 • Expansion cards: MMC, SDS, SDIO
EXPANSION PERIPHERALS	
ACCESSORIES & DOCUMENTS	• Original USB Charging/Data Syncing cable • Original Stylus • Coach Leather Case

POWER SUPPLY	• **System (USB)**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Battery**: Li-ion polymer (LiPo), 1-cell, 1020 mAh battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(096) Vintage Franklin PC Companion Rolodex REX-3-DS PDA
[1997]

ROLODEX
REX
PC COMPANION
On-The-Go Access
To Your
PC Organizer Data
Ultra-Slim Design. Credit-Card Size.
Contacts
Calendar
To-Do List
Memos
Clocks with Alarm
ENTER DATA
ON YOUR PC
SYNC WITH REX
THEN GO!
WITH DOCKING STATION
Comes ready to use with:
REX TrueSync
Original Sealed Software in CD
and 3.5” Floppy Disks Formats

REX Premium Leather Wallet Case
Toshiba Zilog Z80 Microprocessor
256 KB RAM
Monochrome High Contrast LCD (2.6”)
Starfish Software Firmware
REX
TrueSync
ROLODEX
Original Dock Station with Serial Cable
and 4 X AA Size Duracell Dry Batteries


Detachable Dock Station Stand

ROLODEX
ELECTRONICS
REX
PC COMPANION
Docking Station
On-The-Go Access To Your PC Organizer Data
Ultra-Slim Design. Credit-Card Size.
Contacts
Calendar
To-Do List
Memos
Clocks with Alarm
ENTER DATA ON YOUR PC
SYNC WITH REX
THEN GO!

ROLODEX
ELECTRONICS
REX
PC COMPANION
WITH DOCKING STATION
Comes ready to use with:
• REX PC Companion — Stores up to 3,000 Items
• Information Manager Software
• Desktop Docking Station
• Leather Wallet and Batteries
On-The-Go Access
To Your PC Organizer Data
Ultra-Slim Design. Credit-Card Size.
Contacts
Calendar
To-Do List
Memos
Clocks with Alarm
ENTER DATA ON YOUR PC
SYNC WITH REX
THEN GO!

Jul 11
Jul 11,1997 2:25AM
ROLODEX®
ELECTRONICS
REX™

July 13,1997
Sunday
free
Jul 11,1997 2:25AM
ROLODEX®
ELECTRONICS
REX

Home Clock
World Clock
AM
AM
Jul 11,1997
Jul 11,1997
GMT
GMT
Jul 11,1997 2:26AM
ROLODEX®
ELECTRONICS
REX™

Preferences
Time Display 12 Hour
Date Display Jul 11,1997
Alarm Sound Long
Key Clicks On
Auto Shut-Off 5 Minutes
Password Lock Disabled
Password
Jul 11,1997 2:26am
ROLODEX®
ELECTRONICS
REX

Size: 552 MB (579,296,934 bytes)
Resolution: 1920x1080
Duration: 00:04:25
MPC-HC
(096) Vintage Franklin PC Companion Rolodex REX-3-DS PDA
[1997]
00:00:16
00:00:31
00:00:47
00:01:18
00:01:34
00:01:49
00:02:20
00:02:36
00:02:51

VIDEO

Specification:	
FUNCTIONS	Calendar, Contacts, To do list, Memos, Clocks & Alarm
CPU	Toshiba Zilog Z80 microprocessor
RAM	256 KB (3,000 entry)
DISPLAY	• Built-in monochrome high contrast LCD (2.6") • Text: 30 Chars X 9 Lines • Graphics: 160 X 98
OS	Starfish Software Firmware
KEYBOARD	Starfish TrueSync Information Manager (Windows)
Network	
I/O PORTS	• PCMCIA Type II PC card • Serial Port Dock Station
EXPANSION PERIPHERALS	

ACCESSORIES & DOCUMENTS	• Brand New Old Stock (NOS) with Original:
	  • Packaging Box and Inserts
	  • Rolodex Rex Desktop Dock Station
	  • Leather Wallet

POWER SUPPLY	2 X CR2025 3V batteries (6 months lifetime)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(097) Vintage Vectrex Arcade Game Console
[1982]

Brand New Box of Vectrex “Mail Plane” Game, including Controller Port Light Pen, Screen Overlay and Manual
Multi-Cart
DELUXE EDITION LIGHTPEN INCLUDED!
LIGHTPEN
This cartridge for use with VECTREX LIGHT PEN only.
Vectrex
LIGHTPEN
Brand New Box of Vectrex Unique “Multi-Cart” Game, including All Released 137 Games, Screen Overlay and Manual

Vectrex
ARCADE SYSTEM CARTRIDGE
BERZERK
Vectrex
ARCADE SYSTEM CARTRIDGE
BLITZ!
ACTION FOOTBALL
Vectrex
ARCADE SYSTEM CARTRIDGE
HYPER CHASE
AUTO RACE

VECTREX
HYPERCHASE
STAR SHIP
Vectrex
ARCADE SYSTEM CARTRIDGE
SCRAMBLE
GCE

Original Matching System
Packaging Box (French)
Original System Manual (French)
Screen Overlay for Built-in MineStorm Game
Le jeu video sans téléviseur.
ECRAN
INCORPORE.
MB
VECTREX
INDEPENDENT VIDEO SYSTEM
LIVRET
D'INSTRUCTIONS
Sealed Vectrex Logo System Cover


Brand New Extra Analog Controller
Original Analog System Shipped Controller


Built-in monochrome B&W CRT screen (9”)
137 Multi-Cart Cartridge Installed
with related Screen Overlay


VECTREX

ATTENTION
VECTREX

VECTREX
FORTRESS OF NARZOD
GRAVITREX
HEADS UP
HYPERCHASE
KINGDOM OF HEAVEN
KINGPIN BOWLING
LEMMY JUKEBOX
RAIL PLANE
RAVINE FOX
Multi-Cart
DOWN
UP
HOME
START
Vectrex
1
2
3
4

VECTREX
Multi-Cart
DOWN
UP
HOME
START
Vectrex
1
2
3
4

VECTREX
Multi-Cart
DOWN
UP
HOME
START
Vectrex
1
2
3
4

VECTREX
SPACE
FRENZY
A PLAY
PUBLIC BETA VERSION 1.0
BY JOSE BENZELA
Multi-Cart
DOWN
UP
HOME
START
Vectrex
1
2
3
4

VECTREX
Multi-Cart
Vectrex
1 2 3 4

VECTREX
GAME OVER
Multi-Cart
Vectrex
1 2 3 4

Specification:	
DESCRIPTION	A standalone vector graphic home video game system.
CPU	Motorola 68A09 @ 1.6 MHz
RAM	1 KB x 4-BIT 2114
DISPLAY/TV	Built-in monochrome B&W CRT screen (9")
Network	
MEDIA	Cartridge (32 KB)
I/O PORTS	• 2 X Joystick/Light Pen ports • Game Cartridge port
ACCESSORIES & DOCUMENTS	• Original Packaging box and inserts • Original system dust cover (with system logo) • 2 X Original Arcade-style Joystick, 4 Buttons • Original System Manual and built-in Mine Storm game screen overlay • 2 X Original used game cartridges with box, overlay (Start Ship, Hyper Chase)

	• 3 X New game cartridges with box, overlay, manual (Scramble, Blitz, Berzerk) • New game cartridge with box, overlay, manual, and light pen (Mail Plane) • Unique new VecMulti SD based Vectrex Multi-cart cartridge (137 game titles 32KB+64KB, demo, and utility programs
POWER SUPPLY	• **Console**: 240V Only (Internal PSU) Plug Type: TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(098) Vintage Arcade Cabinet Multi-Systems Games Console
[2016]

Arduino Uno R3 ATmega328P @ 16 MHz
32 GB SD, 12 Game Simulation Platforms
and 2408 Classic Games
2 X USB Ports
(External Joystick or Keyboard)
MUSYA [SNES]
CHOOSE
LAUNCH
BACK
RANDOM
FAVORITE
MENU
OPTIONS
ALL GAMES
MS. PAC-MAN
START

ARCADE

ARCADE
1UP
910
HIGH SCORE
2290

ARCADE
CAPCOM
CAPCOM

ARCADE
NEOPI
ALL GAMES
PRIMAL RAGE (SEGA32X)
PRIME TIME NFL STARRING DEION SANDERS (ME(
PRINCE OF PERSIA (SNES)
PRINCE OF PERSIA (MEGADRIVE)
PERSIA 2 - THE SHADOW & THE FLAME (SNES)
PRO QUARTERBACK (SNES)
PRO QUARTERBACK (MEGADRIVE)
PRO SPORT HOCKEY (SNES)
PROGEAR (CPS2)
PRINCE OF PERSIA 2

ARCADE
NEOPI
ALL GAMES
PRIMAL RAGE (MEGADRIVE)
PRIMAL RAGE (SEGA32X)
PRIME TIME NFL STARRING DEION SANDERS (ME
PRINCE OF PERSIA (SNES)
PRINCE OF PERSIA (MEGADRIVE)
PRINCE OF PERSIA 2 - THE SHADOW & THE FLA
PRO QUARTERBACK (SNES)
PRO QUARTERBACK (MEGADRIVE)
PRO SPORT HOCKEY (SNES)
PRINCE OF PERSIA

ARCADE
NEOPI
ALL GAMES
SHADOWRUN (SNES)
SHADOWRUN (MEGADRIVE)
SHANGHAI II - DRAGON'S EYE (SNES)
SHANGHAI II - DRAGON'S EYE (MEGADRIVE)
SHAQ FU (SNES)
SHAQ-FU (MEGADRIVE)
SHIEN'S REVENGE (SNES)
SHINING FORCE (MEGADRIVE)
SHINING FORCE II (MEGADRIVE)
SHAQ FU

ARCADE
OPTIONS
ALL GAMES
FAVORITES


Size: 567 MB (594,884,444 bytes)
Resolution: 1920x1080
Duration: 00:08:39
MPC-HC
(098) Vintage Arcade Cabinet Multi-Systems Games Console
(2016)
CPU
RAM
DISPLAY/TV
Network
MEDIA
I/O PORTS
ACCESSORIES &
DOCUMENTS
POWER SUPPLY
00:00:31
00:01:01
00:01:32
00:02:33
00:03:03
00:03:34
00:04:35
00:05:05
00:05:36

VIDEO

Specification:	
DESCRIPTION	A wooden cabinet standalone multi-video game simulation system. • 2408 games • 12 game simulation platforms (PlayStation I/II, NINTENDO, Super NINTENDO, SEGA 32X, SEGA Mega Drive, NEW.GEO, CAPCOM I/II/II, KODI, ARCADE Classics) • Game status save • 2 Players (Joystick with 8 buttons per player)
CPU	Arduino Uno R3 ATmega328P @ 16 MHz
RAM	2 KB SRAM, 32 KB FLASH, 1 KB EEPROM
DISPLAY/TV	• FHD Color LCD TV Monitor (22") • Graphics: 1080p Zero delay Gaming screen
Network	WiFi + Bluetooth
MEDIA	Built-in SD based (32 GB) card
I/O PORTS	• 2 X USB Ports (External Joystick or Keyboard)
ACCESSORIES & DOCUMENTS	• Fine Wood Cabinet (52 CM X 60 CM) • High Quality LOGITECH Speakers
POWER SUPPLY	• **Overall System**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins **Internal Cabling (No need for external power plugs)**: • **Console**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins • **Monitor**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Power Extender**: 240V Only (2 X 5V USB Ports) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Speakers**: 5V (USB Port) Plug Type: USB Port from Power Extender
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(099) Vintage Commodore Plus 4 Computer & Monitor
[1984]

Original Commodore Power Adapter
Original Commodore 1541
external 5.25” FDD
The Productivity Computer With Software Built-In
commodore


Original Commodore Joystick (1)
The Arcade Auto Fire Joystick (2)
MOS Technology 7501 @ 1.76 MHz
64 KB RAM + 32 KB ROM
000015 TOP 000120 000000
plus/4
ARCADE

000015 TOP 000120
000000
KIDS ON KEYS
UP FOR GRABS
RHYMES & RIDDLES
HEY DIDDLE DIDDLE
Commodore 1802
VIDEO MONITOR
Original Commodore 1802
Color Monitor (13”)

CAUTION
commodore
MODEL 1802
Monitor AV Video Cable Connectors


2 X Joystick Connectors
External Cassette Tape Data Connector
AV Video Cable Connector to Monitor
Power Adapter Cable Connector
Unique SD to FDD drive cartridge
(8 GB SD pre-loaded with games)
connected to FDD port
and Powered from User's Port

commodore
commodore
1541

The Productivity Computer With Software Built-In
Commodore Plus/4 Product Specs

Roland in the Caves
Harrier Attack!
SUSAN'S MAZE
EASI-AMSWORD
TIMEMAN ONE
BRIDGE-IT
CAVE FIGHTER
Indoor Soccer
BMX Racing


IF YOU THINK
SPINNAKER GAMES
ARE JUST
A LOT OF FUN,
YOU'VE GOT
A LOT TO LEARN.
RHYMES &
SPINNAKER

READY.
LIST
10 FOR I=1 TO 100
20 PRINT I
30 NEXT I
READY.
DIRE
commodore
plus/4
The Productivity Computer With Softwar
FRACTION FEVER
KIDS ON KEYS
UP FOR GRABS
RHYMES & RIDDLES
HEY DIDDLE DIDDLE
CAVE FIGHTER

0 "-CBM" DIR
0 "-ZX" DIR
0 "BIN" DIR
0 "SYS" DIR
0 "TMP" DIR
2 "FB128" PRG
2 "FB16" PRG
5 "FB20" PRG
3 "FB20-3K" PRG
3 "FB20-8K" PRG
12 "FB20-MC" PRG
3 "FB64" PRG
3 "FB64DTV" PRG
3 "FBPET" PRG
67 "SDDBROWSE.PRG" PRG
6 "HEDGE" PRG
0 "--------.---" PRG
0 "ESXDOS-V.089" PRG
0 "ZXBROWSE.022" PRG
0 "2022-OCT.15" PRG
0 "--------.---" PRG
65535 BLOCKS FREE.
READY.
commodore plus/4
The Productivity Computer With Software
FRACTION FEVER
KIDS ON KEYS
UP FOR GRABS
RHYTHMS & RIDDLES
HEY DIDDLE DIDDLE
CAVE FIGHTER

PACMAN#1.PRG < PRG
LOADING...
DRIVE 08
SORT QUIT
commodore plus/4
The Productivity Computer With Software
FRACTION FEVER
KIDS ON KEYS
UP FOR GRABS
RHYTHMS & RIDDLES
HEY DIDDLE DIDDLE
CAVE FIGHTER

000115 TOP 000115 000000
commodore plus/4
The Productivity Computer With Softwar
FRACTION FEVER
KIDS ON KEYS
UP FOR GRABS
RHYMES & RIDDLES
JET PADDLE PADDLE
CAVE FIGHTER

000620 TOP 000620 000000
GAME OVER
commodore plus/4
The Productivity Computer With Softwar
FRACTION FEVER
KIDS ON KEYS
UP FOR GRABS
RHYMES & RIDDLES
JET PADDLE PADDLE
CAVE FIGHTER

Specification:	
CPU	MOS Technology 7501 @ 1.76 MHz
RAM	64 KB RAM + 32 KB ROM
DISPLAY/TV	Original Commodore 1802 Color Monitor (13") • Graphics: MOS TED 7360 (320 X 200) @ 121 colors • Text: 40 Chars. X 25 Lines
OS	Commodore BASIC 3.5
MEDIA	• ROM Cartridges • External high-speed floppy disk (Parallel port) • External Cassette Tape Player
I/O PORTS	• Tape connector 7-pin mini-DIN (Commodore 1531 Dataset) • 2 X 8-pin mini-DIN game controller ports • Commodore serial bus • User port (for modems and nonstandard devices) • Composite video + RF modulator to TV antenna connectors
ACCESSORIES & DOCUMENTS	• Original Packaging Box, Inserts, AC Adapter and Manuals • Original Commodore 1541 external 5.25" FDD • Original Commodore external Cassette Player

	• 2 X Original Commodore Joysticks • 5 X Family Learning Games (Floppies Or Cartridges) • A set of original and other games cassette tapes • Unique SD to FDD drive simulator cartridge: • 8 GB SD pre-loaded with games and apps
POWER SUPPLY	• **Computer**: 240V Only (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Monitor**: 240V Only (Internal PSU) Plug Type: TYPE C, Europe, 2 Thin Round Pins • **External Floppy Drive**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins

SPECIAL INSTRUCTIONS	• Press (Commodore Logo Button) + Shift Lock --> Switch Graphics or Lower-Case Mode
	• SD Card:
	  ✓ Connect SERIAL + USER PORT (recommended) or Cassette port cable
	  ✓ <COMMAND> Load "*",8 <COMMAND> DIRECTORY
	  ✓ <COMMAND> Load "FB",8 <COMMAND> RUN
	  ✓ Browse to directory -CBM --> C16/PLUS4 --> P --> PACMAN (ENTER/run)

(GOTO ^^TOP)

(100) Vintage AMSTRAD CPC 464 PC & Monitor
[1984]



Original Amstrad DMP 2160
Dot-Matrix Printer
AMSTRAD DMP2160

External: 3” mini floppy disk drive withc10
Top OCEAN Computer Games mini Disks
AMSTRAD
6048E29
ocean
TOP 10 COMPUTER HITS
EXCLUSIVE TO DIXONS
SIDE A
PHANTOM CLUB
FREDDY HARDEST PART 1 & 2
SIDE B
HEAD OVER HEELS · SLAPFIGHT
MADBALLS


AMSTRAD
DDI-1
Original Amstrad CPC 464
DDI-1 FDD User Instructions
USER INSTRUCTIONS
AMSTRAD
Original Amstrad CPC 464
User Instructions
AMSTRAD
CPC 464
USER INSTRUCTIONS

Original Amstrad CTM644Color
TV Monitor (12")
Score Lap Pos Hi
0 1 1 0
Zandvoort


User Port Parallel
and Serial Connectors Adapter
AMSTRAD
64k COLOUR PERSONAL COMPUTER
Integrated Full-Size Keyboard

Built-in Tape Recorder
CPC 464
COLOUR
Amsoft
Animal Vegetable Mineral
MICRO COMPUTER SOFTWARE DATACORDER
MONITOR
TAPE
COMPUTER
REC
PLAY
REW
F.F.
STOP
EJECT
PAUSE

External: 3” mini floppy disk drive (FDD port) with Adapter
ocean
TOP 10 COMPUTER HITS EXCLUSIVE TO DIXONS
DIXONS 3” mini Floppy Disks
Gun Shot Joystick


XILINX®
UGREEN
Unique Dandanator! Cartridge game ROM loader (with Amsoft top 20 games pre-loaded) USB Cable and updates
CPC 464


Integrated System Video
and Power Spring Cables
System Power ON Switch


Volume Control Dial
Console Power ON Switch


Joystick/User Port
Parallel Printer Connector
FDD/User port
(with Game ROM Loader Card)
Video/TV Port
Power Port (from TV)

SMITH DMP2160

Printer To Computer Parallel Cable
BEAB
Approved


External: 3” mini floppy disk drive
(FDD port) with Connection Adapter
Joystick plug (Atari standard)

Amsoft TOP20
v2.5 Loader USB Game 2/2
P. Toggle pokes
R. Test - Diagnostics

Score Lap Pos Hi
0 1 1 0

MANIC MINER
STARRING
MINER WILLY
PRESS
ENTER
TO
START
© 1984 SOFTWARE PROJECTS

Central Cavern
High Score 000000
Score 000000

HOME
SCORE 000000
HI-SCORE 000000
BONUS 5000
CARD 01
AMSTRAD
CPC 464

Size: 525 MB (550,697,665 bytes)
Resolution: 1920x1080
Duration: 00:09:19
MPC-HC
(100) Vintage AMSTRAD CPC 464 PC & Monitor [1984]
00:00:33
00:01:06
00:01:39
00:02:45
CPC 464
00:03:17
00:03:50
00:04:56
00:05:29
00:06:02

VIDEO

Specification:	
CPU	Zilog Z80 @ 4 MHz
RAM	64 KB RAM, 32 KB ROM, 16 KB VRAM
DISPLAY/TV	Original Amstrad CTM644Color TV Monitor (12") • Graphics: Motorola 6845 (160×200 @ 16 colors / 320×200 @ 4 colors / 640x200 @ 2 colors) • Text: (20x25 @ 16 colors / 40x25 @ 4 colors / 80x25 @ 2 colors)
OS	AMSDOS (Locomotive Basic)
MEDIA	• Built-in Tape Recorder (1000 or 2000 bauds) • External: 3" mini floppy disk drive (FDD port)
I/O PORTS	• Printer port • Bus port • 1 Joystick plug (Atari standard) • DIN plug for Amstrad monitor • Headphone / Sound stereo jack output
ACCESSORIES & DOCUMENTS	• Original Amstrad CPC 464 & DDI-1 FDD User Manuals • Original Amstrad DMP 2160 Dot-Matrix Printer • Original Amstrad DDI-1 FDD drive + 10 Top Computer Games DIXONS 3" mini Floppy Disks • Gun Shot Joystick • Amsoft Amstrad Games Mixed Bundle Cassette Tape Educational Fun • Unique Dandanator! Cartridge game ROM loader (with Amsoft top 20 games pre-loaded) USB updates
POWER SUPPLY	• **Monitor**: 240V Only (Internal PSU) Plug Type: TYPE C, Europe, 2 Thin Round Pins • **Computer**: Powered from Monitor 5V Cable • **Printer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **External Floppy Drive**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	Using CPC Dandanator! ROM: • **Right button**: Performs a CPC reset. • **Central button**: During startup or reset, the cartridge is deactivated and the CPC Basic is started. • **Left button**: With the button pressed during boot or reset, an alternative software is started, by default a test rom. • **CDT and DSK loading**: In addition to Snapshots, CDT and DSK (preliminary) files

(GOTO ^^TOP)

(101) Vintage SINCLAIR 128K ZX SPECTRUM +2
[1985]

sinclair ZX SPECTRUM+2
COMPLETE 128K COMPUTER OUTFIT
CONTAINS:
LATEST SPECTRUM +2 COMPUTER
— Built-in Datacorder
— Professional style Typewriter Keyboard
— 128 K RAM
— Runs thousands of Spectrum Software Titles
DEDICATED JOYSTICK
10 SOFTWARE TITLES
DATACORDER
DEDICATED JOYSTICK
10 TITLES SOFTWARE PACK
Original Sinclair Packaging Boxes


Original Sinclair Power Adapter
Zilog Z80A @ 3.5 MHz
128 KB RAM, 64 KB ROM
JVC


InteriArt
SCORE 001004 LIVES
1954 2
JVC InteriArt LT-23D50BK
Color LCD TV (23”)
sinclair
TREASURE ISLAND
JVC


Unique SD to FDD drive simulator cartridge
(8 GB SD pre-loaded with games and apps)
sinclair
128K


Integrated Cassette Tape Player/Recorder
Original Sinclair Joystick
ZX Spectrum +2
DATACORDER
sinclair


Unique SD to FDD drive simulator cartridge (8 GB SD pre-loaded with games and apps)
Power Adapter Cable Port
RGB to TV SCART Video Connector

2 X Joystick Ports
Game RESET Button

sinclair ZX SPECTRUM +2
COMPLETE 128K COMPUTER OUTFIT


InteriArt
/-ZX/M/
..
MadMan.tap
MadMartha.tap
mag the magician
MagmaMan.tap
Make-a-Face.tap
MarioBros.z80
Matrix
Mazogs
Mega-Apocalypse.tap
Microbot.tap
microInc
Micromaze.tap
mike the guitar
MilkRace.tap
MineThe.tap
monkey j. in the treasure of the gold templ...
monty mole and the temple of lost souls
montys honey run
MrDo!
metagalactic llamas.z80
.browse v0.22 002/021 ----
JVC
ZX Spectrum +2

InteriArt
SCORE 000170 LIVES
BY T.S.J ©1984 1
JVC
ZX Spectrum +2

InteriArt
PLAYER 1 000200
JVC
ZX Spectrum+2
sinclair
ALIEN DESTROYER

InteriArt
LEVEL 01
BAY
JVC
ZX Spectrum+2
sinclair
ALIEN DESTROYER

Specification:	
CPU	Zilog Z80A @ 3.5 MHz
RAM	128 KB RAM, 64 KB ROM
DISPLAY/TV	External JVC InteriArt LT-23D50BK Color LCD TV (23") • Graphics: 256 × 192 @ 8 Colors • Text: 32 Chars × 24 Lines
OS	Sinclair BASIC
MEDIA	• Built-in Tape Recorder (1200 baud) • Cartridges (Expansion bus)
I/O PORTS	• Expansion bus • Numeric Keypad • 2 X Joystick ports • RS232 • Midi Out
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts • Original AC Adapter • Original Joystick • Original User Manual

	• RGB to TV SCART + Composite Cable • Original Sinclair Games Mixed Bundle Cassette Tapes • Unique SD to FDD drive simulator cartridge: • 8 GB SD pre-loaded with games and apps
POWER SUPPLY	• **Computer**: 240V Only (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **TV**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• **LOAD**: from system command prompt to start cassette tape play and application loading • **File Browser (SD Card)**: at command prompt write this command > **.browse** (press enter key)

(GOTO ^^TOP)

(102) Vintage Acorn BBC Model B Micro Computer
[1981]


Unique Grafpad Digitizer
with Stylus light-pen, Cassette,
Operation Guide and Digitizing Papers
Operating Guide to
GRAFPAD
ULTIMATE
PLAY THE GAME
STEVE MONEY

10 X Cassette Tapes Bundle with Storage
4 X System Joysticks and Peddles
Original WH Smith CPD 8300 Data Cassette
Recorder with Original Box and Manual
Computer Program Data Recorder
Model No. CPD 8300
BBC Microcomputer System
DOCTOR SOFT
FIREBIRD
PLAYERS
ALLIGATA
MICROBYTE
DYNABYTE
DK TRONICS
AARDVARK
POSTERN
SOFTEK
SALAMANDER
DOCTOR SOFT


BBC Microcomputer System
WHSMITH
Computer Program Data Recorder
Model No. CPD 8300
Original System Operations Guide
Original System Invoice from 1986 (Hand Writing)

AND SOUND
STEVE MONEY
T 737 FLIGHT SIMULATOR
U 747
SALAMANDER
DOCTOR SOFT
BBC Microcomputer System
MOS Technology 6502 8-bit Processor
@ 1.8 MHz 32 KB RAM, 32 KB ROM

K 3D POOL FIREBIRD
L 3D SNOOKER PLAYERS
M 3D SPACE RAIDER ALLIGATA
N 3D SPACE RANGER MICROBYTE
O 3D TANK ZONE DYNABYTE
P 3D TANX DK TRONICS
Q 3D WARS DEMO AARDVARK
R 3DEEP SPACE POSTERN
S 5 STONES OF ANADON
SOFTEK
T 737 FLIGHT SIMULATOR
SALAMANDER
U 747 DOCTOR SOFT
BBC
VIGLEN System Hard Dust Cover

Page 1 of 65 Press ? for help
A 180 DARTS A&F
B 1984 INCENTIVE
C 2002 SUPERIOR
D 3D BOMB ALLEY SOFTWARE INVASION
E 3D CONVOY DOCTOR SOFT
F 3D DOTTY BLUE RIBBON
G 3D GRAND PRIX SOFTWARE INVASION
H 3D MAZE IJK
I 3D MUNCHY BLUE RIBBON
J 3D MUNCHY MRM
K 3D POOL FIREBIRD
L 3D SNOOKER PLAYERS
M 3D SPACE RAIDER ALLIGATA
N 3D SPACE RANGER MICROBYTE
O 3D TANK ZONE DYNABYTE
P 3D TANX DK TRONICS
Q 3D WARS DEMO AARDVARK
R 3DEEP SPACE POSTERN
S 5 STONES OF ANADON
SOFTEK
T 737 FLIGHT SIMULATOR
SALAMANDER
U 747 DOCTOR SOFT
BBC
External LOGIK L19DVDB11 Color
LCD TV (19”) wit Remote Control

Unique micro-SD to FDD drive simulator cartridge: pre-loaded with hundreds of BBC ready games and apps (MMFS)
tube®
serial number
1MHz BUS
caution
before opening this case ensure that the product is disconnected from the mains power and that all four fixing screws are removed.
printer
warning
this product must have sufficient ventilation around the base grille and at the rear.
disc drive

DOCTOR SOFT
Image tape copier
TOMAHAWK
SPEECH!



BBC Grafpad Digitizer with Stylus
light-pen and Digitizing Papers

4 X System Joysticks Bundle
and Dual Peddles

BBC Computer 32K
Turbo MMC
BASIC
>10 FOR I=1 TO 50
>20 PRINT I
>30 NEXT I
>RUN

Page 31 of 65 Press ? for help
A SNAPPER V2 ACORNSOFT
B SNOOKER ACORNSOFT
C SNOOKER VISIONS
D SNOWBALL LEVEL 9
E SOCCER BOSS ALTERNATIVE
F SOLITAIRE MRM
G SON OF BLAGGER ALLIGATA
H SORCEROR'S KINGDOM GLENGARY
I SORCERY PACE
J SOUTHERN BELLE HEWSON
K SPACE ADVENTURE PRO SOFTWARE
L SPACE ADVENTURE VIRGIN
M SPACE FIGHTER SUPERIOR
N SPACE FIGHTER SUPERIOR
O SPACE GUARD MP
P SPACE HAWKS COMPUTER CONCEPTS
Q SPACE HI-WAY PACE
R SPACE INVADERS BUG-BYTE
S SPACE INVADERS PRO SOFTWARE
T SPACE JAILER MICRO POWER
U SPACE MAZE MICRO POWER
V SPACE PILOT SUPERIOR

ACORNSOFT
ACORNSOFT
Snapper!
ACORNSOFT

2450

SPACE ACE
-KLINGON
-ROMULAN
-PHANTOM
-STARBASE
-BULLET
PRESS SPACE/FIRE



Specification:	
CPU	MOS Technology 6502 8-bit Processor @ 1.8 MHz
RAM	32 KB RAM, 32 KB ROM
DISPLAY/TV	External LOGIK L19DVDB11 Color LCD TV (19") • Graphics: 640x256 @ 2 colors / 320x256 @ 4 colors / 160 x 256 @ 16 colors • Text: 80x32 @ 2 colors / 40x32 @ 4 colors / 20x32 @ 16 colors
OS	BBC Basic
MEDIA	• External Cassette Tape Recorder • External 5.25" Floppy Disk Drive (Disk Connector)
I/O PORTS	• Video Out: UHF TV, BNC , RGB video • RS423 Serial + Printer ports • Cassette Tape Connector • Analogue In (DB15) • Econet port • 1Mhz BUS • User port

ACCESSORIES & DOCUMENTS	• Original AC Adapter • Original System and programming manuals mix bundle • VIGLEN System Hard Dust Cover • Unique Grafpad Digitizer with Stylus light-pen, Cassette, Operation Guide and Digitizing Papers • 4 X System Joysticks Bundle and Dual Peddles • Original WH Smith CPD 8300 Data Cassette Recorder • Original User Manual • RGB to TV SCART + Composite Cable • Original AcornSoft Games Mixed Bundle Cassette Tapes (ATICTAC, Paul Danial's Magic Show, Arcadians, Welcome Tutorial) • Unique micro-SD to FDD drive simulator cartridge: pre-loaded with hundreds of BBC ready games and apps
POWER SUPPLY	• **Computer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **Casette Tape Recroder**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• **SHIFT+BREAK:** RUN SD CARD MENU

(GOTO ^^TOP)

(103) Vintage XaviXPORT PT1-1002 Game Console
[2004]

CIB New XaviX BOWLING Game with Cartridge & Manuals
CIB New XaviXPORT PT1-1002 Game Console Base Unit with Manuals
XaviX BOWLING
XaviX PORT
a revolutionary way to interact with your TV
Quick Set-up Guide
REGISTRATION CARD


XaviXPORT PT1-1002 Wireless Game Console
(MOS Technology 65816 16-bit Processor)
installed TENNIS Game Cartridge
P1 N.Spinnerly 0 15
P2 Y.Toprovsky 0 15
XaviX BOWLING

XaviX®
Games
Star Track ST-24D-AZ100
Color LCD TV (24")
STAR TRACK
Where Imagination and Reality Merge

CIB New XaviXPORT PT1-1002 Game
Console Base Unit with Manuals
XaviX® PORT
a revolutionary way to interact with your TV
XaviX
You power.
REGISTRATION CARD



CIB New XaviX Wireless Music & Circuit (with Full Size Fitness Step Sensor feet Mat) Game Cartridge and Manuals

CIB New XaviX GOLF Wireless Game with Game Cartridge, 2 X Golf Sticks & Manuals

CIB New XaviX TENNIS Wireless Game with Game Cartridge, 2 X Tennis Rackets & Manuals

CIB New XaviX BASEBALL Wireless Game with Game Cartridge, Baseball Bat, Ball & Manuals

XaviX
XaviX BOWLING
Where Imagination and Reality Merge
XaviX PORT
CIB New XaviX BOWLING Wireless Game with Special
Sensor Game Cartridge, Bowling Ball & Manuals

GOLF
XaviX
TENNIS
XaviX
Trial Mode
XaviX BOWLING
XaviX PORT

XaviX
XaviX TENNIS
XaviX
UNITED STATES
XaviX
Speed 127 MPH
XaviX BOWLING
XaviX PORT

XaviX GOLF
a revolutionary way to interact with your TV
XaviX TENNIS
UNITED STATES
XaviX
Trial Mode
XaviX BOWLING
XaviX PORT

XaviX GOLF
a revolutionary way to interact with your TV
XaviX
XaviX TENNIS
XaviX
Exhibition Match
XaviX BOWLING
XaviX PORT

Size: 562 MB (589,980,134 bytes)
Resolution: 1920x1080
Duration: 00:08:46
(103) Vintage XaviXPORT PT1-1002 Game Console
[2004]
POWER SUPPLY
SPECIAL INSTRUCTIONS
XaviX GOLF
XaviX BOWLING
XaviX PORT
XaviX Games
00:00:31
00:01:02
00:01:33
00:02:35
00:03:05
00:03:36
00:04:38
00:05:09
00:05:40

VIDEO

Specification:	
DESCRIPTION	is a fitness-based home video game console during the sixth generation of video game consoles. The console uses ROM cartridges and wireless controllers.
CPU	Built into the games themselves using: • MOS Technology 6502 8-bit Processor • MOS Technology 65816 16-bit Processor
RAM	1 KB RAM
DISPLAY/TV	External Star Track ST-24D-AZ100 Color LCD TV (24") • Graphics: 640 x 480 @ 16.7 million colors
MEDIA	ROM Cartridges
I/O PORTS	• USB
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts • The following CIB new games with original packaging box, game cartridge and wireless controllers: 1. XaviX GOLF 2. XaviX TENIS 3. XaviX BASEBALL 4. XaviX BOWLING 5. XaviX Music & Circuit (with fitness Step Sensor feet Mat)
POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(104) Vintage Atari 2600 Video Game Console
[1980]

SLOT RACERS
INDY 500
CHOPPER COMMAND
KEYSTONE KAPERS
MEGAMANIA
SPACE ATTACK
Unique ATARI Game on Cassette Tape
Huge Set of ATARI Game Cartridges
and Games Manuals

Antic
The ATARI Resource
NEW! ATARI ST
MIND TOOLS
ATARI ST Special Section
NEW COMMUNICATIONS
VIDEO COMPUTER SYSTEM
ATARI FORCE
Atari ANTIC Computer Magazine
1985 3 Issues
Original System Owner's Manual
ATARI Force Magazine

MOS Technology 6507 8-bit Processor
@ 1.19 MHz, 128 Bytes RAM Game Console
GALAXIAN
PAC-MAN
SPACE ATTACK


2 X Joystick Port Duplicate Adapters
to Connect up to 4 Joysticks

© 1983 Atari
External GEEPAS GLED3201EHD Color
LCD TV (32") with Original Remote Control
First ST
Shoppers
Guide

ATARI 7800 Joystick
Classic ATARI Paddles
ATARI Video Touchpad
Classic ATARI Joystick
STAR RAIDERS

Original ATARI Space Age Joystick
VIDEO COMPUTER SYSTEM
STAR RAIDERS
INSIDE: 8 Type-In Programs
INSIDE: 7 Type-In Programs
Spectacular Online Graphics
Mac Clobbered in ST Speed Test
paddle
paddle


Power Adapter Port
Right Joystick Port
Left Joystick Port

game program™
OTHELLO®
Use with Joystick Controllers
ATARI®
CX2639
OTHELLO®
game program™
INDY 500
INDY 500
Miner 2049er™
GAME BOOK

ACTIVISION
PAC-MAN
YARS' REVENGE
STAR RAIDERS
SPACE INVADERS
PAC MAN
STAR RAIDERS
SPACE INVADERS

ATARI
PAC-MAN
YARS' REVENGE
STAR RAIDERS
SPACE INVADERS
GALAXIAN
PAC MAN
Antic
The ATARI Resource
NEW! ATARI ST
SHOPPER'S GUIDE
MEGAMANIA
SPACE ATTACK

Antic
PAC-MAN
183


Size: 640 MB (672,011,876 bytes)
Resolution: 1920x1080
Duration: 00:09:36
(104) Vintage Atari 2600 Video Game Console
[1980]
Antic
00:00:34
00:01:03
00:01:42
00:02:50
00:03:23
00:03:57
00:05:05
00:05:39
00:06:13

VIDEO

Specification:	
CPU	MOS Technology 6507 8-bit Processor @ 1.19 MHz
RAM	128 Bytes RAM
DISPLAY/TV	External GEEPAS GLED3201EHD Color LCD TV (32") • Television Interface Adaptor (TIA) • Graphics: 320 x 240 @ NTSC format 128-color palette
MEDIA	ROM Cartridges
I/O PORTS	• Built-in AV Cable • 2 X Joystick Controllers • Power-in port

ACCESSORIES & DOCUMENTS	• Original Packaging Box
	• Original AC Adapter
	• Video Storage Center Organizer (System + Games)
	• Game Cartridges Bundle:
	  • Pac-Man Complete In Box (CIB)
	  • 20 Game Cartridges with Manuals
	• Joysticks and Controllers Bundle:
	  • 2 X Controller Range Adapter (Connect up to 4 simultaneous joysticks)
	  • Original 2 Paddle Controllers
	  • Original Joysticks
	  • Space Age Joystick
	  • Star Raiders Special Controller
	  • Original Pro Line CX-24 Joystick
	• Atari ANTIC Computer Magazine 1985 3 Issues

POWER SUPPLY	• **Game Console**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(105) Vintage Atari 520 ST Computer
[1985]



Original System Packaging Box, Inserts and Manuals (Owner's Manual Game Instruction, Mouse Usage)
ATARI 520 STFM
WITH OVER £450 WORTH OF SOFT
INCLUDING ORGANISER BUSINESS SOFTWARE
Triangle Publishing £49.95.
ATARI ST Computer
Owner's Manual
ATARI Mouse
Game Instructions
&
Organiser
User Guide
ATARI

2-Wheeled
4-Wheeled
Ground-Effect
Airborne
PLAY
DEMO
MIDI OFF
Motorola 68000 16-bit complex instruction set computer (CISC) @ 8 MHz (512 KB RAM)
ATARI
ATARI ST Computer

HEWSON
Presents
AMMOTRAK
Design, Programming and Audio-visuals by
©1988
External Start-X 24LN5150 Color LCD TV (24")
MIDI
OFF

Full Size Keyboard with Integrated Numeric Pad
Quick Shot Joystick
ATARI Mouse
ATARI 520ST
Original ATRAI Mouse


Internal Working 3.5" Floppy Diskettes


MODEM Port
Centronics printer port (DB25 female)
ACSI (similar to SCSI) DMA port (19-pin D-sub)
TV RF Antenna Connector
ATARI RGB Monitor Connector
System RESET Button


MIDI Instruments Connector (IN/OUT)
ST cartridge port (40pin-contact, 128 KB ROM)

ATARI
520ST
ATARI
520ST
ATARI 520 STFM
WITH OVER £450 WORTH OF SOFTWARE.
SUPER PACK
INCLUDING ORGANISER BUSINESS SOFTWARE

Speed
63
Height
4
Stage
1
Time
5
Clock
47
PAC-MAN
GAME PROGRAM
ATARI ST Computer

Speed
132
Height
4
Stage
1
Time
2
Clock
0
Time Up !!
PAC-MAN
GAME PROGRAM
ATARI ST Computer

HEWSON
Presents
AMMOTRACK
Design, Programming and Audio-visuals by
John M Phillips ©1988
PLAY
DEMO
MIDI OFF
PAC-MAN
GAME PROGRAM
ATARI ST Computer
ATARI


Size: 571 MB (599,718,814 bytes)
Resolution: 1920x1080
Duration: 00:06:15
(105) Vintage Atari 520 ST Computer
[1985]
ATARI
520ST
HEWSON
Presents
AMMOTRACK
00:00:22
00:00:44
00:01:06
00:01:50
00:02:12
00:02:34
00:03:19
00:03:41
00:04:03

VIDEO

Specification:	
CPU	Motorola 68000 16-bit complex instruction set computer (CISC) @ 8 MHz
RAM	512 KB
DISPLAY/TV	External Start-X 24LN5150 Color LCD TV (24") • Graphics: 320 × 200 @ 16 colors / 640 × 200 @ 4 colors / 640 × 400 @ monochrome
OS	Digital Research's GEM on Atari TOS
MEDIA	• 3.5'' Floppy Diskettes • ROM Cartridges
I/O PORTS	• RS-232c serial port (DB25 male) • Centronics printer port (DB25 female) • Atari joystick/mouse ports (DE-9 male) • 2 MIDI ports (5-pin DIN, "IN" and "OUT") • Monitor port (custom 13-pin DIN) • ACSI (similar to SCSI) DMA port (19-pin D-sub) • Floppy port (14-pin DIN) • ST cartridge port (40-contact, 128 KB ROM)
ACCESSORIES & DOCUMENTS	• Original Packaging Box, Inserts, and Manuals • Original Mouse • Quick Shot Joystick • Original Game Diskettes Bundle with box and manuals: • PAC-MAN Cartridge, Treasure Island Dizzy, Dungeons & Dragons Heroes of the Lance, Gauntlet 2, Baal and The Seven Gates of Jambala
POWER SUPPLY	• **Computer**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(106) Vintage Atari Lynx Model 2 Console
[1991]



Original ATARI Lynx Owner's Manual
and Warranty Card
LYNX
OWNER'S MANUAL
MANUEL DE L'UTILISATEUR
MANUALE D'USO
BEDIENHANDBUCH
MANUAL DEL USUARIO
GEBRUIKERSHANDLEIDING
Original ATARI Lynx Console
Games and Accessories Carrying Bag

Dual VLSI 8-bit & 16-bit Processor
64 KB DRAM
Color back-lit LCD Screen (3.5")
160 × 102 @ 4,096 colors
POWER
LYNX
ON
POWER
OFF
BACKLIGHT
OPTION 1
RESTART
FLIP
OPTION 2
ATARI

POWER
LYNX
ON
POWER
OFF
BACKLIGHT
OPTION 1
RESTART
FLIP
OPTION 2
ATARI

POWER
LYNX
ON
POWER
OFF
BACKLIGHT
OPTION 1
RESTART
FLIP
OPTION 2
ATARI

POWER
LYNX
ON
POWER
OFF
BACKLIGHT
OPTION 1
RESTART
FLIP
OPTION 2
ATARI

POWER
LYNX
ON
POWER
OFF
BACKLIGHT
OPTION 1
RESTART
FLIP
OPTION 2
ATARI

LYNX
POWER
ON
OFF
BACKLIGHT
OPTION 1
RESTART
FLIP
OPTION 2
ATARI

ATARI
Game Cartridges Slot

LYNX
ATARI

LYNX
TODD'S ADVENTURES IN

LYNX

Size: 561 MB (588,463,927 bytes)
Resolution: 1920x1080
Duration: 00:05:35
MPC-HC
(106) Vintage Atari Lynx Model 2 Console
[1991]
Specification:
CPU
RAM
DISPLAY/TV
Original Game Cartridges Bundle
with some Boxes & Manuals
Dual VLSI 8-bit & 16-bit Processor
64 KB DRAM
Color back-lit LCD Screen (3.5")
160 x 102 @ 4,096 colors
00:00:20
00:00:39
00:00:59
00:01:38
00:01:58
00:02:18
00:02:57
00:03:17
00:03:37
ATARI

VIDEO

Specification:	
CPU	Dual Processor: • VLSI 8-bit VL65NC02 processor (based on MOS 6502) @ 4 MHz • VLSI 16-bit VL65NC02 processor @ 16 MHz
RAM	64 KB DRAM
DISPLAY/TV	• Built-in Color back-lit LCD Screen (3.5") • Graphics: 160 × 102 @ 4,096 colors
MEDIA	SD Card Based cartridges (128, 256 and 512 KB)
I/O PORTS	• 3.5mm Stereo Headphone • Comlynx network port • 9V Power

ACCESSORIES & DOCUMENTS	• LYNX Logo Carrying Bag
	• AC Adapter
	• Original Game Cartridges Bundle with box and manuals:
	  • Apb
	  • Fussball/soccer
	  • Rampage
	  • Lemmings
	  • Shanghai
	  • Slimeworld
	  • Basketbrawl

POWER SUPPLY	• **Console**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(107) Vintage Mattel Intellivision Game Console
[1979]

All-In-One Storage Box for Console Games and Cables
CHECKERS
NBA BASKETBALL
TRON DEADLY DISCS
BOXING
GOLF
HORSE RACING
TENNIS
LOCK 'N' CHASE
TRON MAZE-A-TRON
NFL FOOTBALL
SPACE SPARTANS
Poker & Blackjack
MAJOR LEAGUE BASEBALL
ASTROSMASH
NIGHT STALKER
AUTO RACING
BOMB SQUAD
MICROSURGEON
VENTURE


master component
VIDEO GAMES
More Games!
More Systems!
More Fun!
INTELLIVOICE
VOICE SYNTHESIS MODULE
Included Game Cartridges Manuals
INTELLIVISION
Intelligent Television
MATTEL ELECTRONICS
SUPER ACTION
BASEBALL
Score Pad
CHECKERS
LOCK 'N' CHASE
ASTROSMASH
PGA GOLF
TENNIS
NIGHT STALKER

Original Intellivision
Master Components Guide
INTELLIVISION Intelligent Television
master component
MICROSURGEON
GAME PROGRAM INSTRUCTIONS
PARKER BROTHERS
VIDEO GAMES
More Games!
More Systems!
More Fun!
INTELLIVOICE
VOICE SYNTHESIS CARTRIDGE
INSTRUCTIONS
NIGHT STALKER
TENNIS
FOOTBALL
(FOR TWO PLAYERS)
MAJOR LEAGUE BASEBALL
SPACE BATTLE
TRON MAZE-A-TRON

General Instrument GI CP1610 16-bit
microprocessor@ 5 MHz
(1 KB RAM, 6 KB ROM)
Integrated Dual Joysticks with Keypads
Original Intellivision Voice Synthesis
Add-on Module with Manual
ATLANTIS
INTELLIVOICE
VOICE SYNTHESIS MODULE
master component

© IMAGIC 1982
INTELLIVISION

PLAYERS: 1
LEVEL: EASY
HIT DISK TO START
ATLANTIS
INTELLIVISION
master component
INTELLIVOICE

0
68
ATLANTIS
INTELLIVISION
master component
INTELLIVOICE

150
ATLANTIS
GOLF
NFL FOOTBALL
MICROSURGEON
INTELLIVISION Intelligent Television
master component
INTELLIVOICE
VOICE SYNTHESIS MODULE

150
INTELLIVISION Intelligent Television
master component
INTELLIVOICE
VOICE SYNTHESIS MODULE



Specification:	
CPU	General Instrument GI CP1610 16-bit microprocessor@ 5 MHz
RAM	1 KB RAM, 6 KB ROM
DISPLAY/TV	External GEEPAS GLED3201EHD Color LCD TV (32") • Standard Television Interface Chip (STIC) • Graphics: 159 × 96 @ 16 color palette
MEDIA	ROM Cartridges
I/O PORTS	• 44-pin Cartridge/Expansion port • 2 X 9-pin Joystick Controller connectors • RF/RCA audio/video connector
ACCESSORIES & DOCUMENTS	• Storage Center Organizer Case for Console & Games • Original IntelliVision Console & IntelliVoice Manuals • Controller Overlays for Games • Instruction Manuals for Games • Voice Synthesis Module • Game Cartridges Bundle: • Atlantis, Night STALKER, NBA Basketball, Lock N' Chase, Tron Maze-a-tron, Space Battle, Poker & Black Jack, Bowling,

	Auto-Racing, Venture, Baseball, Boxing, Tennis, B-17 Bomber, Bomb Squad, Space Spartans, Tron- Deadly disc, Microsurgeon, Checkers, Horse Racing, Astrosmash, PGA Golf, Donkey Kong)
POWER SUPPLY	• **Game Console**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(108) Vintage Magnavox Odyssey 2 Game Console
[1978]


Original Console Owner's Manuals
OWNERS MANUAL
THE EXCITEMENT OF A GAME. THE MIND OF A COMPUTER.


2 X Original 8-way, one-button digital joysticks
Game Restart/Reset Button
Integrated System Flat Buttons Keyboard
ALIEN INVADERS—PLUS!
TCL


1
0
External TCL Color LCD TV (32”)
with Original Remote Control
TCL

More than 40 Odyssey² Games are available now—and new ones are on the way

0
0

1
0

01:51
0079
MULTI-MODE GAME CARTRIDGE
SPEEDWAY!
SPIN-OUT!

0000→?????? 0015
CHALLENGER SERIES BY MAGNAVOX
UFO!

4
BLACKJACK
A + J
LAS VEGAS BLACKJA
UFO!


Size: 558 MB (586,138,033 bytes)
Resolution: 1920x1080
Duration: 00:06:10
MPC-HC
(108) Vintage Magnavox Odyssey 2 Game Console
[1978]
Original Box and Manuals
Game Cartridges Bundle:
- Alien Invaders - Plus!
- Speedway! Spin-Out!
- Las Vegas Blackjack!
- UFO!
Original Console Owner's Manuals
00:00:22
00:00:44
00:01:05
00:01:49
00:02:11
00:02:33
00:03:16
00:03:38
00:04:00
SELECT GAME
SELECT GAME

VIDEO

Specification:	
CPU	Intel 8048 8-bit microcontroller @ 5.37 MHz (NTSC)
RAM	Internal: 64 bytes, External: 128 bytes, Video: 128 bytes BIOS ROM: 1024 bytes
DISPLAY/TV	External TCL Color LCD TV (32") • Intel 8244 (NTSC) or 8245 (PAL) • Graphics: 160 × 200 (NTSC) @ 16 color palette
MEDIA	ROM Cartridges (2 KB, 4 KB, or 8 KB)
I/O PORTS	• QWERTY-layout membrane keyboard • 2 X 8-way, one-button, digital joysticks

ACCESSORIES & DOCUMENTS	• Original Packaging Box
	• Original Power Adapter
	• Original Console Owner's Manual
	• Original Box and Manuals Game Cartridges Bundle:
	  • Alien Invaders – Plus!
	  • Speedway! Spin-Out!
	  • Las Vega Blackjack!
	  • UFO!

POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(109) Vintage Coleco Telstar Arcade Game Console
[1977]


Panasonic CompuFocus CTH-1311
CRT Color TV, Wood Grain (13”)
CompuFocus

MOS Technology MPS-7600-00x
@ 36.4 MHz With Installed
3 Games Triangle Cartridge #1
222
NEWSTAR
TELSTAR
Arcade
CARTRIDGE 1
GAMES
1. ROAD RACE

TV Top Panel for Channel Selector
and Tune Up

Tennis Pong Game Section
COLECO
TELSTAR ARCADE


Quick Draw Shooting Game Section
REMOTE
TARGET STARTER
PISTON
QUICK DRAW

Road Racer Cars Game Section
RPM
MPH

TELSTAR
Arcade
PROGRAMMABLE MICROPROCESSOR
FOR COLOR VIDEO GAME CARTRIDGES
3 GAME COLOR CARTRIDGE INCLUDED
ROAD RACE
QUICK DRAW
TENNIS
3 GAME COLOR VIDEO CARTRIDGE INCLUDED
ADVERTISED ON TV
Coleco

05 92
Panasonic

01 06
Panasonic
SLAM
NIGHT

Panasonic
SLAM
NIGHT

Panasonic
223
QUICK DRAW

05 03
Panasonic

Panasonic
COLECO
TELSTAR ARCADE

Size: 572 MB (600,196,020 bytes)
Resolution: 1920x1080
Duration: 00:07:24
MPC-HC
(109) Vintage Coleco Telstar Arcade Game Console
[1977]
TELSTAR
Arcade
Original System Packaging Box
in Excellent Condition
00:00:26
00:00:52
00:01:18
00:02:11
00:02:37
00:03:03
00:03:55
00:04:21
00:04:47

VIDEO

Specification:	
CPU	MOS Technology MPS-7600-00x (per cartridge) @ 36.4 MHz
RAM	512 words of ROM (per cartridge)
DISPLAY/TV	External Panasonic CompuFocus CTH-1311 CRT Color TV, Wood Grain (13")
MEDIA	ROM Cartridges (The Triangle)
I/O PORTS	• RF Audio/Video connector • Game Cartridge Slot (at the top)

ACCESSORIES & DOCUMENTS	• Original Packaging Box
	• Original Power Adapter
	• Game Cartridges #1:
	  • Road Race
	  • Tennis
	  • Quick Draw

POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(110) Vintage ColecoVision CBS Game Console
[1982]


Original CBS ColecoVision
Power Adapter
3 X Original CBS ColecoVision
Game Cartridges
SMURF
MOUSE TRAP
EXPANSION MODULE INTERFACE
VIDEO GAME SYSTEM

2 X Joystick controllers
with Keypad
DONKEY KONG
SMURF
MOUSE TRAP

TCL Color LCD TV (32”)
TCL
CBS COLECO VISION
DONKEY KONG
Nintendo
CBS COLECO VISION
SMURF

Game RESET Button
CBS COLECO VISION
DONKEY KONG
CBS COLECO VISION VIDEO GAME SYSTEM
Expansion Modules Connector

CBS COLECO VISION
The arcade quality video game system
Expansion Modules
Expansion Module No.1
Expansion Module No.2
Expansion Module No.3
Personal Computer

COLECOVISION ™
PRESENTS EXIDY'S
MOUSETRAP ™
© 1982 COLECO
TCL
DONKEY KONG
SMURF
MOUSE TRAP
Video Game Cartridge

006000
TCL
DONKEY KONG
SMURF
MOUSE TRAP
Video Game Cartridges

PLAYER 1
200
3
ENERGY
TCL
DONKEY KONG
MOUSE TRAP
SMURF
Video Game Cartridges

Specification:	
CPU	Zilog Z80 @ 3.58 MHz
RAM	1 KB scratchpad RAM, 16 KB video RAM, 8 KB ROM
DISPLAY/TV	External TCL Color LCD TV (32") • TI TMS9928A (NTSC) Video Display Controller (VDC) • Graphics: 256 × 192 (NTSC) @ 16 color palette • Text: 36 Chars X 24 Lines
MEDIA	ROM Cartridges (8 KB, 16 KB, or 32 KB)

I/O PORTS	• Built-in 2 X Joystick controllers with Keypad
	• Expansion Interface for Optional:
	  • Atari 2600 expansion
	  • Driving controller
	  • Adam computer expansion
	  • Roller Controller
	  • Super Action Controller
	• RF Audio/Video connector

ACCESSORIES & DOCUMENTS	• Original Packaging Box
	• Original Power Adapter
	• Game Cartridges Bundle:
	  • Original Standard Donkey Kong Game
	  • Original SMURF Game
	  • Original MOUSE TRAP Game

POWER SUPPLY	• **Console**: 240V Only (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(111) Vintage ColecoVision Adam Family Computer
[1983]





Original SmartWriter Printer
(with Setup & Reference Guides)



Original Manuals (Trouble Shooting
SmartBASIC, Word Processing)


Integrated Cassette Tape Recorder
Optional Second Tape Drive
Dual Joysticks
Zilog Z80A @ 3.58 MHz
(64 KB RAM, 16 KB VRAM)
ADAM SmartBASIC
PROGRAMMING MANUAL
REVISED EDITION


1UP
000000
0500
BONUS
01
StarSat 19BL Color LCD TV (19")
StarSat


Expansion Interface
for Extended Controllers
Dual Joystick Port


TV RF Antenna Connector
(Channel 61.25, PAL, M Sound)
TV Composite Video Connector


Power Cable (From Printer to Computer)
Main Power Cable

COLECOVISION ™
DONKEY KONG JR ™ © 1982
NINTENDO OF AMERICA INC
© 1983 COLECO
ADAM SmartBASIC
PROGRAMMING MANUAL
REVISED EDITION

1UP
000400
BONUS
ADAM SmartBASIC
PROGRAMMING MANUAL
REVISED EDITION
COLECO VISION
DONKEY KONG
JUNIOR
ADAM
SUPER GAME PACK

i am ADAM
still working
ADAM 15
ELECTRONIC TYPEWRITER
MARGIN/
TAB/ETC
MARGIN
RELEASE
ADAM SmartBASIC
PROGRAMMING MANUAL
REVISED EDITION
COLECO VISION
DONKEY KONG
JUNIOR
ADAM
SUPER GAME PACK

Specification:	
CPU	Zilog Z80A @ 3.58 MHz
RAM	64 KB RAM, 16 KB VRAM
OS	EOS, OS-7 (ColecoVision)
DISPLAY/TV	External StarSat 19BL Color LCD TV (19") • TI TMS9928A (NTSC) Video Display Controller (VDC) • Graphics: 256 × 192 (NTSC) @ 16 color palette, 32 sprites
MEDIA	• ROM Cartridges • Digital Data Pack (Cassette Tape Player)

I/O PORTS	• Built-in 2 X Joystick controllers with Keypad
	• Expansion Interface for:
	  • Atari 2600 expansion
	  • Driving controller
	  • Adam computer expansion
	  • Roller Controller
	  • Super Action Controller
	• Video Connectors: RF CH3or5, TV, Monitor, AUX

ACCESSORIES & DOCUMENTS	• Original Keyboard
	• Original 2 x Joystick Controllers with Keypad
	• Original SmartWriter Printer (with Setup & Reference Guides)
	• Original Manuals (Trouble Shooting, SmartBASIC, Word Processing)
	• Original ADAM Cassette Tape:
	  • SmartBASIC
	  • ZAXXON
	  • BUCK ROGERS
	• Original Game Cartridges:
	  • Donkey Kong Junior
	  • Q*bert

POWER SUPPLY	• **Printer**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Computer**: 120V Only (Powered from Printer) • **TV**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	Current TV Channel Setup: RF Connector, Channel Frequency: 61.25, PAL Video System, M Audio System

(GOTO ^^TOP)

(112) Vintage Sega Genesis Model 2 Game Console
[1994]

Original SEGA Mouse
Original SEGA Genesis
Joystick Controller
Extra High Frequency Turbo Controller

1UP
4780
HIGH SCORE
10000
NORMAL
ARCADE
GAME OVER
Hiteker
HITEKER Clear Case Color LCD TV (13”)

SEGA
START
Dual Controllers Connectors

MADDEN
SEGA

SEGA
MADDEN
225v
NEWSTAR
START

SEGA
MS·PAC-MAN
TYPE : 1 PLAYER
PAC BOOSTER : OFF
GAME DIFFICULTY : NORMAL
MAZE SELECTION : ARCADE
STARTING LEVEL : 1
225v
NEWSTAR
START

Specification:	
CPU	• Motorola 68000 16-bit processor @ 7.6 MHz.(Main) • Zilog Z80 8-bit processor @ 3.58 MHz (for backward compatibility)
RAM	64 KB RAM, 64 KB VRAM (video), 8 KB of ARAM (audio)
DISPLAY/TV	External HITEKER Clear Case Color LCD TV (13") • TI TMS9928A (NTSC) Video Display Controller (VDC) • Graphics: 256 × 224 (NTSC) @ 61 color palette
MEDIA	• ROM Cartridges
I/O PORTS	• 2 X Joystick controllers • DC power port (SEGA MK-2103 AC unit) • 9-pin mini DIN SEGA AV Cable
ACCESSORIES & DOCUMENTS	• Original SEGA AC Adapter • Original Joystick Controller • Original SEGA Mouse • Extra High Frequency Turbo Controller • Blockbuster Hard Carry Case Sonic (SEGA Logo) • Original Game Cartridges Bundle:

	• Miss PAC-MAN • SONIC • LION KING • KOMBAT • EA Sport MADDEN 96
POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	• If blank screen then try cleaning up the game cartridges connector pins and cartridge inserted well

(GOTO ^^TOP)

(113) Vintage Nintendo NES Game Console
[1985]

Nintendo
ENTERTAINMENT SYSTEM
POWER
RESET
•Original 2 X NES controllers, model NES-004
•Original NES Zapper shooting pistol controller.


• External MAGNAVOX 13MC3206/37 Color CRT TV (13”)
• Built-in DVD Player Drive and Original Remote Control
WORLD 1-1
TIME 349
MAGNAVOX
ENTER


2 X Joysticks/ Pistol Zapper Connectors
Console Power and Reset Buttons
POWER
RESET

Nintendo

MARIO
003250
WORLD
1-1
TIME
254
MAGNAVOX
Nintendo
ENTERTAINMENT SYSTEM

DUCK
HUNT
GAME A 1 DUCK
GAME B 2 DUCKS
GAME C CLAY SHOOTING
TOP SCORE = 12000
©1984 NINTENDO CO.,LTD.
MAGNAVOX
Nintendo
ENTERTAINMENT SYSTEM

R=1
HIT
005000
SCORE
MAGNAVOX
Nintendo
ENTERTAINMENT SYSTEM
STAR SOLDIER
ICE HOCKEY

R=2
SHOT
HIT
010500
SCORE
MAGNAVOX
Nintendo
ENTERTAINMENT SYSTEM
STAR SOLDIER
ICE HOCKEY

Specification:	
CPU	Ricoh 2A03 (NTSC) @ 1.79 MHz
RAM	2 KB RAM, 2 KB VRAM (video), 256 Bytes ROM
DISPLAY/TV	External MAGNAVOX 13MC3206/37 Color CRT TV (13") • Built-in DVD Player Drive and Original Remote Control • Ricoh 2C02 Picture Processing Unit (PPU) @ 5.37 MHz • Graphics: 256 × 240 (NTSC) @ 25/54 color palette, 64 sprites
MEDIA	ROM Cartridges ("Game Pak")
I/O PORTS	• 2 X Joystick controllers • DC power port • AV Composite TV out port • Expansion Slot
ACCESSORIES & DOCUMENTS	• Original Nintendo AC Adapter, model NES-002 • Original 2 X NES controllers, model NES-004 • Original NES Zapper shooting pistol controller. • Original AV & RF Cables • Original Game Cartridges Bundle: • Super Mario Bros

	• Duck Hunt • Turbo Racing • Star Soldier • Top Gun • Second Mission
POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(114) Vintage Nintendo 64 N64 Charcoal Black Console
[1996]

Original Console Packaging
Box in Excellent Condition
Nintendo
NINTENDO64
ニンテンドウ64
NINTENDO64
ニンテンドウ64
取扱説明書
Bonus Mario Mouse Pad
Original Console User's Guide

Original 2 X OEM N64 Controllers (with 32 KB
removable storage Controller (1) Pak)
Nintendo
NINTENDO64
ニンテンドウ64
取扱説明書
Unique Nintendo N64 - Super
340 Games Cartridge

Installed Nintendo 64
Memory Expansion Pak
NINTENDO64
ニンテンドウ64
取扱説明書
BLASTDOZER

External StarSat 19BL Color LCD TV (19")
StarSat

NINTENDO64


Installed 32 KB Removable Storage Controller Pak on Controller (1)
RCA AV Video Cable Connector
Detachable Power Adapter (120V)

3900
5pd
NINTENDO64
ニンテンドウ64
取扱説明書
Nintendo

SD BROWSER
007 - GoldenEye.v64 16M
007 - The World Is Not Enough (USA).n64 32M
1080 Snowboarding (JU) [!].z64 16M
40 Winks (USA) (Aftermarket) (Unl).z64 32M
A Bug's Life (U) [!].v64 12M
AeroFighter's Assault (U) [!].z64 8M
AeroGauge (U) [!].z64 8M
Aidyn Chronicles - The First Mage (U) [!].z64 32M
Air Boarder 64 (Japan).n64 8M
Akumajou Dracula Mokushiroku - Real Action Adventure (12M
Akumajou Dracula Mokushiroku Gaiden - Legend of Cornel 16M
All Star Tennis 99 (U) [!].z64 8M
All-Star Baseball 2000 (U) [!].z64 16M
All-Star Baseball 99 (U) [!].z64 12M
All-Star Baseball 2001 (U) [!].z64 16M
page: 1
save: force SRAM
NINTENDO64
ニンテンドウ64
取扱説明書
Nintendo

LAP 2/3
TIME 00'58"96
5th
NINTENDO64
ニンテンドウ64
取扱説明書
Nintendo

PRODUCED BY
namco
NINTENDO64
ニンテンドウ64
取扱説明書
Nintendo

NINTENDO64
NINTENDO 64
ニンテンドウ64
取扱説明書
Nintendo

WHEEL of FORTUNE
NINTENDO64
NINTENDO 64
ニンテンドウ64
取扱説明書
Nintendo

THING
Spin
Buy
Solve
FREE
$0
$0
$0
NINTENDO64
ニンテンドウ64
取扱説明書
Nintendo


Size: 624 MB (655,041,544 bytes)
Resolution: 1920x1080
Duration: 00:12:42
MPC-HC
00:00:45
00:01:30
00:02:14
00:03:44
00:04:29
00:05:14
00:06:43
00:07:28
00:08:13

VIDEO

Specification:	
CPU	NEC VR4300 64-bit processor @ 93.75 MHz
RAM	4 MB Rambus RDRAM
DISPLAY/TV	External StarSat 19BL Color LCD TV (19") • SGI RCP @ 62.5 MHz • Graphics: 640 × 480 @ 24-bit True Color
MEDIA	ROM Cartridges (Nintendo 64 Game Pak)
I/O PORTS	• 4 X Joystick controllers • DC power port • Composite video and S-Video port • Expansion Slot

ACCESSORIES & DOCUMENTS	• Original Packaging Box and Inserts
	• Original Manual
	• Original 2 X OEM N64 Controllers (with 32 KB removable storage Controller Pak)
	• Original N64 AV Adapter and cable
	• Original Game Cartridges Bundle:
	  • Unique Nintendo N64 - Super **340** Games Cartridge (v.2.5)
	  • 2 X Game cartridges with original box
	  • World Driver
	  • NBA Games
	  • EA Sport Triple Play

POWER SUPPLY	• **Console**: 120V Only (Internal Detachable PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(115) Vintage Nintendo GameCube Black Game Console
[2001]

PELICAN Extra Controller
Original Nintendo Cube OEM Controller
IBM PowerPC 32-bit 750CXe Gekko
@ 486 MHz (24 MB SRAM, 3 MB VRAM)

STAR TRACK
External Star Track ST-24D-AZ100
Color LCD TV (24”)


4 X Controller Ports
Extra Mad Catz Memory Card
(Game Saving)


Power Adapter Connector
RCA AV Video Cable Connector

STAR TRACK
NEWSTAR

STAR TRACK
NEWSTAR

Loading...
THE SIMPSONS
ROAD RAGE
STAR TRACK

MAIN MENU
Road Rage
Sunday Drive
Mission Mode
Head to Head
Options
Explore Springfield at your own pace
Accept
Options
STAR TRACK



Specification:	
CPU	IBM PowerPC 32-bit 750CXe Gekko @ 486 MHz
RAM	24 MB of 1T-SRAM @ 324 MHz, 3 MB VRAM, 16 MB of DRAM for I/O buffer
DISPLAY/TV	External Star Track ST-24D-AZ100 Color LCD TV (24") • ATI Flipper GPU @ 162 MHz • Graphics: 640 × 480 @ 24-bit True Color
MEDIA	GameCube Game Disc mini-CDs (Game Pak)
I/O PORTS	• 4 X Joystick controllers • 2 X Memory Card ports (saving game data) • DC power port • Composite video and S-Video port • Hi Speed expansion port
ACCESSORIES & DOCUMENTS	• Original Power Adapter • Original OEM Controller + 1 Extra • Mad Catz Memory Card (Game Saving) • Original OEM RCA cable • Game CDs Bundle:

	• The Simpsons Road Rage • Soul Calibur II • Tom Clancy's Ghost Recon • Spy hunter • EA Sports Madden NFL 06 • Peter Jackson's King Kong
POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(116) Vintage Nintendo Wii U Game Console Mario Kart 8 [2012]

Original Sealed Wii U Starter Bundle Pack including (Silicone cover, 1 Large
2 X Original stylus pens
Stereo earphones and earbuds
2 X Screen protectors)
Wii U
NEW STARTER BUNDLE PACK
For Wii U™
Ideal for all your Wii U™ needs!
TOMEE
GAMING
HEAD
With Micr


Original Wii U MarioKart 8 Matching Box, Inserts and Guides
Luigi Bonus Figure
Original Wii U Guides
Nintendo
amiibo
MARIOKART 8
Game Pre-Installed
BONUS DLC
MARIO KART 8
DELUXE SET
Wii U
BONUS DLC
New Characters, New Vehicles, New Tracks
Quick Start Guide
From setup to gameplay
1 Basic Setup
2 Configuring Your System
3 Using Game Discs
IMPORTANT INFORMATION

32GB Wii U Portable Console
with Pre-loaded MarioKart 8
Game with Original Power Adapter
Mario Large Stylus Pen


External Secondary Color LCD TV (19")
with Original HDMI Cable
New TV Remote Control
2 X Wii Remote Plus Controllers
Wii U CD Base Unit with Wired
Infrared IR Ray Motion Sensor Bar
2 X Wii Wired Nunchuk Controllers


HDMI Secondary Monitor/TV Port
2 X USB 2.0 ports
Power Cable Port

MARIO KART 8
DELUXE SET
MARIO KART 8
Game Pre-installed
BONUS DLC
Wii U
Wii U

NINTENDO
Wii
Your favorite Wii games, all on Wii U too!
NINTENDO
You can even use the GamePad by itself for this!
Wii U

OK
Wii U


1/7 (Sun) 1:21 p.m.
Controller Settings
Suspended Software
MARIO KART 8
Close Software
Resume
Manual
Miiverse


Size: 608 MB (638,302,452 bytes)
Resolution: 1920x1080
Duration: 00:07:37
(116) Vintage Nintendo Wii U Game Console Mario Kart 8 [2012]
00:00:27
00:00:54
00:01:21
00:02:41
00:03:08
00:04:02
00:04:29
00:04:55

VIDEO

Specification:	
CPU	IBM PowerPC 32-bit 3-cores @ 1.2 GHz
RAM	32 GB Internal Flash Memory
DISPLAY/TV	External Color LCD TV (19") • AMD Radeon-based High Definition GPU • Graphics: 720p and 1080p HD @ 24-bit True Color
MEDIA	• Wii U Game CDs • Internet Downloadable Games (WiFi IEEE 802.11b/g/n) connection
I/O PORTS	• 4 X USB 2.0 ports • SD/SDHC memory card slot • HDMI Video port

ACCESSORIES & DOCUMENTS	• Original Packaging Box, Inserts and Manuals
	• Original Power Adapter
	• Original HDMI Cable
	• Wii U GamePad Cradle and Stand
	• 2 X Wii Remote Plus Controllers
	• 2 X Wii Wired Nunchuk Controllers
	• 2 X Wii Steering Wheels (White + Gold)
	• Gaming Chat Headset with MIC (Sealed)
	• Wii U Starter Bundle Pack:
	  • Silicone cover, Microfiber cleaning cloth
	  • Large stylus pen, 2 Normal stylus pens
	  • Stereo earphones, 3 Pairs of optional earbuds
	  • 2 X Screen protectors
	• Mario Red Large Stylus
	• 5 X Wii U Animal Crossing Nintendo Amiibo Figures
	• Game CDs Bundle:
	  • Pre-loaded Mario Kart 8 Deluxe Edition
	  • Wii U Scribblenauts Unmasked (Sealed CD Box)
	  • Unique Wii U 30 Great Games – Family Party Obstacle Arcade (Sealed CD Box)

POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **Base**: 120V Only (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins • **TV**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins

(GOTO ^^TOP)

(117) Vintage Nintendo Game And Watch Super Mario Bros 35th Anniversary [1983 / re-production 2020]


GAME & WATCH
COLOR SCREEN
BALL
3
Nintendo

GAME & WATCH
SUPER MARIO BROS.
12:11 PM
MARIO
000000
0×00
WORLD
1-1
TIME
SUPER MARIO BROS.
SUPER MARIO BROS. 2
BALL
GAME
TIME
PAUSE/SET
B
A
Nintendo

GAME & WATCH
SUPER MARIO BROS.
GAME
TIME
PAUSE/SET
GAME & WATCH
BALL
GAME A
GAME B
©1980-2020 NINTENDO
Nintendo
B

GAME & WATCH
SUPER MARIO BROS.
GAME
TIME
PAUSE/SET
90
TOP 0090
Nintendo
B

GAME & WATCH
SUPER MARIO BROS.
GAME
TIME
PAUSE/SET
B
Nintendo
MARIO 000000
WORLD 1-1
TIME
SUPER MARIO BROS.
©1985-2020 NINTENDO
1 PLAYER GAME
2 PLAYER GAME
TOP- 000000

GAME & WATCH
SUPER MARIO BROS.
GAME
TIME
PAUSE/SET
B
Nintendo
MARIO 001900
WORLD 1-1
TIME 258

GAME & WATCH
SUPER MARIO BROS.
12:13 PM
MARIO
000000
0×00
WORLD
1-1
TIME
RESET GAME
GAME
TIME
B
A
Nintendo

GAME & WATCH
SUPER MARIO BROS.
MARIO
000000
0×00
WORLD
1-1
TIME
SUPER MARIO BROS. 2
©1985-2020 NINTENDO
MARIO GAME
LUIGI GAME
TOP- 000000
GAME
TIME
PAUSE/SET
B
Nintendo

GAME & WATCH
SUPER MARIO BROS.
GAME
TIME
PAUSE/SET
B
Nintendo


(117) Vintage Nintendo Game And Watch Super Mario Bros
35th Anniversary
[1983 / re-production 2020]

VIDEO

Specification:	
CPU	ARM Cortex-M7 core STM32H7B0VBT6 microcontroller
RAM	256KB Flash RAM, 1380 KB SRAM, 1 MB Serial Flash
DISPLAY/TV	Built-in Color LCD Screen (2.36") • Graphics: 320x240
MEDIA	Built-in Pre-loaded Games: • Super Mario Bros. (1985) • Super Mario Bros.: The Lost Levels (1986) • Mario-themed version of Ball (1980)
I/O PORTS	• D-pad • A and B buttons • USB-C charging port and cable
ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) • Original Packaging Box and Inserts • Hard Cover Case
POWER SUPPLY	• **Base**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • Built-in Re-charhable lithium-ion battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(118) Vintage Nintendo DSI pink Portable
[2004]


LCD SCREEN
NINTENDO DS Lite
INTRODUCED: 2006
STEREO SPEAKERS
WI-FI DAUGHTERBOARD
STYLUS
DS GAME CARD SLOT
EXTERNAL EXTENSION CONNECTOR
WI-FI ANTENNA
POWER BUTTON
BODY
MICROPHONE
POWER INDICATOR LED
LOGIC BOARD
C/USG-CPU-10
STEREO SPEAKERS
START
SELECT
HEADPHONE JACK
GAME PAK SLOT
VOLUME
LEFT
RIGHT
PLAY
CONTROL BUTTONS
BODY
Touch Screen
STYLUS HOLDER
RUBBER AND PLASTIC BUTTON ASSEMBLIES
BATTERY COVER

2 X Original Game Cards included:
• Jewel quest, Solitaire
• Emily Archer, the curse of king tut's tomb
Original Nintendo Stylus Pen (Expandable)
RISC Machines ARM946E-S @ 67 MHz
4 MB RAM
Dual TFT Color Touch LCDs (3.12")
256 × 192
POWER
X
Y
A
B

EMILY
ARCHER
THE CURSE OF
KING TUT'S TOMB
SPELEN
OPTIES
JOURNAAL
PROFIELEN
PUZZELS
POWER
START
SELECT

Spin
Knoop
Sleutel
Geodriehoek
POWER
START
SELECT

EMILY
ARCHER
THE CURSE OF
KING T S TOMB
POWER
START
SELECT

Nintendo DSi Camera
Mon Tue Wed Thu Fri Sat Sun
02/2024
System
SD Card
Camera
Photos remaining:
411
Album
Photos taken:
2
Exit
Calendar
Options
START
SELECT

Nintendo DSi Sound
Record and edit sounds
Play with your music
Exit
Settings
START
SELECT

NINTENDO DS Lite
INTRODUCED: 2006

Game Cards Slot
Stylus Pen Compartment
NINTENDO DS

Specification:	
CPU	• Advanced RISC Machines ARM946E-S @ 67 MHz • Advanced RISC Machines ARM7TDMI @ 33 MHz
RAM	4 MB RAM
DISPLAY/TV	2 X TFT Color Touch LCDs (3.12") Graphics: 256 × 192 pixels @ 262,144 colors
MEDIA	• Game Boy Advance Game Pak • Nintendo DS Game Card
I/O PORTS	• Wi-Fi (802.11b, WEP encryption) • Memory Card ports • DC power port • Directional control pad, Volume slider

ACCESSORIES & DOCUMENTS	• Original Power Adapter
	• Original Touch Screen Stylus
	• Original Nintendo Carrying Case
	• Game SD Cards Bundle:
	  • Jewel quest, Solitaire
	  • Emily Archer, the curse of king tut's tomb

	• College Wooden Frame of Real Nintendo DS Lite Components
POWER SUPPLY	• **Console**: 240V Only (External Power Adapter) Plug Type: TYPE C, Europe, 2 Thin Round Pins • Rechargeable Lithium-ion battery (1000 mAh)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(119) Vintage Texas Instruments Ti-99-4A Computer
[1981]



TEXAS INSTRUMENTS HOME COMPUTER
Original TI System Packaging
Box and Manuals
Early Learning Fun
with Manual & Original Box
Original Game Cartridges Manuals
Early Learning Fun
COMMAND MODULE
Applications Software
Application programs for problem-solving — education — entertainment — finance management — and much more!
Home Computer
Applications Software

Original TI Power Adapter
4 X Games Cartridges Bundle
Read this first!
HANGMAN
Number Magic
TEXAS INSTRUMENTS
TI-99/4A
ALIEN ADDITION
Original 2 X TI Joystick controllers



External ALBA LCDDW16HDF Color LCD TV (16”) with Remote Control

Side Expansion port (Peripherals)


Joystick/User Port
(Parallel/Serial Adapter) (1)
RCA AV Video Cable
Power Adapter Cable Connector


Joystick/User Port
(Parallel/Serial Adapter) (2)

TEXAS INSTRUMENTS HOME COMPUTER
EASY-TO-USE, VERSATILE, EXPANDABLE


Home Computer
Early
Learning Fun
COMMAND MODULE
Applications
Software
BASIC Reference Section

DLM
ARCADEMIC SKILLBUILDER
ALIEN ADDITION
Number Magic
HANGMAN
TI-99/4A
ALIEN ADDITION

Number Magic
HANGMAN
TEXAS INSTRUMENTS
TI-99/4A
ALIEN ADDITION

HANGMAN
SECRET WORD GAME
GUESS ONE LETTER
AT A TIME--
IF YOU PICK 11 WRONG
--YOU LOSE
NUMBER OF PLAYERS?
PUSH 1 OR 2
Number Magic
ALIEN ADDITION
TI-99/4A

HANGMAN
SCORE
07
GUESS: I
. . C D E F G . . J K L M
N O P Q R S T U V W X Y Z
Number Magic
ALIEN ADDITION
TEXAS INSTRUMENTS
TI-99/4A
HANGMAN

NUMBER
MAGIC
HANGMAN
ALIEN ADDITION
TEXAS INSTRUMENTS
TI-99/4A
Number Magic



Specification:	
CPU	Texas Instruments TMS9900 16-bit microprocessor @ 3 MHz
RAM	16 KB RAM, 256 bytes scratchpad RAM
OS	TI BASIC
DISPLAY/TV	External ALBA LCDDW16HDF Color LCD TV (16") • TI TMS9918A Video Display Processor (VDP) • Graphics: 4 out of 32 single-color sprites (8×8 or 16×16 or 32x32)
MEDIA	• ROM cartridge • Cassette Tapes • Floppy disk (5.25")
I/O PORTS	• Joystick port • Cassette port • Monitor port • Cartridge port • Side Expansion port (Peripherals)

ACCESSORIES & DOCUMENTS	• Original Packaging Box and Manuals
	• Original Power Adapter
	• Original 2 X TI Joystick controllers
	• 4 X Games Cartridges Bundle:
	  • Alien Addition with Manual
	  • Hangman with Manual
	  • Number Magic with Manual
	  • Early Learning Fun with Manual & Original Box
	• Rare Vintage TI Magazines issues:
	  • Family Computing Magazine
	  • Personal Computing Magazine
	  • TI Catalog Magazine
	  • TI Hope Computer Magazines ft. Bill Cosby

POWER SUPPLY	• **Computer**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **TV**: 240V Only (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(120) Vintage Hanimex 888G TV Scoreboard Game Console
[1977]



Original Rifle / Pistol Controller with Box
00 21
Panasonic

2 X additional Bat Slider Controllers (up to 4 players)
TV SCOREBOARD
COLOR GAMES
POWER
SERVE
SPEED HANDICAP
PLAYERS
TARGET
TENNIS
HOCKEY
TARGET
SQUASH
GAME RESET
TEAM A
TEAM B
Built-in pre-loaded fixed Pong games:
• Tennis
• Hockey
• Target (using CRT TV and Pistol-Rifle Controller)
• Squash


Panasonic Color CRT TV (8”)
with original Remote Control
Panasonic

Game RESET Button
Power ON Button
Game Selector Slider
TV SCOREBOARD
COLOR GAMES


DC Adapter Power Cable Port
Rifle / Pistol Controller Port
2 X additional Bat Slider Controllers Port

Panasonic
TV SCOREBOARD
COLOR GAMES

Panasonic
TV SCOREBOARD
COLOR GAMES
POWER
SERVE
SPEED HANDICAP
PLAYERS
TARGET
TENNIS
HOCKEY
SQUASH
TEAM A
TEAM B
SERVE
GAME RESET

10 03
Panasonic
TV SCOREBOARD
COLOR GAMES
POWER
SERVE
SPEED HANDICAP
PLAYERS
TARGET
TENNIS
HOCKEY
SQUASH
GAME RESET

Panasonic
SPEED HANDICAP
PLAYERS
TARGET
TARGET
SQUASH
GAME RESET

Specification:	
DESCRIPTION	Hanimex is a Pong console features different modes of pong games
CPU	MOS Technology MPS-7600 family @ 36.4 MHz
DISPLAY/TV	External Panasonic Color CRT TV (8") with original Remote Control
MEDIA	Built-in pre-loaded fixed Pong games: • Tennis • Hockey • Target (using CRT TV and Pistol-Rifle Controller) • Squash
I/O PORTS	• Built-in RF TV port with cable • Additional Bat Slider Controllers port • Rifle/Pistol port • DC power port
ACCESSORIES & DOCUMENTS	• Original Packaging Box, Inserts and Manual • Original Limited Warranty Card • 2 X detachable Slider Joysticks • 2 X additional Bat Slider Controllers (up to 4 players)

	• Original Rifle / Pistol Controller • Original Power Adapter
POWER SUPPLY	• **Console**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins or 6 X size “C” batteries • **TV**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	Make sure to check the VHF channel selector at console (CH3 or CH4 only) for TV RF tuning

(GOTO ^^TOP)

(121) Vintage Hanimex TVG 500 Video Game Console
[1976]


Rhapsody
15 15
VHF
UHF
BLACK & WHITE TV
TUNING
EAR PHONE
POWER
BAND
VOLUME

Built-in pre-loaded fixed Pong games
(Tennis, Hockey, Squash, Practice)
with 2 X detachable Dial Joysticks
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
PRACTICE
TENNIS
SQUASH
HOCKEY
GAME SELECTOR
HANIMEX
TVG 500
POWER
REBOUND ANGLE
BALL-SPEED
SERVE
BAT SIZE
RESET
AUDIO VISUAL COMMAND MODULE

HANIMEX
HANIMEX
HOME T.V. GAME
MODEL TVG-500
Code No. 751014(2)
HANIMEX
HOME T.V. GAME
MODEL TVG-500
4 Games-Tennis Hockey
Squash Practice
With Remote Control
Automatic On-Screen Scoring
and Sound
Simply Attaches To Your B/W
Or Colour T.V. Set
Code No. 751014(2)

HANIMEX
TVG 500
AUDIO VISUAL COMMAND MODULE
POWER
BAND
VOLUME

HANIMEX
TVG 500
AUDIO VISUAL COMMAND MOD
BLACK & WHITE TV
VOLUME

AUDIO VISUAL COMMAND MODULE
BLACK & WHITE TV
VOLUME

Specification:	
DESCRIPTION	Hanimex is a Pong console features different modes of pong games
DISPLAY/TV	External Rhapsody TV-628 BW Portable CRT TV (4.5")
MEDIA	Built-in pre-loaded fixed Pong games: • Tennis • Hockey • Squash • Practice
I/O PORTS	• Built-in RF TV port with cable
ACCESSORIES & DOCUMENTS	• Original Packaging Box, Inserts and Manual • 2 X detachable Dial Joysticks
POWER SUPPLY	• **Console**: 6 X size “C” batteries • **TV**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	The RF setting is fixed to UHF 35 channel for TV tuning

(GOTO ^^TOP)

(122) Vintage ADMAN Grandstand Game 3600 MKII Color Game Console [1977]



ADMAN
GRANDSTAND
TV GAME
3600 MKII
COLOUR
ADMAN
GRANDSTAND
3600 MKII
COLOUR TV GAME
OPERATION MANUAL
Original Adman GrandStand Packaging Box and operations Manuals

Built-in pre-loaded fixed Pong games (Tennis, Football, Squash, Practice Target 1 & 2) with Original 2 X Dial Joysticks, and Original Pistol Controller
OFF
MANUAL
AMATEUR
ON
AUTO.
PROFESSIONAL
POWER
BALL SERVE
BALL SPEED
BALL ANGLE
PLAYER SIZE
A
B
C
D
GAME SELECT
TENNIS – AB
FOOTBALL – AD
SQUASH – BC
TARGET 1 – B
PRACTICE – CD
TARGET 2 – D
COLOUR
LEFT
PLAYER
RESET
SERVE
RIGHT
PLAYER

Pistol Controller Connector


Built-in Video RF TV Cable
6 X Size “C” Batteries Compartment

Channels Selector and Tune up Dial Button
Console Antenna Cable Connection Port
TUNING
AERIAL
AFC

ADMAN
GRANDSTAND
TV GAME
3600 MK II
COLOUR

FOOTBALL – A D
TARGET 1 – B
TARGET 2 – D
SQUASH – B C
TENNIS – A B
JVC
AC-DC-COLOUR TV/MONITOR CX-606B
POWER
GRANDSTAND

TARGET 1 – B
TARGET 2 – D
SQUASH – B C
TENNIS – A B
JVC
AC-DC-COLOUR TV/MONITOR CX-606B
POWER
GRANDSTAND

JVC
AC/DC-COLOUR TV/MONITOR CX-60GB
POWER

Size: 548 MB (574,779,187 bytes)
Resolution: 1920x1080
Duration: 00:04:56
MPC-HC
(122) Vintage ADMAN Grandstand Game 3600 MKII Color Game Console
[1977]
00:00:17
00:00:35
00:01:27
00:01:45
00:02:02
00:02:37
00:02:54
00:03:12
ADMAN
GRANDSTAND
TV GAME
3600 MK II
COLOUR
Original Adman Grandstand Packaging Box and operations Manuals
Channels Selector and Turn-up Dial Button
Console Antenna Cable Connection Port

VIDEO

Specification:	
DESCRIPTION	Adman GrandStand is a Pong console features different modes of pong games
DISPLAY/TV	External JVC Colour TV/Monitor CX-60GB CRT TV (5")
MEDIA	Built-in pre-loaded fixed Pong games: • Tennis • Football • Squash • Practice • Target 1 & 2 (using CRT TV and Pistol-Rifle Controller)
I/O PORTS	• Built-in RF TV port with cable • 2 X Joystick ports • Pistol Port
ACCESSORIES & DOCUMENTS	• Original Packaging Box and Manual • Original 2 X Dial Joysticks • Original Pistol Controller
POWER SUPPLY	• **Console**: 6 X size “C” batteries • **TV**: 100-240V Auto-Switch (Internal PSU) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	Make sure to check the VHF channel selector at console (CH3 or CH4 only) for TV RF tuning

(GOTO ^^TOP)

(123) Vintage Coleco Head To Head Video Game System
[1979 / Re-production 2005]

Dual Head-to-Head Controllers
Color LCD Monitor (5”)

COLECO
1 or 2 PLAYER ACTION!
VIDEO GAME SYSTEM
INCLUDES:

COLECO
Head to Head
VIDEO GAME SYSTEM
GAME MENU
CAR RACING
DEEP SEA MADNESS
BASEBALL
WALL BREAKER
SOCCER
CAR RACING
SEA DEFENDER
FOOTBALL
BOXING
HOCKEY
BASKETBALL
RACQUETBALL
KUNG FU FLY CATCHER
MARKETED BY WAL-MART STORES, INC.
BENTONVILLE, ARKANSAS, 72716.
NO. 60501
MADE IN CHINA

COLECO
Head to Head
VIDEO GAME SYSTEM
DEEP SEA MADNESS
BASEBALL
WALL BREAKER
SOCCER
CAR RACING
SEA DEFENDER
FOOTBALL
BOXING
HOCKEY
BASKETBALL
RACQUETBALL
KUNG FU FLY CATCHER
MARKETED BY WAL-MART STORES, INC.
BENTONVILLE, ARKANSAS, 72716.
NO. 60501
MADE IN CHINA

COLECO
Head to Head
VIDEO GAME SYSTEM
12
DEEP SEA MADNESS
BASEBALL
WALL BREAKER
SOCCER
CAR RACING
SEA DEFENDER
FOOTBALL
BOXING
HOCKEY
BASKETBALL
RACQUETBALL
KUNG FU FLY CATCHER
MARKETED BY WAL-MART STORES, INC.
BENTONVILLE, ARKANSAS, 72716.
©2005 Techno Source.
All Rights Reserved.
Manufactured by:
Techno Source
30 Canton Road
Kowloon, Hong Kong
MADE IN CHINA
NO.60501
SCORE:00050
LEVEL:001

COLECO
Head to Head
VIDEO GAME SYSTEM
12
DEEP SEA MADNESS
BASEBALL
WALL BREAKER
SOCCER
CAR RACING
SEA DEFENDER
FOOTBALL
BOXING
HOCKEY
BASKETBALL
RACQUETBALL
KUNG FU FLY CATCHER
MARKETED BY WAL-MART STORES, INC.
BENTONVILLE, ARKANSAS, 72716.
©2005 Techno Source.
All Rights Reserved.
Manufactured by:
Techno Source
30 Canton Road
Kowloon, Hong Kong
MADE IN CHINA
NO.60501
00020
LEVEL 01



Specification:	
DESCRIPTION	2 player Coleco Head to Head Video Game System Plug & Play unit
DISPLAY/TV	External Color LCD Monitor (5")
MEDIA	Built-in pre-loaded fixed games: 1. FOOTBALL 2. BASKETBALL 3. BASEBALL 4. RACQUETBALL 5. HOKEY 6. SOCCER 7. BOXING 8. SEA DEFENDER 9. CAR RACING 10. KUNG FU FLY CATCHER 11. WALL BREAKER 12. DEEP SEA MADNESS
I/O PORTS	• Built-in RCA TV port with 8 foot cable

ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) with hard case bag, inserts and manual • 2 X Full Size Controllers
POWER SUPPLY	• **Console**: 4 X size AA (LR6) batteries • **Monitor**: 240V Only (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(124) Vintage IDEAL Computer Tele-Match Cassette 1 Game Console [1977]

IDEAL-COMPUTER

TELE-MATCH

Specification:	
DESCRIPTION	2 player Pong module console plugged directly to TV slot
CPU	AY-3-8550 (GI pong chip)
DISPLAY/TV	Can be used only with Ideal-Computer compatible TV sets with built-in Tele-Match cartridge slot like: • Telefunken, Grundig, ITT, Graetz, Ingelen
MEDIA	Built-in pre-loaded fixed games: • Football / Soccer • Racquetball / squash • Tennis
I/O PORTS	• Built-in Ideal-Computer TV interface
ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) with case bag, and manual • 2 X Analog Controllers
POWER SUPPLY	• Console: 1 X 9V rectangular battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(125) Vintage Realistic Clarinette 117 Music System
[1986]


Original 2 X Realistic
Minimus - 3 bookshelf speakers
150Watt 120V<-->240V Power
Transformer Included
Clarinette 117
8 Track Tape Player
Dual Cassette Tape Player/Recorder

AM/FM Stereo:
AM Beat Cut, FM Antenna Inputs
FM
FREQUENCY MODULATION
88 90 92 94 96 98 100 102 104 106 108
MHz
FM STEREO
AM
AMPLITUDE MODULATION
540 600 700 800 1000 1200 1400 1600
kHz
AUDIO POWER METER
Led Light Audio Power Meter Gauge
AUTOMATIC SHUT OFF
REALISTIC
RECORD
CASSETTE COUNTER
Clarinette 117
RECORD PLAY REWIND FAST-F STOP/EJECT PAUSE
MICROPHONES
LEFT/MONO RIGHT
BARBRA STREISAND'S TC8
GREATEST HITS
BALANCE
TONE
SELECTOR
AM
FM AUTO
CASSETTE
8TRACK
PHONO
POWER

Turntable: 33 & 45 speeds
RCA VICTOR
45
N
33


FM Antenna (300 Ohm, 75 Ohm)
External Speakers (L/R) Connectors
REALISTIC
Clarinette 107
CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN
DO NOT EXPOSE TO RAIN OR MOISTURE



RCA Victor Records - In Old Vienna
(1950) Strauss Waltzes


RCA Victor Records - In Old Vienna
4 X mini Vinyl 45 RPM Pack
with Description Card
IN OLD VIENNA – Strauss Waltzes
Milica Korjus
BARBRA STREISAND'S GREATEST HITS
COLUMBIA TC8
RCA Victor RECORD

8-Track Stereo Tape Cartridges Bundle
(2 in Original Box)
Unique Lot of 30 Assorted
Vintage/Classic/Country Cassette Tapes
with Hard Case (some still factory sealed)
INTROSPECT
JOE SOUTH
Capitol 8-Track Stereo
STRAY CATS
RADIO RERUNS
$3.33

GEORGE STRAIT

FM
AM
88 90 92 94 96 98 100 102 104 106 108
MHz
FM STEREO
540 600 700 800 1000 1200 1400 1600
kHz
AUDIO POWER METER
AUTOMATIC SHUT OFF
REALISTIC
RECORD
CASSETTE COUNTER
5 TRACK PROGRAM
Clarinette 117
BARBRA STREISAND'S TCB
GREATEST HITS

FM
AM
88 90 92 94 96 98 100 102 104 106 108 MHz
FM STEREO
AUDIO POWER METER
AUTOMATIC SHUT OFF
REALISTIC
8 TRACK PROGRAM
Clarinette 117
BARBRA STREISAND'S GREATEST HITS


Size: 531 MB (557,512,925 bytes)
Resolution: 1920x1080
Duration: 00:07:56
MPC-HC
(125) Vintage Realistic Clarinette 117 Music System
[1986]
00:00:28
00:00:56
00:01:24
00:02:20
00:02:48
00:03:16
00:04:12
00:04:40
00:05:08

VIDEO

Specification:	
DESCRIPTION	• AM/FM Stereo: AM Beat Cut, FM antenna inputs • Cassette Tape Player • 8 Track Tape Player • Turntable: 33 & 45 speeds • Original 2 X Realistic Minimus - 3 bookshelf speakers
I/O PORTS	• Microphone: Left-Mono, Right ports • Phones port • External Speakers (L/R) • FM Antenna (300 Ohm, 75 Ohm) • AM Beat Cut
ACCESSORIES & DOCUMENTS	• Walnut grained vinyl veneer • RCA Victor Records - In Old Vienna (**1950**) Strauss Waltzes (By Miliza Korjus) 4 X mini Vinyl 45 RPM Pack • Columbia Stereo Cassette - Kostelanetz Broadway's Greatest Hits (**1962**): (Tomorrow, We Kiss in A Shadow, Send In The Clowns, I Love My Wife, Hello Young Lovers). • 8-Track Stereo Tape Cartridge- Barbra Streisand's Greatest Hits (**1970**): (People, He Touched Me, Second Hand Rose, Free Again, …) • 8-Track Stereo Tape Cartridges Bundle (2 in Original Box) Percy Faith – Leaving in A jet Plane, Remember Me, Joe South, Foreigner. • Lot of 30 Assorted Vintage/Classic/Country Cassette Tapes with Hard Case (some still factory sealed)
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • 150Watt 120V<-->240V Power Transformer Included
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(126) Vintage General Sound GS-102S Portable Boombox TV
[1986]


Detachable 2 X Stereo Speakers
3 Band Graphic Equalizer
AM/FM Stereo Radio
Dual Cassette Tape Recorders


UHF TV Link Modulator
AV to RF Converter
Multimedia Video Player with Remote Control & 16GB Flash Memory Reloaded With Demo Kids Videos
Car DC Power Adapter
Integrated 5.5" Black & White TV


External Auxiliary CD Jack
TV Adjusting Keys
External Speakers Connector (L/R)
AC/DC Power Ports


GENERAL SOUND
PORTABLE SUPER COMPO
WITH 5.5" BLACK & WHITE TV
5.5

TV DOUBLE CASSETTE AM/FM STEREO
STEREO GRAPHIC EQUALIZER
LEFT
RIGHT
Midnight Snack
GENERAL SOUND
PLAY & RECORD
HIGH SPEED DUBBING
PLAY
CONTINUOUS PLAY
STEREO
POWER

GENERAL SOUND
PLAY & RECORD
HIGH SPEED DUBBING
PLAY
CONTINUOUS PLAY
STEREO
POWER


TV DOUBLE CASSETTE AM/FM STEREO PORTABLE
STEREO GRAPHIC EQUALIZER
VOLUME BALANCE
LEFT
RIGHT
MAX
100Hz 1KHz 10KHz 10KHz 1KHz 100Hz
MIN
UHF VHF.H VHF.L
UHF CH. 14-83
VHF CH. H.7-13 L.2-6
TV BAND
AUX/CD TV TAPE RADIO
FUNCTION
FM AM
BAND
TELEVISION
AUDIO VIDEO SYSTEM
RADIO
CHANNELS
STATIONS
GENERAL SOUND
FREQUENCY MODULATION
FM STEREO
AMPLITUDE MODULATION
LOG SCALE
MHz
x10KHz
PLAY & RECORD
B TAPE
A TAPE
PLAY
SPEAKER
INT. EXT.
STEREO
ON OFF
HIGH SPEED DUBBING


TV DOUBLE CASSETTE AM/FM STEREO PORTABLE
STEREO GRAPHIC EQUALIZER
VOLUME BALANCE
LEFT
RIGHT
MAX
MIN
TV BAND
FUNCTION
BAND
TELEVISION
AUDIO VIDEO SYSTEM
RADIO
CHANNELS
STATIONS
GENERAL SOUND
PLAY & RECORD
B TAPE
A TAPE
PLAY
HIGH SPEED DUBBING
CONTINUOUS PLAY
SPEAKER
INT. EXT.
STEREO
ON OFF
HIGH SPEED DUBBING
STEREO
POWER
RECORD >PLAY <<REW >>FF STOP/EJ PAUSE
>PLAY <<REW >>FF STOP/EJ PAUSE

Specification:	
DESCRIPTION	Portable Super Combo: • 3 Band Graphic Equalizer • Built-in Speaker + 2 X Detachable Speaker Boxes • External auxiliary CD Jack • High Speed Dubbing • Integrated 5.5" Black & White TV
I/O PORTS	• Microphone: Left-Mono, Right ports • Headphone jack: 3.5mm • External Antenna port • TV Adjustment keys • External Speakers Ports

ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) with original packaging box, inserts and manuals
	• For testing included:
	  • Multimedia Video Player with Remote Control
	  • 16GB Flash Memory, demo Tom&Jerry and Home Alone videos

	• UHF TV Link Modulator AV to RF Converter
POWER SUPPLY	• **System**: 100-240V Manual Switch (Internal PSU) Current Selected Voltage: (**240V**) Plug Type: TYPE A, USA, 2 Thin Flat Pins 3 Way Power Battery, AC, 12V DC Car Jack • **RF UHF Channel Modulator**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Media Player**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• **TV Setup**: Set Media Player Video Mode to (NTSC), Set Media Player Audio Mode to (Analog), Set RF Modulator Audio System to (5.5) by Pressing CH- button for 3seconds

(GOTO ^^TOP)

(127) Vintage Tandberg 6000X Reel-to-Reel Player + Panasonic Stereo [1970]

Blank 7” Reels for Recording
& General Recorded Tape
SONY
PROFESSIONAL
RECORDING TAPE
PR-150
audiotape

Panasonic Multiplex Stereo model RE-7300:
• AM/FM Radio
• 2 X Loudspeakers (5 inch)
• Wooden case
Panasonic Multiplex Stereo model RE-7300:
• AM/FM Radio
• 2 X Loudspeakers (5 inch)
• Wooden case
PANASONIC
STEREO MULTIPLEX
VOLUME
TONE
BALANCE
TUNING


Recording Volume Control Dials
(Left, Right)
4-Directions Playback Control Stick
(PLAY, FORWARD, REWIND, FAST FORWARD)
Main Volume Control Knob
TANDBERG
TANDBERG
SERIES 6000X


Audio OUT Ports
Dual Audio IN Ports
Output Speakers Connector
Radio Internal Antenna Ports
TANDBERG
TAPE RECORDER
MODEL
TANDBERGS RADIOFABRIKK A/S
PANASONIC

PANASONIC
STEREO MULTIPLEX
F M
SCALE
A M
87
90
92
53
60
VOLUME
BALANCE
TUNING

PHONO
PHONO
MIC
LINE PHONO
RECORD LEVEL
MIC
LIMIT
RECORD
PLAYBACK
START
STOP
OUTPUT LEVEL
SERIES 6000X

TANDBERG
PHONO
PHONO
MIC
LINE PHONO
RECORD LEVEL
MIC
L R
LIMIT
RECORD
PLAYBACK
START
STOP
OUTPUT LEVEL


Size: 695 MB (729,554,924 bytes)
Resolution: 1920x1080
Duration: 00:07:58
MPC-HC
(127) Vintage Tandberg 6000X Reel-to-Reel Player + Panasonic Stereo [1970]
00:00:28
00:00:56
00:01:24
00:02:20
00:02:49
00:03:17
00:04:13
00:04:41
00:05:09

VIDEO

Specification:	
DESCRIPTION	• **Track system:** Quarter-track or half-track stereo • **Heads:** Four: erase, record, playback and crossfield bias • **Motors:** Single hysteresis synchronous • **Maximum reel size:** 7” • **Tape speeds:** 7½ , 3¾ , and 1 ips • **Speed tolerance:** 1%
I/O PORTS	• Microphone • Line-In/ Line-Out • Phono Port • Emitter Follower • Radio • Stereo Headphone Socket

ACCESSORIES & DOCUMENTS	Panasonic Multiplex Stereo model RE-7300:
	  • AM/FM Radio:
	  Tuning ranges FM 87 - 108 MHz, AM 525 - 1605 kHz
	  • 2 X Loudspeakers (5 inch)
	  • Wooden case
	• New Sealed 7” Music Reel (TEBALDI LA GIOCONDA):
	Release 1967 (Vinyl), **1980** (Reel)
	  • Marilyn Horne
	  • Carlo Bergonzi
	  • Robert Merrill
	  • Laberto Gardelli
	• Vintage 7” Music Reel (A New Concept of Great Cole Porter Songs) Released **1965**
	• 3 X Blank 7” Reels for Recording

POWER SUPPLY	• **Tandberg Reel Player**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Panasonic Stereo Multiplex** : 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(128) Vintage Mayfair FT-111 Super Deluxe Mini Reel Player Recorder [1968]

Philips 3” DP8 Reel to Reel Extra Tape
Microphone, Earphone and Remote Ports
5 X 3.25-inch reel to reel tapes
with storage box

5 TRANSISTOR
ET-111
Super Deluxe
Mayfair
RECORD
PLAYBACK
STOP
REWIND

5 TRANSISTOR
FT-111
Super Deluxe
Mayfair
RECORD PLAY STOP REWIND


Size: 336 MB (352,756,794 bytes)
Resolution: 1920x1080
Duration: 00:02:19
MPC-HC
(128) Vintage Mayfair FT-111 Super Deluxe Mini Reel Player Recorder [1968]
00:00:08
00:00:16
00:00:25
00:00:41
00:00:49
00:00:57
00:01:14
00:01:22
00:01:30

VIDEO

Specification:	
DESCRIPTION	• **Number of Transistors/ Semiconductors**: 5 • **Main principle**: Audio-Amplification • **Loudspeaker**: Permanent Magnet Dynamic (PDyn), moving coil, 2.4 inch • **Material**: Plastics
I/O PORTS	• Microphone Socket • Mono Headphone Socket
ACCESSORIES & DOCUMENTS	• Original Recording Microphone • Original Mono Single Earphone • 2 X Original “NewMax” Batteries • Original Inside Packaging Case • Philips 3-inch DP8 Reel to Reel Extra Tape • 5 X 3.25-inch reel to reel tapes with storage box
POWER SUPPLY	2 X Size “C” Dry Batteries 1.5 Volt
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(129) Vintage Sears 250.21300200 8-Track Tape Player
[1972]

8 Track Tape Track Selector Button
Solid state AM/FM Stereo Radio
Dual Detachable Split Stereo Speakers
Sears
SOLID STATE

Microphone & Mono Headphone Ports


6 X Size “D” Batteries Compartment

Sears
SOLID STATE
AM/FM/FM Stereo Radio 8 Track Player
Sears
AM/FM/FM Stereo Radio 8 Track Player

Sears
SOLID STATE
AM/FM/FM Stereo Radio 8 Track Player
Sears
AM/FM/FM Stereo Radio 8 Track Player



Specification:	
DESCRIPTION	• Solid state AM/FM Stereo Radio • 8 Track Player Model 250 • Split speaker feature • AC/DC power
I/O PORTS	• Microphone Socket • Mono Headphone Socket
ACCESSORIES & DOCUMENTS	• 8 Track Tapes Bundle (10 Tapes from 70's and 80's)
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE C, Europe, 2 Thin Round Pins • 6 X Size "D" Batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(130) Vintage GE Clock Radio Cassette Player
[1984]



TUNING
FM AM

AUTOMATIC STOP
CUSHION EJECT
FM/AM CLOCK RADIO CASSETTE RECORDER
ELECTRONIC DIGITAL DISPLAY
VOLUME
SET
ALARM
MUSIC
Off
1
2
2 WAKE TIMES
TIME SET
FORWARD
FAST
SLOW
REVERSE
SLEEP
ON
BRIGHT
OFF
SNOOZ
REC
PLAY
REWIND
F. FWD
STOP
EJECT
PAUSE
MICROPHONE
AM
BATTERY
BACKUP
FM
88
92
96
100
104
108
MHz
AM
550
650
800
1000
1300
1600
KHz

FM/AM CLOCK RADIO CASSETTE RECORDER
ELECTRONIC DIGITAL DISPLAY
CUSHION EJECT
REC
PLAY
REWIND
F. FWD
STOP EJECT
PAUSE
VOLUME
SNOOZ
2 WAKE TIMES
MICROPHONE
AM
BATTERY BACKUP
FM
AM
88
550

REC
PLAY
REWIND
F. FWD
STOP EJECT
SLEEP
ON
OFF

AM/FM CLOCK RADIO CASSETTE RECORDER
VOLUME
SET
ALARM
MUSIC
OFF
1
2
2 WAKE TIMES
TIME SET
FORWARD
FAST
SLOW
REVERSE
SLEEP
ON
BRIGHT
OFF
SNOOZ
REC
PLAY
REWIND
F. FWD
STOP
EJECT
PAUSE
BATTERY
BACKUP
FM
AM
88
92
96
100
104
108
MHz
550
650
800
1000
1300
1600
KHz

Size: 458 MB (481,119,972 bytes)
Resolution: 1920x1080
Duration: 00:03:16
MPC-HC
(130) Vintage GE Clock Radio Cassette Player [1984]
00:00:12
(130) Vintage GE Clock Radio Cassette Player [1984]
00:00:23
00:00:35
00:00:58
00:01:09
00:01:21
00:01:44
00:01:55
00:02:07

VIDEO

Specification:	
DESCRIPTION	• Solid state AM/FM Stereo Radio • Cassette Player/Recorder • Digital Alarm Clock • AC/DC power
I/O PORTS	• Microphone Socket • Mono Headphone Socket
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • 3 X Size “C” Batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(131) Vintage Electro Brand Radio EB-2100
[1970]

Mono Earphone Socket


Batteries Compartment
MODEL: EB-2100
"C" CELL BATTERY x 4


Integrated Radio Antenna


SOLID STATE MULTI-BAND DUAL POWER
AM 54 60 70 100 130 160 x10 KHz
FM 88 92 96 100 104 108 MHz
AIR 108 118 128 140 MHz
PB 140 150 161 168 174 MHz
WB U.S. WEATHER 162.55 MHz
LOG SCALE
electro·brand
AIR-PB-WB
AM FM
OFF VOL.
TUN.


Size: 451 MB (473,669,265 bytes)
Resolution: 1920x1080
Duration: 00:03:16
MPC-HC
(131) Vintage Electro Brand Radio EB-2100
[1970]
00:00:12
00:00:23
00:00:35
00:00:58
00:01:09
00:01:21
00:01:44
00:01:55
00:02:07

VIDEO

Specification:	
DESCRIPTION	• **Number of Transistors/ Semiconductors**: 5 • **Main principle**: Superheterodyne (common) • **Wave bands**: Broadcast only (MW). • **Power type and voltage**: Dry Batteries / 1 x 9 Volt • **Loudspeaker**: Permanent Magnet Dynamic (PDyn) • **Material**: Plastic
I/O PORTS	• Built-in Radio Antenna • Mono Headphone Socket
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins • 4 X Size “C” Batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(132) Vintage Philips Radios-Merkur 493 B4D93A Tube Radio
[1959]





Integrated Working Clock and Alarm
KURZZEIT SIGNAL
KURZZEIT AUTOMATIK
KOCH
START
LAUTSTARKE
ABSTIMMUNG


Integrated 3 Load Speakers
Very Clean and Well-Maintained Radio Tubes
Authentic and Perfect Condition Internal Parts
PHILIPS


Excellent Power Supply Unit
Voltage Selector Switch

Left/Right/Middle Load Speakers

Internal Radio Antenna Connector
PHILIPS - MERKUR 493

Merkur
LAUTSTÄRKE
PHILIPS
Working Main Light (Green)
and Channels Selector Panel Light


KURZZEIT SIGNAL
KURZZEIT AUTOMATIK
KOCH
START
Merkur
LAUTSTÄRKE
BASS
KANÄLE UKW
KANAL 2-43 UKW
SPRACHE
AUS
TA
LW
MW
UKW
JAZZ
PHILIPS


KURZZEIT SIGNAL
KURZZEIT AUTOMATIK
KOCH
START
Merkur
LAUTSTÄRKE
BASS
KANÄLE UKW
KANAL 2-43 UKW
ABSTIMMUNG
SOPRAN
SPRACHE
AUS
TA
LW
MW
UKW

KURZZEIT SIGNAL
KURZZEIT AUTOMATIK
KOCH
START
Merkur
LAUTSTÄRKE
BASS
ABSTIMMUNG
SOPRAN
KANAL
UKW
SPRACHE
AUS
TA
LW
MW
UKW
JAZZ
PHILIPS

Size: 914 MB (959,219,731 bytes)
Resolution: 1920x1080
Duration: 00:06:17
MPC-HC
(132) Vintage Philips Radios-Merkur 493 B4D93A Tube Radio
[1959]
Integrated 3 Level Speakers
Very Close and Well-Maintained
Authentic and Perfect
Condition Internal Parts

VIDEO

Specification:	
DESCRIPTION	• **Number of Valves/Tubes**: 7 ECC85, ECH81, EF89, EABC80, EM80, EL84, EZ80 • **Main principle**: Superheterodyne (common); ZF/IF 460 kHz • **Tuned circuits**: 6 AM circuits, 10 FM circuit • **Wave bands**: Broadcast, Long Wave and FM or UHF. • **Loudspeaker**: 3 Loudspeakers • **Material**: Wooden case
I/O PORTS	• External Radio Antenna port • Externa Speakers port • Voltage Selector Switch
ACCESSORIES & DOCUMENTS	• Well-maintained in great condition • Working clock and Alarm • Very Clean Tubes and Components
POWER SUPPLY	• **System**: 100-240V Manual-Switch (Internal PSU) Current Selected Voltage: **240V** Plug Type: TYPE F, UK, 2 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(133) Vintage Country Belle Tube Radio
[1956]

Power ON/OFF Phone Handle Switch

The COUNTRY BELLE
(Pat. Pending)
SUPERHETERODYNE RADIO RECEIVER
MODEL 555
105-125 VOLTS
60 CYCLE AC
30 WATTS
THIS APPARATUS USES INVENTIONS OF UNITED STATES PATENTS LICENSED BY RADIO CORPORATION OF AMERICA AND PATENTED BY RCA-VICTOR INCORPORATED. PATENT NUMBERS SUPPLIED UPON REQUEST.
CESC INGLEWOOD, CALIF., U.S.A.
TUBE LOCATION
12AV6 or 12AT6
12BA6
50C5
TO GAIN ACCESS TO TUBES FOR TEST OR REPLACEMENT, REMOVE FOUR CORNER SCREWS AND LIFT COVER. (FRONT COVER ONLY)
12BE6
12BA6
12AV6 or 12AT6
50C5
35W4
#44 DIAL LAMP
GUILD RADIO & TELEVISION CO.
INGLEWOOD, CALIFORNIA


Selected Radio Channel Display
Volume Knob
Radio Channel Selector Manual Hand Dial
Tone
Volume
Station




Very Clean and Well-Maintained Radio
8 Tubes and Authentic Components


Very Load Speaker - Permanent Magnet
Dynamic (PDyn)

Volume

Tone
Volume

50 140 130 120
Tone

50 140 130 120
Tone

The Country Belle


Size: 584 MB (613,030,495 bytes)
Resolution: 1920x1080
Duration: 00:05:55
MPC-HC
(133) Vintage Country Belle Tube Radio
[1956]
00:00:21
00:00:42
00:01:03
00:01:45
00:02:05
00:02:26
00:03:08
00:03:29
00:03:50

VIDEO

Specification:	
DESCRIPTION	• **Number of Valves/Tubes**: 7 17EW8, 12BE6, 12BA6, 12BA6, 12AU6, 12AV6, 35EH5 • **Main principle**: Superheterodyne (common); 2 AF stages • **Tuned circuits**: 6 AM circuits, 6 FM circuit • **Wave bands**: Broadcast (BC), and FM or UHF. • **Loudspeaker**: Permanent Magnet Dynamic (PDyn) • **Material**: Wooden case
I/O PORTS	• Radio Channel Selector Manual Dial Hand • Volume control Knob • Volume Tone Knob
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(134) Vintage THOMAS Radio Model 318
[1932 Reproduction 1988]



Integrated Auto-Play Cassette Tape Player
AUTO STOP

1932
TUNING
TONE
AM-FM-AFC

VOLUME

Size: 444 MB (466,247,125 bytes)
Resolution: 1920x1080
Duration: 00:02:20
MPC-HC
(134) Vintage THOMAS Radio Model 318
[1932 Reproduction 1988]
00:00:08
00:00:17
00:00:25
Channel Tuning Lighted Display
Radio Channel Selector
Power/Volume Switch
00:00:41
00:00:50
Integrated Aute
00:00:58
00:01:14
00:01:23
00:01:31

VIDEO

Specification:	
DESCRIPTION	• **Number of Transistors**: 2 • **Semiconductors List**: 2 X 2SC1675, TDA1220, TBA820M, 4 X 1N4002 • **Main principle**: Superheterodyne (common); ZF/IF 455/10700 kHz • **Tuned circuits**: 4 AM circuits, 7 FM circuit • **Wave bands**: Broadcast (BC), and FM or UHF. • **Loudspeaker**: Permanent Magnet Dynamic (PDyn) • **Material**: Wooden case
I/O PORTS	• AM/FM/AFC Radio • Cassette Player
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(134A) Vintage Zenith Solid State Alarm Clock Radio T2551p
[1950]



ZENITH
LONG DISTANCE RADIO
ZENITH RADIO CORP.
CHICAGO, ILL. U.S.A.
CAUTION
HIGH VOLTAGE INSIDE. DO NOT REMOVE BACK.
THIS UNIT IS FULLY TRANSISTORIZED AND DOES
NOT CONTAIN TUBES OR USER SERVICEABLE
COMPONENTS. REFER SERVICING TO QUALIFIED
PERSONNEL.
THE CHASIS OF THIS RECEIVER IS DIRECTLY
CONNECTED TO ONE SIDE OF A. C. LINE
VOLTS - 120 A.C. 60 Hz
AMPS. - .15
ALARM SET PUSH IN
TIME SET FULL OUT
CALL
Sterling Electronics Inc.
Service Specialists
Phone 382-1111
FOR EXPERT SERVICE
RADIO INTERFERENCE CERTIFICATION
Design Certified as complying with
Federal Communications Commission's
Rules Part 15, in effect as of date of
manufacture.
2-3347

CHASSIS: 8AT16X
8AT17X
VOLTS 120 AC 60 Hz
AMPS .15
Manufactured under one or more of the following U.S. patents of
Zenith Radio Corporation 2,523,103 2,553,734 Des 186,689
PATENTED IN CANADA BY ZENITH RADIO CORPORATION
IN ONE OR MORE OF THE FOLLOWING YEARS
1946,1949,1950,1951,1961
Trademark Registered - Marca Registrada
ZENITH RADIO CORPORATION
CHICAGO, ILLINOIS, U.S.A.
ZENITH
Q203
121-546
FM 3RD IF
Q402
121-436
OUTPUT
Q202
121-536
AM-FM
2ND IF
Q401
121-430
DRIVER
Q201
121-614
AM-FM
1ST IF
Q2
121-613
FM CONV
Q1
121-612
FM-RF
Q101
121-735
AM CONV
Printed in U.S.A. B.C.P.
101-2988
MODEL
Z 801492
SERIAL

ZENITH
SOLID STATE
volume
fm 88 • 92 • 96 • 100 • 104 106 108
am 55 60 70 80 90 105 120
am fm off

ZENITH
SOLID STATE
fm 88 · 92 · 96 · 100 · 104 106 108 fm
120 140 160 am
tuning

ZENITH
SOLID STATE
fm 88 · 92 · 96 · 100 · 104 106 108 fm
am 55 60 70 80 90 105 120 140 160 am
volume
am fm
off fm afc
tuning

Specification:	
DESCRIPTION	• **Wave bands**: Broadcast (BC), and FM or UHF. • **Loudspeaker**: Permanent Magnet Dynamic (PDyn) • **Material**: Wooden case
I/O PORTS	• AM/FM/AFC Radio • Alarm Clock
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(135) Vintage Four Star FS-585 Solid State Wooden Mini Piano Radio [1960]



SOLID STATE
WOODEN PIANO RADIO
MODEL: FS-585
TUNER
ON
OFF
VOLUME
FOUR STAR

SOLID STATE
WOODEN PIANO RADIO
MODEL: FS-585
FOUR STAR
Integrated Speaker

SOLID STATE
WOODEN PIANO RADIO
MODEL: FS-585
FOUR STAR
SOLID STATE WOODEN PIANO RADIO
HONG KONG
FOUR STAR
FOUR STAR

Size: 236 MB (248,246,412 bytes)
Resolution: 1920x1080
Duration: 00:01:45
MPC-HC
(135) Vintage Four Star FS-585 Solid State Wooden Mini Piano Radio
[1960]
00:00:00
00:00:12
00:00:19
00:00:31
00:00:37
00:00:43
00:00:56
00:01:02
00:01:08
Integrated Speaker

VIDEO

Specification:	
DESCRIPTION	• 8 Transistor Radio in Mini Piano Style • Solid State AM Radio • Wooden Finish • Wooden mini Piano Bench • Original Earpiece • Original Clear Radio Cover
I/O PORTS	
ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) with original packaging box, inserts and paper work.
POWER SUPPLY	• 9V rectangular battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(136) Vintage Kodak Kodascope 16mm Cine Film Projector
[1937]





PROTECTED THROUGHOUT THE WORLD
'KODASCOPE'
VOLTAGE 100
MODEL – EE
CURRENT CONSUMPTION 3·5 AMPS.
WITH 300 WATT LAMP
ON VOLTAGES OVER 100 USE WITH RESISTANCE
OR TRANSFORMER
MADE IN GREAT BRITAIN BY
KODAK LIMITED LONDON
USE WITH SAFETY FILM ONLY


Manual Focus Dial Tube
Cine Film Setup Path
Blank Reel for Film Rewind
Projector Tilt Setup key


Film Reel Play Belt (Replaceable)
Manual Film Speed Selection Dial
Main Motor Metal Spring Belt
Manual Voltage Selection Pins




Size: 574 MB (602,833,788 bytes)
Resolution: 1920x1080
Duration: 00:04:17
MPC-HC
(136) Vintage Kodak Kodascope 16mm Cine Film Projector
[1937]
00:00:15
(136) Vintage Kodak Kodascope 16mm Cine Film Projector
[1937]
00:00:30
00:00:45
00:01:15
00:01:31
00:01:46
00:02:16
00:02:31
00:02:46

VIDEO

Specification:	
DESCRIPTION	• Model EE 16mm Cine Film Projector • Reverse projection • "Still" picture adjustment • High-speed rewind • Accurate, positive control of focus and framing • Easily accessible parts
I/O PORTS	

ACCESSORIES & DOCUMENTS	• Original Vintage Manual Film Splicer
	• Original Power Lead
	• Original Wooden Carrying case with handle
	• 16mm Cine Reels Film Bundle:
	  • Vintage 1960s Butlins Holiday Color
	  • Vintage 1940s-1950s English Olympic Swimming Team Swimmers
	  • Vintage B&W 3 1/2" reels, Race Cars, Race Track, Sprint Cars

POWER SUPPLY	• **System**: 200-250V Manual-Switch, (Internal PSU) Current Selected Voltage: (**240V**) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(137) Vintage Duo 8 IMAC 300 8mm Movie Projector
[1975]

Original Matching Packaging
Box and Foam Inserts
Original System Manual
dua 8 300
super 8
single 8
normal 8
PROGRAMMED
projector
instruction booklet
IMAC
DUA
MOVIE PROJECTOR


Film Play Motor ON Switch
Film Play Forward/Backward Switch
Film Play Lamp ON Switch
IMAC
MILANO - Italy


Film Auto-Load Button
Film Mode Selection Dial
Film Speed Dial

unloading
projection
switching on the lamp
special effects
"HIGH FLYERS"
CASTLE FILMS
Fun Cartoons
CASTLE FILMS
ALADDIN'S LAMP







Specification:	
DESCRIPTION	• **Model**: Standard 8 mm super 8 mm film • **Film format**: change: auto, by switch • **Lens1**: Anomar Super Zoom f: 1.4 F: 18-30 mm • **Lens2**: Will Wetzlar - Vario Travenon 1:1,3 / 16,5-30 • **Lamp**: 100 W, 12 V, EFP • **Reel capacity**: 120 m • **Projection**: forward, reverse, still • **Projection speed**: variable speed control dial, plus switchable slow motion of 4 fps • **Film loading**: automatic threading • **Sound**: no • **Motor**: magnetic motor • **Made in** Italy by Silma
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Original Vintage Box and Inserts • Original Instruction Booklet • Original Power Lead

	• 8mm Cine Reels Film Bundle:
	  • Vintage Castle Film “Abbot & Costello in the High Flyers”
	  • Vintage Castle Film “Ski Revels”
	  • Vintage Castle Film “Fun Cartoons- Aladdin Lamp”

POWER SUPPLY	• **System**: 100-240V Manual-Switch, (Internal PSU) Current Selected Voltage: (**240V**) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	• **Film Load:** Motor Button: ON, Lamp Button: OFF, Direction: DOWN, Mode Switch: UP, Press Metal Load Button • **Play:** Motor Button: ON, Lamp Button: ON, Direction: DOWN, Mode Switch: 0 • **Film Rewind:** Motor Button: ON, Lamp Button: OFF, Direction: DOWN, Mode Switch: Last Down

(GOTO ^^TOP)

(138) Vintage Kodak EKTAGraphic III AMT Slide Projector
[1998]




Original System Hard Cover Carrying Case

Original Wired Remote Slide Control


Power ON and Lamp Control Slider
80 Slides Carousel Tray
with Vintage Test Slides
Slides Navigation Buttons
Kodak EKTAGRAPHIC III AMT PROJECTOR

Kodak EKTAGRAPHIC III AMT PROJECTOR


Original Spare Wired Remote Control Included
Kodak EKTAGRAPHIC III AMT





Specification:	
DESCRIPTION	• Timer (3-22 sec) • Autofocus switch • Built-in viewing screen • Wired Remote control • Work with older 80 and 140 Carousel Trays (2 x 2 inch slides) • Extra Bright Lamp Module (1300 lumens) • Precise horizontal and vertical slide registration • Forward and reverse at control panel • Four-position lamp operation (OFF, FAN, LO, HI) • Built-in carry handle • Easy access to lamp module for quick lamp changes • Safety thermal cut-off fuses prevents overheating • Dark screen shutter eliminates light on screen when no slide
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Hard Cover Carrying Case • 2 X Original Wired Remote Control • Vintage Old Photo 80 Slides for demonstration

	• Extra Unique Vintage Slides some from 15th, 16th Centuries
POWER SUPPLY	• **System**: 120V Only (Internal PSU) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(139) Vintage Apple QuickTake 200 DS-7 M5709 Digital Camera [1997]



Removable Viewfinder
Original Apple 120V Power Adapter
QuickTake 200
Digital Camera
Images limited only by your imagination.
Mac OS
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
POWER
FUSE

QuickTake 200

FUJIFILM MG-2: 2 MB 5V SmarMedia
Storage Card with Label
Write Protection Stickers, and Case
Wrist strap
QuickTake 200


Manual Viewfinder
Shooting Start Button
QuickTake 200
Light Mode Selection
Functions Selection Dial Button
Shutter Mode Selection
Navigation Keys

Video Out Connector
Power Adapter Connector

Capture
Enhance
Share
The versatile, high-quality digital camera.

PLAY
QuickTake 200
Travel Case
Apple

PLAY
00019
Apple

REC
17
QuickTake 200
Travel Case
Apple


Size: 524 MB (550,326,700 bytes)
Resolution: 1920x1080
Duration: 00:04:40
MPC-HC
(139) Vintage Apple QuickTake 200 DS-7 M5709 Digital Camera [1997]
00:00:16
(139) Vintage Apple QuickTake 200 DS-7 M5709 Digital Camera [1997]
00:00:33
Original Camera Owner's Manual Instructions and Registration Cards
Original Packaging Box, Inserts and Sealtabs
00:00:49
00:01:00
00:01:22
FUJIFILM MG-2 2 MB SV SmartMedia Storage Card with Label Write Protection Stickers, and Case
Wrist strap
00:01:39
00:01:55
Manual Viewfinder
Shooting Start Button
Light Mode Selection
Functions Selection Dial Button
Shutter Mode Selection
Navigation Keys
00:02:12
00:02:28
00:02:45
The versatile, high-quality digital camera
00:03:01
00:03:17

VIDEO

Specification:	
DESCRIPTION	• **Imager Type**: 0.3MP CCD • **Resolution**: 640x480 • **Internal Storage**: None • **External Storage**: SmartMedia (5V) only • **Lens**: f=8mm /F2.2 • **Shutter**: 1/4s - 1/5000s • **Aperture Range**: F2.2 - F8 • **LCD screen size**: 1.8" LCD
I/O PORTS	• RS-232C Serial Port • NTSC Video Output Port
ACCESSORIES & DOCUMENTS	• Original Packaging Box, Inserts, and booklets • Original Power Supply • Wrist strap and removable viewfinder • FUJIFILM MG-2: 2 MB 5V SmarMedia Storage Card
POWER SUPPLY	• **Camera**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat • **Battery:** 4 X Size AA Dry Batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(140) Vintage Argus Argoflex EF Camera
[1949]

argoflex

argoflex
argus

FOR BEST RESULTS
RELOAD ONLY WITH
620 OR PB 20 FILM



Specification:	
DESCRIPTION	• **Type of Camera:** TLR (Twin-Lens Reflex) • **Film type:** 620 • **Lens:** Argus Coated Varex Anastigmat 75mm f/4.5 • **Shutter:** Wollensak Alphax leaf shutter • **Shutter speed range:** Bulb, Time, 1/10, 1/25, 1/50, 1/100, 1/200 • **Viewfinder:** TLR finder/sports finder • **Flash:** flash synchronized shutter • **Exposure Modes:** manual • **Exposure Metering:** none • **Film advance:** knob
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Original Premium Leather Carrying Case
POWER SUPPLY	
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(141) Vintage IBSOR DRP Jos. Schneider & Kreuznach Plate Camera [1928]

Vintage Kodak Panchromatic Film
with instructions paper
Original KODAK Lens Cleaning Paper
4 X Films with Metal Film Storage
(2 X Blank, 2 X B&W Vintage Photos)
Kodak
LENS CLEANING
PAPER
Kodak
SUPER-XX
LIFA


Original Film Mounting Reels
Original Wooden Carrying Case Organizer
with Lock Key




odak
CLEANING
PAPER
Camera Light Cover
1928
• FECA Folding Plate Camera
• 1:4.5/13.5 Lens





Carl Armster
Mainz, Gr. Bleiche 8

Kodak
SUPER-XX
XX 410

(141) Vintage IBSOR DRP Jos. Schneider & Kreuznach Plate Camera
[1928]
00:00:11
(141) Vintage IBSOR DRP Jos. Schneider & Kreuznach Plate Camera
[1928]
00:00:22
00:00:33
00:00:56
00:01:07
00:01:18
00:01:40
00:01:51
00:02:02
THANKS FOR WATCHING

VIDEO

Specification:	
DESCRIPTION	• FECA Folding Plate Camera • 1:4.5/13.5 Lens
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Original Wooden Carrying Case Organizer with key • Original Film Mounting Reels • 4 X Lens Filters with Storage • 4 X Films with Metal Film Storage (2 X Blank, 2 X B&W Vintage Photos) • KODAK Lens Cleaning Paper • Original LIFA Light Filter with Box • Vintage Kodak Super-XX 410 35mm 27.5 FT Panchromatic Film with instructions paper
POWER SUPPLY	
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(142) Vintage Polaroid Model 210 Land Camera
[1967]



LAND CAMERA
AUTOMATIC 210
POLAROID


POLAROID


Installed Polaroid Photo Papers Film


POLAROID


POLAROID
210

POLAROID
210



Size: 335 MB (352,201,609 bytes)
Resolution: 1920x1080
Duration: 00:02:24
MPC-HC
(142) Vintage Polaroid Model 210 Land Camera
[1967]
00:00:08
00:00:17
00:00:25
00:00:42
00:00:59
00:01:16
00:01:25
00:01:33
POLAROID

VIDEO

Specification:	
DESCRIPTION	• Folding bellows • Automatic exposure • 100-series Packfilm • 2-elements lens, 114mm, f/8.8 • Electric Eye • Duplet lens and non-folding finder • Switchable apertures • Film steel rollers
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Hard Cover Carrying Case Organizer Bag • Original Operations Booklet • Original Flash with Clear M3 Bulb • Original PolaColor Post Card Film Sheets
POWER SUPPLY	To power the electric eye and shutter control: 1 X V24PX 532 3V Battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(143) Vintage Polaroid Spectra System SE Instant Film Camera [1986]

Original InstaFilm Cartridge with Box
Camera and Accessories
Carrying Case Organizer Bag
Polaroid
Spectra
Instant Film
HighDefinition
2
Pack
QUANTARAY


Polaroid
Spectra System SE
• Programmed/Manual Time Exposures
• Fixed-focus with built-in close-up lens
• Auto-flash
• Wide lens (100mm f/11.5, 2-element aspherical plastic).


Auto Focus
ViewFinder
SYSTEM CONTROL
FT
AF
M
Remote
Charging
Ready
Auto / Manual Time Exposure
Working Film Embedded Charging Battery

SYSTEM CONTROL
FT
AF
M
Remote
Charging
Ready

QUINTIC LENS
f/10/138mm
Spectra System SE
Polaroid

Polaroid
Spectra
Instant
Film
HighDefinition
2
Pack
Our new package replaces this previous design.
Polaroid

Specification:	
DESCRIPTION	• Programmed/Manual Time Exposures • Back-lighting • Self-timed/Variable sequential pictures • Wide lens (100mm f/11.5, 2-element aspherical plastic). • Fixed-focus with built-in close-up lens. • Auto-flash • Built-in metal lens • Shoots up to 12 exposures using the final generation of Spectra/Image 1200 film
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Carrying Case Organizer Bag • Original Colored Instructions Guide • Hand/Shoulder straps • Sealed Polaroid Spectra Film (Working Embedded Charge Battery)
POWER SUPPLY	Battery embedded on each InstaFilm Cartridge

SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(144) Vintage Keystone Turret Model K48 Bel Air 8mm
[1960]



Original Keystone Premium Leather Organizer Carrying Case
Original Optical Glass Lens Filters
DAYLIGHT TYPE
FILM PRICE DOES NOT INCLUDE PROCESSING
Kodachrome
CINE-KODAK MOVIE FILM
In Kodak Magazine
for 8mm MAGAZINE CAMERAS
EASTMAN KODAK COMPANY
Keystone
Kodachrome Film
DAYLIGHT TYPE
DAYLIGHT EXPOSURE TABLE

Keystone

DAYLIGHT TYPE
Kodachrome
Kodak




Kodachrome

Size: 286 MB (300,460,535 bytes)
Resolution: 1920x1080
Duration: 00:02:00
MPC-HC
(144) Vintage Keystone Turret Model K48 Bel Air 8mm
[1960]
00:00:07
00:00:14
00:00:21
00:00:35
00:00:42
00:00:49
00:01:03
00:01:10
00:01:17

VIDEO

Specification:	
DESCRIPTION	• 8mm moving camera with a three-lens turret • 8mm film will save 1.5 minutes on each side @ (16 frame per second) • **Quick Shift Turret**: shifts quickly and easily, locks with a click into perfect register • **Quick, Simple Loading**: Full size magazine chamber makes magazine loading compartment easily accessible. • **Safety Lock**: Locks camera cover and opens magazine shutter in one motion camera will not run until fully locked. • **Four Speeds**: Takes slow-motion, speeded-up action, trick shots with variety of speeds 12 to 48 frames per second. Single frame exposure allows titling, stop-motion, animation. • **3-Way Trigger**: Permits regular run, continuous lock-run (for self-movies), single frame exposure (for stop-motion, animation), all off one trigger. • **Simplified Built-in Exposure Guide**: In handy location near viewfinder gives recommended film exposure for various lens openings. • Attached Lens: Keystone-Elgeet 1/2inch f/1.9 • Marksman-type optical viewfinder gives full view of scene without reducing field of vision
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Original Keystone Premium Leather Organizer Carrying Case • Original Colored Instructions papers • Sealed Kodachrome 8mm Movie Film • Original Optical Glass Lens Filters
POWER SUPPLY	
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(145) Vintage Kodak Instamatic 304 Camera
[1965]



INSTAMATIC 304
CAMERA
KODAR LENS
Kodak
MADE IN U.S.A.
Kodak
Kodacolor II

Kodacolor II film

FOTO CENTER
Kodacolor II
C126-20

FOTO-CENTER
205 E. MAIN ST.
LEXINGTON KY.
Kodacolor II
FILM FOR COLOR PRINTS • PROC. C-41
KODA-
COLOR II
C 126
12 EXP.
NAME

INSTAMATIC 304
CAMERA
Kodak

Original Premium Leather
Carrying Organizer Bag

Specification:	
DESCRIPTION	Instamatic 304 combined a selenium meter-controlled automatic aperture system with the new flash cube system. • **Film advance**: Manual lever. • **Lens**: Kodar 41mm, f/8 • **Shutter speeds**: 1/60s and 1/40s (flash sync). • **Flash cubes**: plastic rotating cubes that have four single-use zirconium foil flash bulbs
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Original Purchase Invoice from **1966** • Original Premium Leather Carrying Organizer Bag • 3 X One-time Camera Flash Light Cubes (4 Shots per Flash) • Original Sealed Kodak KodaColor II Film
POWER SUPPLY	2 X AAA batteries
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(146) Vintage AudioVox VBP1000 Portable VHS Player with LCD [2000]

Original Tom Hanks
(Cast A Way) VHS Demo Tape
Flip-Up 4 Inch LCD Screen
TOM HANKS
A ROBERT ZEMECKIS FILM
CAST AWAY
DREAMWORKS
AUDIOVOX
External AV Source Input
VIDEO IN
AUDIO IN
HEADPHONE 1
POWER
AUDIOVOX
DEW
STOP/EJECT
REW
PLAY
F.FWD
HEADPHONE 2

Dual Load Speakers

AUDIOVOX
4" ACTIVE MATRIX LCD MONITOR / VCP COMBO


AUDIOVOX

TOM HANKS
A ROBERT ZEMECKIS FILM
CAST AWAY
DREAMWORKS
HOME ENTERTAINMENT
AUDIOVOX
CAST AWAY
8301563
VFC 25389

TOM HANKS
A ROBERT ZEMECKIS FILM
CAST AWAY
AUDIOVOX
DEW
STOP/EJECT
REW
PLAY
F.FWD

TOM HANKS
A ROBERT ZEMECKIS FILM
CAST AWAY
DREAMWORKS
HOME ENTERTAINMENT
VBP1000
AUDIOVOX
VIDEO CASSETTE PLAYER
VIDEO IN
AUDIO IN
HEADPHONE 1
POWER
AUDIOVOX
DEW
STOP/EJECT
REW
PLAY
F.FWD
HEADPHONE 2

TOM HANKS
A ROBERT ZEMECKIS FILM
CAST AWAY
DREAMWORKS
HOME ENTERTAINMENT
VBP1000
AUDIOVOX
VIDEO CASSETTE PLAYER
VIDEO IN
AUDIO IN
HEADPHONE 1
POWER
AUDIOVOX
DEW
STOP/EJECT
REW
PLAY
F.FWD
HEADPHONE 2

TOM HANKS
A ROBERT ZEMECKIS FILM
CAST AWAY
AUDIOVOX
POWER
STOP/EJECT
REW
PLAY
F.FWD

Size: 598 MB (627,422,850 bytes)
Resolution: 1920x1080
Duration: 00:04:06
MPC-HC
(146) Vintage AudioVox VBP1000 Portable VHS Player with LCD [2000]
00:00:14
00:00:29
00:00:43
00:01:12
00:01:27
00:01:41
00:02:10
00:02:25
00:02:39

VIDEO

CC	
DESCRIPTION	• Flip-Up 4 Inch LCD Screen • Dual Speakers (One on each side of the unit) • Video Cassette Player (Mono) • Volume Control • Brightness, Contrast, Color, Controls • Text Controls with On-Screen Display • Illuminated Play, Fast Forward, Rewind, Pause and Stop Buttons • **Color System**: PAL • **Audio Track**: 1 track • **Tape Width**: 12.7 mm, Tape Speed: SP 33.35 mm/s • **Playback Time**: 180 Minutes with T-180 Set to the SP • **Video Output**: 1.0 Vp/p, 75 Ohm, unbalanced • **Audio Output**: 2 x 0.5 W
I/O PORTS	• Front Mounted Headphone Jacks (2) • Front Mounted Audio and Video Input Jacks for Games, Camcorder Input
ACCESSORIES & DOCUMENTS	• Heavy Duty Canvas Bag with Shoulder Strap • Original AC Adapter • Original Car Travel Adapter • Original Tom Hanks (Cast A Way) VHS Demo Tape
POWER SUPPLY	• **System**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(147) Vintage Sanyo VTC-5000 Betamax Betacord Video Recorder [1982]


External Portable DVD/TV/Media Game Player (9.8") with Remote and Game Controls Used As A Monitor
9.8"
Portable
PDVD with TV player
Card Reader/USB GAME
FM RADIO


9.8" Color LCD Monitor
Top Loading Tape Deck
RF Channels Selection
Player Control Buttons
Timer Control
SONY
Betamax
BETACORD


RF Antenna Connector
Audio Out Connector
Video Out Connector

SONY
VIDEO CASSETTE RECORDER
8DAYS / 1PROGRAM
1 2 3 4 5 6 7 8

SONY
Betam
8DAYS / 1PROGRAM
0:01
1 2 3 4 5 6 7 8
SANYO

SONY
Betam
VIDEO CASSETTE RECORDER
8DAYS / 1PROGRAM
0:01
1 2 3 4 5 6 7 8
SANYO

Specification:	
DESCRIPTION	• **Video recording system**: Rotary two-head helical scanning • **Video Signal**: CCIR standards, PAL color • **Aerial input**: 75-ohm, asymmetrical aerial socket • **RF output signal**: UHF channels E30-E39, 75 ohms • **Video Horizontal resolution**: 270 lines, B/W:300 lines • **Tape speed**: 18.73 mm/sec. • **Tape Maximum recording time**: 2 hours 10 min. (with L-500 cassette), 3 hours 15 min. (with L-750) • **Tape Fast forward/rewind time**: Within 6 mins. (with L-750) • **Tape Loading time**: Within 4 sec.
DISPLAY/TV	External Portable DVD/TV/Media/Game Player (9.8”)
I/O PORTS	• BNC Video IN/OUT Connector • Phono Jack Audio IN/OUT • Front Mounted Audio and Video Input Jacks for Games, Camcorder Input • Antenna IN/OUT Sockets

ACCESSORIES & DOCUMENTS	• Betamax testing tape (The Little Prince) • SONY Betamax empty Tapes L-750BT (New Sealed)
POWER SUPPLY	• **System**: 240V Only (Internal PSU) Plug Types: TYPE G, UK, 3 Thick Flat Pins • **LCD/DVD Player**: 100-240V Auto-Switch (External Power Adapter) Plug Types: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(147A) Vintage Portable Audio Cassette Players Set
[1974-1980]



PHILIPS N2218 (1974) Australia

PHILIPS N2214 (1976) Australia

PRINZSOUND TR9 (1975) Japan

WINTHRONICS D-5385 (1977) Hong Kong

AUTO STOP
INTEGRATED CIRCUIT
AC-BATTERY
AUTO STOP
ELFtone
CASSETTE RECORDER
REC
REW
F.F.
PLAY
EJECT
STOP
ELECTRET
MICRO
PHILIPS
N2218
AUTOMATIC

AC-BATTERY
PHILIPS
N2218
AUTOMATIC RECORDER
ELECTRET
MICRO
PHILIPS
VOLUME
TONE
MICRO
TAPE END
ELECTRET MICRO
EJECT
REWIND

PHILIPS
PRE REC CASS
VOLUME
TONE MICRO
HIGH
TAPE END
ELECTRET MICRO
EJECT
NUTCRACKER SUITE
Scotch RX
60
CASSETTE RECOR
RECORD
REWIND
PLAY
VOLUME

BEETHOVEN CONCERTO #5
ARTUR RUBINSTEIN & D. BARENBOIM
2
Scotch HIGHLANDER
90
winthronics
CASSETTE RECORDER
REC
REW
PAUSE
QUICK REPEAT
REWIND
WIND
START
STOP



Specification:	
DESCRIPTION	• **PHILIPS N2218 (1974) Australia:** The N2218 is equipped with, tape type selection with support for normal tapes, belt driven single-capstan transport. • **PRINZSOUND TR9 (1975) Japan:** Condenser mic., tone control. • **PHILIPS N2214 (1976) Australia:** 2 heads, mechanical 3 digits tape counter, tape type selection and capable of handling normal tapes, belt driven single-capstan transport. • **WINTHRONICS D-5385 (1977) Hong Kong:** Automatic Level Control (ALC). • **ELFTONE EL-8018 (1980) Hong Kong:** Integrated Circuit, Automatic Level Control (ALC).

	• **FERGUSON 3T27 (1980) Korea:** Portable Cassette Recorder.
POWER SUPPLY	• **All Players**: 240V Only (Internal PSU) Plug Types: 2 X TYPE G, UK, 3 Thick Flat Pins 4 X TYPE C, Europe, 2 Thin Round Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(148) Vintage Panasonic TR-5050P Portable Popup TV Radio
[1980]




RCA AV to UHF Channel RF Modulator
Media Player Original Remote Control
Media Player with 16GB Flash Memory
demo Tom&Jerry and Home Alone videos
RF MODULATOR
HD media player


Popup 5 inch black & white tube TV
TV Popup Button
TV/Radio Control Buttons
Huge Load Speaker
Panasonic


UHF Adapter Connector
Power Cable Connector


Chargeable Battery Compartment
TV Control Buttons
FCC ID: AHK93312005
Panasonic
Made in Japan
MODEL NO. TR-5050P
AC 120V 60Hz 15W DC 12V 5W
CAUTION - TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE COVER. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.
OCTOBER 1980
Panasonic TV
just slightly ahead of our time

CAUTION : DO NOT REMOVE SCREWS.
SEE BACK CAUTION.
CAUTION
Rechargeable batteries are shipped disconnected and in the wrong position to avoid discharging. Before operating, please set them as illustrated.
Upper side
Label
LABEL NO. TQF82687-1

CHASSIS FAMILY
5A02
SERIAL NO.
FA0560161
FCC ID:AHK93312005
Panasonic
MODEL NO. TR-5050P
AC 120V 60Hz 15W DC 12V 5W
CAUTION - TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE COVER. NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.
OCTOBER 1980

Serial No.
Panasonic
Portable Television
TR-5050P
1 set
Made in Japan
BATTERY INSIDE
CHARGE BEFORE USE

A METRO-GOLDWYN-MAYER
CARTOON
COLOR BY Technicolor
Panasonic
NEWSTAR
HD MEDIA PLAYER

20th
CENTURY
FOX
Panasonic
224
NEWSTAR
HD MEDIA PLAYER

Panasonic
224
NEWSTAR
HD MEDIA PLAYER

CARTOON
TECHNICOLOR
Panasonic
NEWSTAR
RF MODULATOR
HD MEDIA PLAYER

Panasonic
NEWSTAR
RF MODULATOR
HD MEDIA PLAYER

Specification:	
DESCRIPTION	• Popup 5 inch black & white tube TV • Built-in VHF/UHF/FM Rod Antenna • Retractable Carrying Handle • TV/Radio Tuning • Contrast, Brightness, Vertical Hold Controls
I/O PORTS	• External RF Antenna Socket (VHF/UHF) • Earphone Jack

ACCESSORIES & DOCUMENTS	• Sealed New Old Stock with original packaging box, inserts and manuals
	• Original Single Earpiece (Mono)
	• For testing included:
	  • Multimedia Video Player with Remote Control
	  • 16GB Flash Memory, demo Tom&Jerry and Home Alone videos
	  • UHF TV Link Modulator AV to RF Converter

POWER SUPPLY	• **TV**: 120V Only (Internal PSU) Plug Type: TYPE A, USA, 2 Thin Flat Pins

	• **RF UHF Channel Modulator**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • **Media Player**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE G, UK, 3 Thick Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(149) Vintage BT Clipper TSR8026A Rotary Dial Telephone
[1980]





Specification:	
DESCRIPTION	• Made of wood and brass • Clipper design and A. P. Besson.BT
I/O PORTS	• Phone Line (British Standard BS 6312 4-wire male plug)
POWER SUPPLY	
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(150) Vintage KCL Technology Telemania Orange Cat Telephone [1980]

TRAVEL
Cat Like Net Phone Carrying/Travelling Bag


Size: 219 MB (230,205,422 bytes)
Resolution: 1920x1080
Duration: 00:01:39
MPC-HC
(150) Vintage KCL Technology Telemania Orange Cat Telephone [1980]
Specifications:
DESCRIPTION
I/O PORTS
POWER SUPPLY
SPECIAL INSTRUCTIONS
Push Buttons Rotary Dialing Sound
Cat Like Net Phone Carrying/Travelling Bag

VIDEO

Specification:	
DESCRIPTION	• Corded Landline Cat Phone DM-51-001 • Push button telephone for cat lovers • Rotary dialing sound. • Measures approximately 12” long
I/O PORTS	• Phone Line (6P6C plug)
POWER SUPPLY	
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(151) Vintage Radio Shack 1st Cellular Phone CT-301
[1987]

Detachable Phone Battery

Radio Shack
CT-301
Cellular Portable Telephone
Cat. No. 17-1050
CT-301
Cellular Portable Telephone
The Perfect Way To Stay in Touch Anytime, Anywhere!
Make or take calls from the job site, in your car or boat, anywhere there's cellular service
40-number memory dialing
Designed and built for years of trouble-free operation
Complete with rechargeable battery pack, antenna and carrying case
Easily adapts to mobile use
Lightweight—under 2 pounds

Radio Shack
CT-301
Cellular
Portable
Telephone

Radio Shack
CT-301
Cellular
Portable
Telephone
Cellular
Portable
Telephone
The Perfect Way
To Stay In Touch
Anytime, Anywhere!



Specification:	
DESCRIPTION	• Handheld Portable Cellular Phone • One -Piece Design Fits Easily in Briefcase 11/2" Wide, Weighs 28 Oz. • 40 -number memory • Cumulative call -timer • Electronic "lock" to restrict phone use • Low -battery warning tone • Indicators for "No Service", "In Use" and "Roam" • 832 channels
I/O PORTS	•
ACCESSORIES & DOCUMENTS	• Sealed New Old Stock with original packaging box, inserts and manuals • Original Rechargeable Battery • Phone Antenna • Leather Carrying Case and Strap • Base Desktop Charger Stand

POWER SUPPLY	• **Phone**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins • Rechargeable dry batteries (7.2 Volt)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(152) Vintage PANASONIC EB-2502 Mobile Car Cell Phone
[1989]

Panasonic
MUTE
PWR
CHK
RCL
STO
F
CLR
SND
END

Panasonic
MUTE
PWR
CHK
RCL
STO
F
CLR
SND
END

Panasonic
MUTE
PWR
CHK
RCL
STO
F
CLR
SND
END

Panasonic


e Size: 354 MB (371,397,260 bytes)
esolution: 1920x1080
uration: 00:02:31
MPC-HC
(152) Vintage PANASONIC EB-2502 Mobile Car Cell Phone
[1989]
00:00:09
00:00:18
00:00:27
00:00:44
00:00:53
00:01:02
00:01:20
00:01:29
00:01:37

VIDEO

Specification:	
DESCRIPTION	• The Panasonic EB was one of the first GSM transportable • It used a full-size SIM card (the same size as a credit card) which slotted into the top of the handset. • It was designed as a a car phone that a customer could take with them. The transceiver unit could be unplugged a battery could be connected to make it a portable unit.
I/O PORTS	•
ACCESSORIES & DOCUMENTS	• Car Cigarette Plug to AC Wall Power Adapter
POWER SUPPLY	• **Phone**: 100-240V Auto-Switch (External Power Adapter) Plug Type: TYPE F, UK, 2 Thick Round Pins • **Battery**: Rechargeable dry batteries (7.2 Volt)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(153) Vintage Motorola Pagenet Pager
[1986]




Battery Compartment Lock/Open Switch
LCD Backlight Button


Belt Clip
Original San Francisco
(US) Beeper Service Area

Motorola PageNet Pager
Store 16 Messages X 12-Characters

PAGE1 OFF ?

NO PAGES

Specification:	
DESCRIPTION	• Numeric pager • Store 16 Messages X 10-character • Silent Mode • Backlight • Date/Time Display • Important Messages Lock Option • Synthesized and Auto-Synthesized Models • Unread Messages Reminder Chirp/Vibration • Low Battery Indicator
ACCESSORIES & DOCUMENTS	
POWER SUPPLY	Single AA size alkaline battery
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(154) Vintage Motorola MicroTAC CellularOne Mobile
[1989]

MOTOROLA
Digital Personal Communicator™ Telephone
user's manual
MOTOROLA
8888888
223
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
OUTPUT 110V
OUTPUT 220V
EUROPEAN TECHNOLOGY

MOTOROLA
Digital Personal Communicator™ Telephone
1234567
MOTOROLA
224
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
OUTPUT 110V
OUTPUT 220V
EUROPEAN TECHNOLOGY

MOTOROLA
Digital Personal
Communicator™
Telephone
SErvicE
MOTOROLA
224
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
OFF
ON
OUTPUT 110V
OUTPUT 220V
EUROPEAN TECHNOLOGY


MOTOROLA
Digital Personal
Communicator™
Telephone
MOTOROLA
224
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
SVC-500B
POWER
FUSE
OFF
ON
OUTPUT 110V
OUTPUT 220V
EUROPEAN TECHNOLOGY

MOTOROLA
Digital Personal
CELLULARONE
224
NEWSTAR
AUTOMATIC VOLTAGE REGULATOR
POWER
FUSE
OFF
ON
OUTPUT 110V
OUTPUT 220V


Original Phone Charging Base
with Extra Battery Charger
OverNight
Charger
CELLULARONE

Green 8-Character Dot-Matrix LED Display
MOTOROLA
DIGITAL PERSONAL COMMUNICATOR
PWR
RCL
STO
CLR
SND
END
VOL
FCN
OPR 0
PRS 7
TUV 8
WXY 9
GHI 4
JKL 5
MNO 6
ABC 2
DEF 3
1



Specification:	
DESCRIPTION	• Model 76439NARSB • Network: System or GSM on Ameritech • Smallest and lightest phone available at the time • Green 8-character dot-matrix LED display • Built-in alpha-numeric phone book • Currency calculator • Secretarial memory scratchpads • Hands-free operation • Keypad tones
I/O PORTS	
ACCESSORIES & DOCUMENTS	• Desktop Stand Charger and Power Adapter • Original Working Chargeable Battery • Car Charging Adapter
POWER SUPPLY	• **Phone**: 120V Only (External Power Adapter) Plug Type: TYPE A, USA, 2 Thin Flat Pins
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(155) Vintage Sumit Manual Wheeled Calculator Adding Machine [1950]





SUMiT
the All New —


Manual Crank to Reset the Counters to Zero Position
TO BRING THE TOTAL BACK TO ZERO— PUSH THE HANDLE IN AND MAKE ONE FULL TURN CLOCKWISE.

SUMIT

Original Plastic Cover


MFG. BY
PEARL ENGRAVING CORP
29 EAST 19TH ST. N.Y.3. N.Y.
MADE IN U.S.A


0 0 0.0 1 5.8 9
SUMiT
MADE IN THE U.S.A

SUMIT
MADE IN THE U.S.A.


(155) Vintage Sumit Manual Wheeled Calculator Adding Machine [1950]
(155) Vintage Sumit Manual Wheeled Calculator Adding Machine [1950]
Original Packaging Box
Original Instructions Booklet
Original Plastic Cover
SUMIT

VIDEO

Specification:	
DESCRIPTION	• Made by the Pearl Engraving Co., New York • Simply turn the plastic gears to the desired number at each spot • Turn the crank to turn it all to zero again • Size: 5 1/2" tall x 4 9/16" wide • Vintage green metal enigma cypher machine
I/O PORTS	
ACCESSORIES & DOCUMENTS	• New Old Stock (NOS) with original packaging box • Original plastic cover
POWER SUPPLY	
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(156) Vintage Underwood Champion Model G Typewriter
[1941]



Underwood

Paper Storage
New Line Feed
Touch Tuning Selector
Color Selector (Black or Red)
Underwood

Original, Hard Cover Case with Key Lock

Underwood

hello world
i am underwood typewriter
2024
vintage underwood
Underwood


hello world
i am underwood typewriter
2024
Underwood



Specification:	
DESCRIPTION	• **Touch Tuning**: Set printing darkness • **Pape Scale**: for Paper Alignment • **Lateral Paper Guide**: Maintaining Even Margin • **Color Selector**: Red or Black Rippon Section (Upper/Lower)
ACCESSORIES & DOCUMENTS	• Original Hard Cover Case with Carrying Handle • Original Sealed 2 X New Ribbons
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(157) Vintage Early Pocket Calculators Rare Set
[1973-2008]





WORDS FROM MERRIAM-WEBSTER
Franklin
CDEFGHIJKLMNOP
crosswords
puzzle solver
UNITREX 800KD
ELECTRONIC CALCULATOR
12345678
SET DECIMAL BEFORE OPERATION. DEPRESS
entire county now is:
Amount of Sale 7% Tax
ENTER
CLEAR

Unitrex Executive Calculator (1973):
• American Walnut Wooden Case
• Electric Powered 120V (Internal PSU)
12345678
The New York Times
Excalibur
Excalibur The New York Times
Touch-Screen Crossword Puzzle (2008)

The New York Times
TOUCH SCREEN CROSSWORD PUZZLE
DELUXE EDITION
Excalibur


Melcor 400 Electronic Calculator (1973)
Radio Shack EC-380 Calculator (1977)
Calculator Fabric Carrying Bag
Sperry Remington SSR-8 Calculator (1974)

12345678
MELCOR 400
E 12345678.
Radio Shack
12345678

1234567 10089

UNITREX 800KD
ELECTRONIC CALCULATOR
1 2 3 4 5 6 7 8
SET DECIMAL BEFORE OPERATION. DEPRESS
0 1 2 3 OR 4 PLUS 5 SIMULTANEOUSLY.
entire county now is:
Amount of Sale
7% Tax
None
1 cent
2 cents
3 cents
4 cents
5 cents
6 cents
7 cents
8 cents
9 cents
10 cents
11 cents
12 cents
13 cents
14 cents
÷
7
8
9
RV
×
4
5
6
−
CE
1
2
3
+/−
C
0
.

Franklin
WORDS FROM MERRIAM-WEBSTER
Ready
crosswords
SECOND GUESS
JUMBLE
PHRASES
LETTER
MATCH
ENTER
CLEAR
ENTER

The New York Times
TOUCH SCREEN CROSSWORD PUZZLE
DELUXE EDITION
EXCALIBUR

The New York Times
TOUCH SCREEN CROSSWORD PUZZLE
DELUXE EDITION
by EXCALIBUR


(157) Vintage Early Pocket Calculators Rare Set
[1973-2008]
00:00:15
(157) Vintage Early Pocket Calculators Rare Set
[1973-2008]
00:00:31
00:00:46
00:01:17
00:01:32
00:01:47
00:02:18
00:02:33
00:02:48

VIDEO

Specification:	

DESCRIPTION	• **Unitrex** Executive Calculator **(1973):**
	  • Model 1020A
	  • American Walnut Wooden Case
	  • **Power**: 120V Only (Internal PSU)
	  Plug Type: TYPE A, USA, 2 Thin Flat Pins
	• **Unitrex** 800KD Electronic Calculator **(1973)**:
	  • Instructions Booklet
	• **Excalibur** The New York Times Touch-Screen Crossword Puzzle **(2008)**
	• **Melcor** 400 Electronic Calculator **(1973)**
	• **Radio Shack** EC-380 Calculator **(1977)**
	• **Sperry Remington** SSR-8 Calculator **(1974)**
	• **Franklin** CW-50 Crosswords Puzzle Solver (Merriam Webster) **(1992)**:
	  • User's Manual
	  • Franklin Electronic Library
	  • Product Registration Card
	  • Sealed Cleaning Fabric
	  • Soft Leather Carrying Case

ACCESSORIES & DOCUMENTS	Calculator Carrying Bag
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(158) Vintage Singer 128K Hand Crank Sewing Machine
[1897]


Instructions For Using
SINGER SEWING MACHINE CLASS 128
THE SINGER COMPANY
Original Instruction Leaflet


Trapezoidal access door on head)
Extra Sewing Toolkit
(in the side wooden storage)
SINGER
Automatic tension release
on presser bar lifting
Manual Winder
Shuttle ejector button

SINGER
Serial: 14 615 218
Mapped to production Year: 1897
14 615 218
14 615 218


SINGER

SINGER

SINGER

SINGER



Specification:	
DESCRIPTION	• **Serial**: 14 615 218 Serial to Production Date Lookup Database: https://serial-number-decoder.com/singer-sewing-machines/singer-sewing-machines.htm • Use "vibrating shuttle" technology • Trapezoidal access door on head • Location of stitch length control: Pillar • Bed shape: Rectangle (12-5/32 X 6-9/16) • Shuttle ejector button • Automatic tension release when the presser bar is lifted
ACCESSORIES & DOCUMENTS	• Original Blue Hard Cover Carrying Case with Handle • Original Instruction Leaflet

	• Extra Sewing Toolkit (in the side wooden storage)
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(159) Vintage Tempus Fugit 31 Day Pendulum Wall Clock
[1975]



Tempus Fugit


Size: 472 MB (495,837,229 bytes)
Resolution: 1920x1080
Duration: 00:03:16
MPC-HC
(159) Vintage Tempus Fugit 31 Day Pendulum Wall Clock
[1975]
Specification:
DESCRIPTION
00:00:12
00:00:23
00:00:35
00:00:58
00:01:09
00:01:21
00:01:44
00:01:55
00:02:07

VIDEO

Specification:	
DESCRIPTION	• Beautifully Crafted Wood Grain Casing • Metal Ornate Face with Roman Numerals • 2 X Hollow Display Weights on chains • 31 X day movement & is spring-driven • 2 X Winding Arbors on the Dial • Coil Spring Hammer Gong Which Strikes Once on the half-hour • Adjustable Pendulum plus Key • Made in Korea • 27 1/2" tall x 15" wide x 5 1/4" deep
ACCESSORIES & DOCUMENTS	• Built-in Water Balance Scale • Pendulum Keys Set with Box
SPECIAL INSTRUCTIONS	

(GOTO ^^TOP)

(SS01) Support Items

Item Name	Photo	Description	Count
Power Transformer: 120V to 240V and vice versa		• Newstar SVC-1000 Power Regulator Stabilizer Voltage Transform, LCD display, 1000 VA /750 watts • Make sure to manually select the correct source voltage of your country • Default source voltage is : **240V** • Plug Type: TYPE G, UK, 3 Thick Flat Pins	**4**
Power Transformer: 120V to 240V and vise versa		• Newstar SVC-500 Power Regulator Stabilizer Voltage Transform, LCD display, 500 VA /360 watts • Make sure to manually select the correct source voltage of your country • Default source voltage is : **240V** • Plug Type: TYPE G, UK, 3 Thick Flat Pins	**1**
Dual Voltage Converter: 120V to 240V and vice versa		• Terminator Tacc 80M • AC to AC Dual Voltage Converter from Terminator 110V-220V / 220V-110V. (80 W) • Make sure to manually select the correct source voltage of your country • Default source voltage is: **240V**	**2**
Dual Voltage Converter: 120V to 240V and vice versa		• Terminator Converter With Multi Travel Plug & Socket (150W) • AC to AC Dual Voltage Converter from Terminator 110V-220V / 220V-110V. (150 W) • Make sure to manually select the correct source voltage of your country • Default source voltage is: **240V**	**2**

Power Extension and socket duplicator		• 4-way universal power cord extension • Plug Type: TYPE G, UK, 3 Thick Flat Pins	**2**
Power Socket Adapter		• Universal power adapter with an intelligent design that enables compatibility with devices up to 10A-250V, and 2500W power • All-in-one international travel adapter with US / EU / UK / AU plugs that covers more than 150 countries • Self-resetting fuse for protection against overload and short circuit	**4**
Power Socket Extender		• For US 120V sockets • 3 OUTLET WALL TAP Sideways POWER ADAPTER Plug UL GROUNDED 3 WAY PRONG ELECTRIC • Plug Type: TYPE B, USA, 2 Thin Flat + 1 Thick Round Pins	**1**
Phone Holder / Stand		• Padom Cell Phone Stand Foldable Portables Phone Holder 120°Angle Tablet Stand Height Adjustable for iphone Stand Non-slip Phone Stand for Desk for/Smartphones/ipad/Tablet (White)	**5**
Tablet Holder / Stand		• Adjustable Metal Book Stand Folding Reading Stand Anti-Slip Desk A5 Size, with Page Clips (Metal White)	**1**

Statistics

Items:	

COMPUTER SYSTEMS	• **Desktops:**
	  • Total: **39** (Apple 20, IBM 3, Other 16)
	  • Oldest: **1976**
	• **Luggable:**
	  • Total: **12**
	  • Oldest: **1981**
	• **Briefcase:**
	  • Total: **9**
	  • Oldest: **1980**
	• **Laptops:**
	  • Total: **23** (Apple 7, IBM 2, Other 14)
	  • Oldest: **1986**
	• **Ultra-Mobile PC/PDA:**
	  • Total: **4**
	  • Oldest: **1994**
	• **Mobiles:**
	  • Total: **10**
	  • Oldest: **1980**

ELECTRONICS	• **Game Systems:**
	  • Total: **28** (Consoles 24, Portables 4)
	  • Oldest: **1976**
	• **Music Systems:**
	  • Total: **13**
	  • Oldest: **1968**
	• **Radio Systems:**
	  • Total: **6**
	  • Oldest: **1956**
	• **Projectors/VCRs:**
	  • Total: **5**
	  • Oldest: **1937**
	• **Camera Systems:**
	  • Total: **7**
	  • Oldest: **1928**
	• **Calculators:**
	  • Total: **9**

	• Oldest: **1941**
OTHER	• Total: **27** • Oldest: **1897**
POWER VOLTAGE	• 120 Only: **81** • 240 Only: **34** • 120-240 Auto-Switch: **80** • 120-240 Manual Switch: **14**
POWER PLUGS	• **TYPE A**, USA, 2 Thin Flat Pins: Total: **61** • **TYPE B**, USA, 2 Thin Flat + 1 Thick Round Pins: Total: **75** • **TYPE C**, Europe, 2 Thin Round Pins: Total: **15** • **TYPE F**, UK, 2 Thick Round Pins: Total: **8** • **TYPE G**, UK, 3 Thick Flat Pins: Total: **58**
TOTALS	• **Total Items:** **163** • **Total Parcels:** **70** • **Oldest:** **1897**

PACKAGES:

All Packages are well reserved internally and externally and ready for shipment

- Carton 55X70 = **5**
- Carton 45X45 = **13**
- Carton 60X60 = **52**
- TOTAL = **70**
- Total Weight (AVG) = **1350 KG**

(GOTO ^^TOP)